

Cicindela asiatica Audouin & Brullé in South East Turkey (Coleoptera, Cicindelidae)

Muhabbet Kemal Ahmet Ömer Koçak



Fig. 1- *Cicindela asiatica* (Cicindelidae). Turkey: Siirt Prov., Şirvan, 7 3 2008 photo M. Kemal (Cesa)



Fig. 2- *Cicindela asiatica*. Turkey: Bitlis Prov, Ağaçköprü, 1450m, 6 6 2008, photo M. Kemal (Cesa)



Fig. 3– *Cicindela asiatica*. Turkey: Siirt Prov., Erüh, 8.3.2008, photo M. Kemal (Cesa)



Fig. 4- Habitat of *Calomera fischeri* and *Cicindela asiatica*. Turkey: Siirt Prov., Erüh, 8 3 2008 photo M. Kemal (Cesa)



Fig. 5- Habitat of *Calomera fischeri* and *Cicindela asiatica*. Turkey: Siirt Prov., Erüh, 8 3 2008 photo M. Kemal (Cesa)

During the expeditions of the authors to the provinces Bitlis and Siirt (South East Turkey), in 2008, some Tiger Beetles (*Calomera* and *Cicindela*) were observed. The first author photographed and collected specimens (preserved in coll. Cesa) from Ağaçköprü (Bitlis Prov.), from the vicinity of Şirvan and Erüh (Siirt Province). The faunal records of *Cicindela asiatica* Audouin & Brullé, 1839 are new to the provinces Bitlis and Siirt (**Figs. 1-3**).

The known distribution of this species is from Syria, Turkey, Caucasus, Iran to Turkmenistan. In Turkey, it is recorded from the following provinces: Adana, Bingöl, Bitlis (new), Elazığ, Hakkari, Hatay, Kahramanmaraş, Muş, Siirt (new), Tunceli, Şanlıurfa, and Van.

The species *Calomera fischeri* and *Cicindela asiatica* inhabit sympatrically in these provinces (**Figs. 4-5**).



Entomofauna of Turkey (ET)

Report on the “Entomofauna of Turkey” 4- Revised and expanded index of the species of the Pterygot Insects of Turkey

Ahmet Ömer Koçak Muhabbet Kemal

This is the fourth temporary results¹ of the Project “Entomofauna of Turkey” by the Cesa.

In the previous report toptally 3606 pterygot species were reported in Turkey. Now, this number increased to 4500. Similarly, the number of the genera recorded in Turkey increased from 1197 to 1457.

The following alphabetical indexes of the valid specific names of the pterygot insects of Turkey are based upon the Info-system of the Cesa.

The scientific names are given below with the authors, usually with the date of publications, and their families. The validity of the names are confirmed here from the taxonomical and nomenclatural standpoints. In the list below the *Lepidoptera* of Turkey is excluded.

Updated number of the species of the pterygot insects of Turkey (based upon the Info-system of the Cesa) is 9664.

Next reports concerning this ongoing Project will be published in this serial at irregular intervals.

¹ For the previous list, see Cesa News nr. 40.



Fig. 1 - *Capnodis marquardti* Reitter, 1913 (Buprestidae) Turkey: Van Prov., Ereğdağı 2100m 5 6 2007, photo M. Kemal (Cesa)



Fig. 2 - *Capnodis marquardti* Reitter, 1913 (Buprestidae) in copula. Turkey: Van Prov., Ereğdağı 2100m 5 6 2007, photo M. Kemal (Cesa)

Index of 4500 species of pterygot insects recorded in Turkey

1. *Abgrallaspis cyanophylli* (Signoret) (Diaspididae)
2. *Ablerus atomon* (Walker, 1847) (Aphelinidae)
3. *Ablerus celsus* (Walker, 1839) (Aphelinidae)
4. *Ablerus perspicuosus* Girault, 1916 (Aphelinidae)
5. *Acanthaclisis occitanica* (Villers, 1789) (Myrmeleonidae)
6. *Acanthaclisis occitanicum* Villers, 1789 (Myrmeleonidae)
7. *Acanthiophilus helianthi* (Rossi, 1794) (Tephritidae)
8. *Acantholepis frauenfeldi* (Mayr, 1855) (Formicidae)
9. *Acanthomytilus cedricola* Balachowsky & Alkan (Diaspididae)
10. *Acanthopulvinaria orientalis* (Nasonov) (Coccidae)
11. *Acanthopus velikensis* (Piller & Mitterpacher, 1783) (Tenebrionidae)
12. *Achaeta algericus* (Saussure, 1877) (Gryllidae)
13. *Achaeta burdigalensis* (Latreille, 1804) (Gryllidae)
14. *Achaeta deserta* (Pallas, 1771) (Gryllidae)
15. *Achaeta domestica* (Linnaeus, 1758) (Gryllidae)
16. *Achaeta frontalis* (Fieber, 1845) (Gryllidae)
17. *Achaeta tartarus* (Saussure, 1877) (Gryllidae)
18. *Achalcerinus lindus* (Mercet) (Encyrtidae)
19. *Acheta gossypii* Costa, 1855 (Gryllidae)
20. *Acinipe davisii* (Uvarov, 1949) (Pamphagidae)
21. *Aconura oculata* (Lindberg, 1948) (Cicadellidae)
22. *Aconura volgensis* Lethierry, 1876 (Cicadellidae)
23. *Aconurella prolixa* (Lethierry, 1885) (Cicadellidae)
24. *Acrida anatolica* Dirsh, 1949 (Acrididae)
25. *Acrida oxycephala* (Pallas, 1771) (Acrididae)
26. *Acrochordomerus aeneus* Hermann, 1920 (Asilidae)
27. *Acrochordomerus mediterraneus* Kovár & Hradski, 1995 (Asilidae)
28. *Acrometopa servillea* (Brullé, 1832) (Tettigoniidae)
29. *Acrometopa syriaca* Brunner von Wattenwyl, 1878 (Tettigoniidae)
30. *Acrorrhinium conspersum* Noualhier, 1895 (Miridae)
31. *Acrotylus insubricus* (Scopoli, 1786) (Acrididae)
32. *Acrotylus longipes* (Charpentier, 1845) (Acrididae)
33. *Acrotylus patruelis* (Herrich-Schäffer, 1838) (Acrididae)
34. *Actenodia confluens* (Reiche, 1866) (Meloidae)
35. *Actenodia peyroni* (Reiche, 1866) (Meloidae)
36. *Actinoptera discoidea* (Fallén, 1814) (Tephritidae)
37. *Adarrus multinotatus* (Boheman, 1847) (Cicadellidae)
38. *Adelencyrtus aulacaspidis* (Bréthes) (Encyrtidae)
39. *Adelina turcica* (Reitter, 1877) (Tenebrionidae)
40. *Adelocera pygmaea* (Baudi, 1871) (Elateridae)
41. *Adelocera schuberti* Platia & Gudenzi, 2002 (Elateridae)
42. *Adelostoma subtile* Reitter, 1900 (Tenebrionidae)
43. *Adelphocoris lineolatus* (Goeze, 1778) (Miridae)
44. *Adesmia anthracina* Klug, 1830 (Tenebrionidae)
45. *Adesmia fischeri* Faldermann, 1837 (Tenebrionidae)
46. *Adesmia procera* Miller, 1861 (Tenebrionidae)
47. *Adontomerus impolitus* (Askew & Nieves Aldrey) (Torymidae)
48. *Adrastus anatolicus* Platia & Schimmel, 1991 (Elateridae)
49. *Adrastus circassicus* Reitter, 1896 (Elateridae)
50. *Adrastus dolini* Welschmied, 1978 (Elateridae)
51. *Adrastus limbatus* (Fabricius, 1776) (Elateridae)
52. *Adrastus longicornis* Gurjeva, 1976 (Elateridae)
53. *Adrastus montanus* (Scopoli, 1763) (Elateridae)
54. *Adrastus pallens* (Fabricius, 1792) (Elateridae)
55. *Adrastus protractus* Roubal, 1924 (Elateridae)
56. *Adrastus rachifer* (Fourcroy, 1785) (Elateridae)
57. *Adrastus samedovi* Dolin & Agajev, 1974 (Elateridae)
58. *Aelia acuminata* (Linnaeus, 1758) (Pentatomidae)
59. *Aeoloderma crucifer* (Rossi, 1790) (Elateridae)
60. *Aeoloderma oblitterata* (Candeze, 1859) (Elateridae)
61. *Aeoloides figuratus* (Germar, 1844) (Elateridae)
62. *Aeoloides grisescens* (Germar, 1844) (Elateridae)
63. *Aeoloides sarmaticus* (Motschoulsky, 1860) (Elateridae)
64. *Aeolosomus rossi* (Germar, 1844) (Elateridae)
65. *Aeropedellus turcicus* Karabağ, 1959 (Acrididae)
66. *Aeropus sibiricus* (Linnaeus, 1767) (Acrididae)
67. *Aethiessa mesopotamica* Burmeister, 1842 (Scarabaeidae)
68. *Agabus biguttatus* (Oliver, 1795) (Dytiscidae)
69. *Agallia bispinata* (Dlabola, 1957) (Cicadellidae)
70. *Agalmatium bilobum* (Fieber, 1877) (Issidae)
71. *Ageniaspis fuscicollis* (Dalman) (Encyrtidae)
72. *Aglena ornata* (Herrich-Schäffer, 1838) (Cicadellidae)
73. *Agnetina werneri* (Kempny, 1908) (Perlidae)
74. *Agrilus kutahyanus* Krolík, 2002 (Buprestidae)
75. *Agrilus rhoos* Krolík & Niehuis, 2003 (Buprestidae)
76. *Agriotes* (s.str.) *acuminatus* (Stephens, 1830) (Elateridae)
77. *Agriotes* (s.str.) *adanensis* Pic, 1900 (Elateridae)
78. *Agriotes* (s.str.) *adlbaueri* Platia & Schimmel, 1992 (Elateridae)
79. *Agriotes* (s.str.) *anatolicus* Platia, 2003 (Elateridae)
80. *Agriotes* (s.str.) *aquilus* Platia, 2003 (Elateridae)
81. *Agriotes* (s.str.) *audisioi* Platia & Schimmel, 1992 (Elateridae)
82. *Agriotes* (s.str.) *barriesi* Cate & Platia, 1997 (Elateridae)
83. *Agriotes* (s.str.) *brevis* Candeze, 1863 (Elateridae)
84. *Agriotes* (s.str.) *cilicensis* Platia & Gudenzi, 1998 (Elateridae)
85. *Agriotes* (s.str.) *colonnellii* Guglielmi & Platia, 1985 (Elateridae)
86. *Agriotes* (s.str.) *conspicuus* Schwarz, 1891 (Elateridae)
87. *Agriotes* (s.str.) *constrictus* Reitter, 1900 (Elateridae)
88. *Agriotes* (s.str.) *crassiusculus* Platia & Gudenzi, 1998 (Elateridae)
89. *Agriotes* (s.str.) *cribrithorax* Pic, 1910 (Elateridae)
90. *Agriotes* (s.str.) *defreinaei* Platia & Gudenzi, 1998 (Elateridae)
91. *Agriotes* (s.str.) *depressus* Schwarz, 1891 (Elateridae)
92. *Agriotes* (s.str.) *dusaneki* Platia & Gudenzi, 1998 (Elateridae)
93. *Agriotes* (s.str.) *furlani* Platia, 2003 (Elateridae)
94. *Agriotes* (s.str.) *ganglbaueri* Schwarz, 1891 (Elateridae)
95. *Agriotes* (s.str.) *goksunensis* Platia, 2004 (Elateridae)
96. *Agriotes* (s.str.) *graecus* Franz, 1967 (Elateridae)
97. *Agriotes* (s.str.) *granulosus* Platia & Gudenzi, 1992 (Elateridae)
98. *Agriotes* (s.str.) *gurgistanus* (Faldermann, 1835) (Elateridae)
99. *Agriotes* (s.str.) *heydeni* Schwarz, 1891 (Elateridae)
100. *Agriotes* (s.str.) *informis* Schwarz, 1891 (Elateridae)
101. *Agriotes* (s.str.) *infuscatus* Desbrochers, 1870 (Elateridae)

102. *Agriotes* (s.str.) *integricollis* Reitter, 1911 (Elateridae)
103. *Agriotes* (s.str.) *izmirensis* Cate & Platia, 1997 (Elateridae)
104. *Agriotes* (s.str.) *karsantianus* Pic, 1910 (Elateridae)
105. *Agriotes* (s.str.) *kraatzii* Schwarz, 1891 (Elateridae)
106. *Agriotes* (s.str.) *lapicida* (Faldermann, 1835) (Elateridae)
107. *Agriotes* (s.str.) *leinfesti* Platia & Gudenzi, 1998 (Elateridae)
108. *Agriotes* (s.str.) *lineatus* (Linnaeus, 1767) (Elateridae)
109. *Agriotes* (s.str.) *litigiosus* (Rossi, 1792) (Elateridae)
110. *Agriotes* (s.str.) *lizleri* Platia, 2003 (Elateridae)
111. *Agriotes* (s.str.) *lundbergi* Platia, 1989 (Elateridae)
112. *Agriotes* (s.str.) *mertliki* Platia, 2003 (Elateridae)
113. *Agriotes* (s.str.) *meticulosus* Candeze, 1863 (Elateridae)
114. *Agriotes* (s.str.) *modestus* Kiesenwetter, 1858 (Elateridae)
115. *Agriotes* (s.str.) *nigropubens* Reitter, 1904 (Elateridae)
116. *Agriotes* (s.str.) *nigror* Platia, 2003 (Elateridae)
117. *Agriotes* (s.str.) *nuceus* Fairmaire, 1866 (Elateridae)
118. *Agriotes* (s.str.) *obscurus* (Linnaeus, 1758) (Elateridae)
119. *Agriotes* (s.str.) *paludum* Kiesenwetter, 1859 (Elateridae)
120. *Agriotes* (s.str.) *petterssoni* Platia & Gudenzi, 2000 (Elateridae)
121. *Agriotes* (s.str.) *pilosellus* (Schönherr, 1817) (Elateridae)
122. *Agriotes* (s.str.) *propleuralis* Platia & Gudenzi, 1998 (Elateridae)
123. *Agriotes* (s.str.) *proximus* Schwarz, 1891 (Elateridae)
124. *Agriotes* (s.str.) *radula* Desbrochers, 1875 (Elateridae)
125. *Agriotes* (s.str.) *reitteri* Schwarz, 1891 (Elateridae)
126. *Agriotes* (s.str.) *riesei* Platia, 2004 (Elateridae)
127. *Agriotes* (s.str.) *rufipalpis* (Brullé, 1832) (Elateridae)
128. *Agriotes* (s.str.) *sameki* Platia, 2003 (Elateridae)
129. *Agriotes* (s.str.) *schuberti* Platia, 2004 (Elateridae)
130. *Agriotes* (s.str.) *schurmanni* Platia & Gudenzi, 1998 (Elateridae)
131. *Agriotes* (s.str.) *sexualis* Platia, 2004 (Elateridae)
132. *Agriotes* (s.str.) *solai* Platia, 2004 (Elateridae)
133. *Agriotes* (s.str.) *sputator* (Linnaeus, 1758) (Elateridae)
134. *Agriotes* (s.str.) *starcki* Schwarz, 1891 (Elateridae)
135. *Agriotes* (s.str.) *strigosus* Kiesenwetter, 1859 (Elateridae)
136. *Agriotes* (s.str.) *subsulcatus* Pic, 1913 (Elateridae)
137. *Agriotes* (s.str.) *sylviae* Cate & Platia, 1997 (Elateridae)
138. *Agriotes* (s.str.) *tauricus* Heyden, 1882 (Elateridae)
139. *Agriotes* (s.str.) *tristiculus* Reitter, 1906 (Elateridae)
140. *Agriotes* (s.str.) *turcicus* Candeze, 1863 (Elateridae)
141. *Agriotes* (s.str.) *ustulatus* (Schaller, 1783) (Elateridae)
142. *Agriotes* (s.str.) *weneri* Platia, 2003 (Elateridae)
143. *Agriotes* (s.str.) *witzgalli* Platia & Schimmel, 1993 (Elateridae)
144. *Agrypnus* *crenicollis* (Ménétriér, 1832) (Elateridae)
145. *Agrypnus* *murinus* (Linnaeus, 1758) (Elateridae)
146. *Agrypnus* *sarikamisensis* Platia, Yıldırım & Kesdek, 2007 (Elateridae)
147. *Aiolopus* *simulatrix* (Walker, 1870) (Acrididae)
148. *Aiolopus* *strepens* (Latreille, 1804) (Acrididae)
149. *Aiolopus* *thalassinus* (Fabricius, 1781) (Acrididae)
150. *Akis* *elongata* Brullé, 1832 (Tenebrionidae)
151. *Akis* *elongata opaca* Heyden, 1897 (Tenebrionidae)
152. *Akis* *latreillei* Solier, 1836 (Tenebrionidae)
153. *Akotropis* *quercicola* Linnavuori, 1962 (Achilidae)
154. *Alebra* *albostriella* (Fallén, 1826) (Cicadellidae)
155. *Alebra* *wahlbergi* (Boheman, 1845) (Cicadellidae)
156. *Allodynerus* *delphinalis* (Giraud, 1866) (Vespidae)
157. *Alloterra* *claviger* (Kieffer) (Pteromalidae)
158. *Allygidius* *ectabanicus* Logvinenko, 1979 (Cicadellidae)
159. *Allygus* *mixtus* (Fabricius, 1794) (Cicadellidae)
160. *Alosimus* *armeniacus* (Faldermann, 1837) (Meloidae)
161. *Alosimus* *castaneus* Escherich, 1896 (Meloidae)
162. *Alosimus* *chalybaeus* (Tauscher, 1812) (Meloidae)
163. *Alosimus* *decolor* (Abeille de Perrin, 1880) (Meloidae)
164. *Alosimus* *gracilis* (Abeille de Perrin, 1880) (Meloidae)
165. *Alosimus* *luteus* (Waltl, 1838) (Meloidae)
166. *Alosimus* *marginicollis* Haag-Rutenberg, 1880 (Meloidae)
167. *Alosimus* *pallidicollis* (Gyllenhal, 1806) (Meloidae)
168. *Alosimus* *reittedianus* (Semenov, 1990) (Meloidae)
169. *Alosimus* *smyrnensis* (Maran, 1942) (Meloidae)
170. *Alosimus* *syriacus* (Linnaeus, 1758) (Meloidae)
171. *Alphitobius* *diaperinus* (Panzer, 1797) (Tenebrionidae)
172. *Alphitobius* *laevigatus* (Fabricius, 1781) (Tenebrionidae)
173. *Alphitophagus* *bifasciatus* (Say, 1823) (Tenebrionidae)
174. *Amblyopone* *denticulatum* (Roger, 1859) (Formicidae)
175. *Amblytylus* *concolor* Jakovlev, 1877 (Miridae)
176. *Amblytylus* *luridus* Hoberlandt, 1961 (Miridae)
177. *Ameles* *heldreichi* Brunner von Wattenwyl, 1882 (Mantidae)
178. *Ameles* *syriensis* Giglio-Tos, 1915 (Mantidae)
179. *Ammobius* *rufus* Lucas, 1849 (Tenebrionidae)
180. *Ammothereva* *splendida* (Kröber, 1912) (Therevidae)
181. *Amnodeis* *grandis* Miller, 1858 (Tenebrionidae)
182. *Amnodeis* *milleri* Reitter, 1914 (Tenebrionidae)
183. *Ampedus* *adlbaueri* Schimmel, 1990 (Elateridae)
184. *Ampedus* *aethiops* (Lacordaire, 1835) (Elateridae)
185. *Ampedus* *agajewi* Dolin, 1970 (Elateridae)
186. *Ampedus* *agilis* Platia, 2001 (Elateridae)
187. *Ampedus* *anatolicus* Platia & Gudenzi, 2002 (Elateridae)
188. *Ampedus* *balteatus* (Linnaeus, 1758) (Elateridae)
189. *Ampedus* *canaliculatus* (Reitter, 1918) (Elateridae)
190. *Ampedus* *cinnabarinus* (Eschscholtz, 1829) (Elateridae)
191. *Ampedus* *circassicus* (Reitter, 1887) (Elateridae)
192. *Ampedus* *decumanus* Gurjewa, 1977 (Elateridae)
193. *Ampedus* *demailsoni* (Buysson, 1898) (Elateridae)
194. *Ampedus* *elegantulus* (Schönherr, 1817) (Elateridae)
195. *Ampedus* *elongatulus* (Fabricius, 1787) (Elateridae)
196. *Ampedus* *erythrogonus* (P.W.Müller, 1821) (Elateridae)
197. *Ampedus* *ganglbaueri* (Reitter, 1889) (Elateridae)
198. *Ampedus* *hirticollis* (Semenov, 1891) (Elateridae)
199. *Ampedus* *lubricus* (Buysson, 1891) (Elateridae)
200. *Ampedus* *nigerrimus* (Lacordaire, 1835) (Elateridae)
201. *Ampedus* *nigrinus* (Herbst, 1784) (Elateridae)
202. *Ampedus* *nigroflavus* (Goeze, 1777) (Elateridae)
203. *Ampedus* *ocellatus* (Buysson, 1891) (Elateridae)
204. *Ampedus* *ochropterus* Germar, 1844 (Elateridae)
205. *Ampedus* *platiai* Schimmel, 1990 (Elateridae)
206. *Ampedus* *pomoniae* (Stephens, 1830) (Elateridae)
207. *Ampedus* *pomorum* (Herbst, 1784) (Elateridae)
208. *Ampedus* *praeustus* (Fabricius, 1792) (Elateridae)
209. *Ampedus* *pulcher* (Baudi, 1871) (Elateridae)
210. *Ampedus* *punctatus* Schwarz, 1893 (Elateridae)
211. *Ampedus* *ressli* Platia & Gudenzi, 1999 (Elateridae)
212. *Ampedus* *rufipennis* (Stephens, 1830) (Elateridae)
213. *Ampedus* *samedovi* Dolin & Ajajew, 1983 (Elateridae)
214. *Ampedus* *sanguineus* (Linnaeus, 1758) (Elateridae)

215. *Ampedus sanguinolentus* (Schrank,1776) (Elateridae)
 216. *Ampedus schoettlei* Zeising & Brunne,2003 (Elateridae)
 217. *Ampedus sinuatus* Germar,1844 (Elateridae)
 218. *Ampedus turcicus* Platia & Kabalak, Sert,2007 (Elateridae)
 219. *Ampedus wachtangi* Dolin,1970 (Elateridae)
 220. *Amphinemura mirabilis* (Martynov,1928) (Nemouridae)
 221. *Amphinemura trialetica* Zhiltzova,1957 (Nemouridae)
 222. *Amphisbetetus dorsatus* Becker,1913 (Asilidae)
 223. *Amphisbetetus favillaceus* (Loew,1856) (Asilidae)
 224. *Anacaena limbata* (Fabricius,1792) (Hydrophilidae)
 225. *Anacaena rufipes* (Guillebeau,1792) (Hydrophilidae)
 226. *Anaceratogallia laevis* (Ribaut,1935) (Cicadellidae)
 227. *Anaceratogallia ribauti* (Ossiannilsson,1938) (Cicadellidae)
 228. *Anachalcis major* Boucek (Chalcididae)
 229. *Anachalcis rubra* Steffan (Chalcididae)
 230. *Anacridium aegyptium* (Linnaeus,1764) (Acrididae)
 231. *Anadolua burri* Karabağ,1952 (Tettigoniidae)
 232. *Anadolua davisii* Karabağ,1952 (Tettigoniidae)
 233. *Anadolua rammei* Karabağ,1952 (Tettigoniidae)
 234. *Anadolua schwarzi* Ramme,1939 (Tettigoniidae)
 235. *Anadrymadusa adzharia* (Uvarov,1934) (Tettigoniidae)
 236. *Anadrymadusa albomaculata* (Karabağ,1956) (Tettigoniidae)
 237. *Anadrymadusa brevipennis* (Brunner von Wattenwyl,1882) (Tettigoniidae)
 238. *Anadrymadusa curviceris* (Uvarov,1916) (Tettigoniidae)
 239. *Anadrymadusa kosswigi* Karabağ,1975 (Tettigoniidae)
 240. *Anadrymadusa ornatipennis* (Ramme,1926) (Tettigoniidae)
 241. *Anadrymadusa recticauda* (Werner,1903) (Tettigoniidae)
 242. *Anadrymadusa spinicercis* (Karabağ,1956) (Tettigoniidae)
 243. *Anagrus atomus* (Linnaeus) (Mymaridae)
 244. *Anagrus aligarhensis* Agarwal & Alam (Encyrtidae)
 245. *Anagrus matritensis* (Mercet) (Encyrtidae)
 246. *Anagrus pseudococci* (Girault) (Encyrtidae)
 247. *Anagrus schoenherri* (Westwood) (Encyrtidae)
 248. *Anaphes diana* (Girault) (Mymaridae)
 249. *Anaprostocetus acuminatus* (Ratzeburg) (Eulophidae)
 250. *Anapulvinaria pistaciae* (Bodenheimer) (Coccidae)
 251. *Anarolius fronto* Loew,1873 (Asilidae)
 252. *Anarolius jamshidi* Abbassian-Lintzen,1964 (Asilidae)
 253. *Anarolius jubatus* Loew,1844 (Asilidae)
 254. *Anastatus bifasciatus* (Geoffroy) (Eupelmidae)
 255. *Anastoechus araxis* Paramonov,1926 (Bombyliidae)
 256. *Anastoechus nitidulus* (Fabricius,1794) (Bombyliidae)
 257. *Ancistrocerus claripennis* Thomson,1874 (Vespidae)
 258. *Ancistrura nigrovittata* (Brunner von Wattenwyl,1878) (Tettigoniidae)
 259. *Ancylorhynchus brussensis* (Schiner,1867) (Asilidae)
 260. *Ancylorhynchus glaucius* (Rossi,1790) (Asilidae)
 261. *Ancylorhynchus longicornis* (Schiner,1867) (Asilidae)
 262. *Ancyrosoma leucogrammes* (Gmelin,1790) (Pentatomidae)
 263. *Andrenosoma albibarbe* (Meigen,1820) (Asilidae)
 264. *Andrenosoma atrum* (Linnaeus,1758) (Asilidae)
 265. *Andrenosoma cornuta* Oldroyd,1972 (Asilidae)
 266. *Andrenosoma serratum* Hermann,1906 (Asilidae)
 267. *Anechura bipunctata* (Fabricius,1781) (Forficulidae)
 268. *Anechura zubovskii* (Semenov,1901) (Forficulidae)
 269. *Aneomochtherus acratulus* (Tsacas,1968) (Asilidae)
 270. *Aneomochtherus aerifacies* (Tsacas,1968) (Asilidae)
 271. *Aneomochtherus griseus* (Tsacas,1968) (Asilidae)
 272. *Aneomochtherus illustris* (Schiner,1867) (Asilidae)
 273. *Aneomochtherus micrasiaticus* (Tsacas,1968) (Asilidae)
 274. *Aneomochtherus mundus* (Loew,1849) (Asilidae)
 275. *Aneomochtherus perplexus* (Becker,1923) (Asilidae)
 276. *Aneomochtherus soleus* (Tsacas,1968) (Asilidae)
 277. *Anicetus italicus* (Masi) (Encyrtidae)
 278. *Anisolabis maritima* (Géné,1832) (Labiduridae)
 279. *Anisopogon hermanni* (Engel,1930) (Asilidae)
 280. *Anisopteromalus calandreae* (Howard) (Pteromalidae)
 281. *Anogcodes difformis* (Marseul,1857) (Oedemeridae)
 282. *Anogcodes ferrugineus* (Schrank,1776) (Oedemeridae)
 283. *Anogcodes fulvicollis* (Scopoli,1763) (Oedemeridae)
 284. *Anogcodes geniculatus* (W.Schmidt,1846) (Oedemeridae)
 285. *Anogcodes paradoxus* (Faldermann,1837) (Oedemeridae)
 286. *Anogcodes ruficollis* (Fabricius,1781) (Oedemeridae)
 287. *Anogcodes rufiventris* (Scopoli,1763) (Oedemeridae)
 288. *Anogcodes seladonius* (Fabricius,1792) (Oedemeridae)
 289. *Anogcodes ustulatus* (Scopoli,1763) (Oedemeridae)
 290. *Anoplotettix eckerleini* Dlabola,1965 (Cicadellidae)
 291. *Anoplotettix fuscovenosus* (Ferrari,1882) (Cicadellidae)
 292. *Anoplotettix kalkandeleni* Dlabola,1971 (Cicadellidae)
 293. *Anoplotettix novaki* Wagner,1959 (Cicadellidae)
 294. *Anoplotettix rodosicus* Dlabola,1974 (Cicadellidae)
 295. *Anoplotettix sahtyancii* Dlabola,1970 (Cicadellidae)
 296. *Anoscopus albifrons* (Linnaeus,1758) (Cicadellidae)
 297. *Anostirus alexandri* Wurst,1995 (Elateridae)
 298. *Anostirus ataturki* Platia & Gudenzi,2000 (Elateridae)
 299. *Anostirus eschscholtzi* (Faldermann,1835) (Elateridae)
 300. *Anostirus gracilicollis* (Stierlin,1896) (Elateridae)
 301. *Anostirus holtzi* (Schwarz,1902) (Elateridae)
 302. *Anostirus incostatus* (Pic,1905) (Elateridae)
 303. *Anostirus lederi* (Heyden,1878) (Elateridae)
 304. *Anostirus nubilosus* Wurst & Schimmel,1995 (Elateridae)
 305. *Anostirus purpureus* (Poda,1761) (Elateridae)
 306. *Anostirus saltinii* Cate, Platia & Schimmel,2002 (Elateridae)
 307. *Anostirus trivialis* Gurjeva,1988 (Elateridae)
 308. *Anostirus turcicus* Platia & Mertlik,1996 (Elateridae)
 309. *Anoterostemma ivanoffi* (Lethierry,1876) (Cicadellidae)
 310. *Anterastes akdagensis* Ramme,1951 (Tettigoniidae)
 311. *Anterastes anatolicus* Uvarov,1934 (Tettigoniidae)
 312. *Anterastes antitauricus* Çiplak,2004 (Tettigoniidae)
 313. *Anterastes babadaghi* Uvarov,1939 (Tettigoniidae)
 314. *Anterastes burri* Karabağ,1951 (Tettigoniidae)
 315. *Anterastes niger* Ünal,2000 (Tettigoniidae)
 316. *Anterastes serbicus* Brunner von Wattenwyl,1882 (Tettigoniidae)
 317. *Anterastes tolunayi* Karabağ,1951 (Tettigoniidae)

318. *Anterastes turcicus* Karabağ, 1951 (*Tettigoniidae*)
 319. *Anterastes ucari* Çıplak, 2004 (*Tettigoniidae*)
 320. *Anterastes uludaghensis* Karabağ, 1950 (*Tettigoniidae*)
 321. *Anthrax anthrax* (Schrank, 1781) (*Bombyliidae*)
 322. *Anthrax binotatus* Wiedemann, 1820 (*Bombyliidae*)
 323. *Anthrax flavipes* (Röder, 1896) (*Bombyliidae*)
 324. *Anthrax flavus* (Sack, 1909) (*Bombyliidae*)
 325. *Anthrax leucogaster* Wiedemann, 1820 (*Bombyliidae*)
 326. *Anthrax pallipes* (Loew, 1869) (*Bombyliidae*)
 327. *Anthrax pilosulus* Strobl, 1902 (*Bombyliidae*)
 328. *Anthrax sticticus* Klug, 1832 (*Bombyliidae*)
 329. *Anthrax trifasciatus* Meigen, 1804 (*Bombyliidae*)
 330. *Antipalus truncatus* (Loew, 1849) (*Asilidae*)
 331. *Antiphrisson adpressus* (Loew, 1849) (*Asilidae*)
 332. *Antiphrisson trifarius* (Loew, 1849) (*Asilidae*)
 333. *Antonina graminis* (Maskell) (*Pseudococcidae*)
 334. *Aonidia lauri* (Bouche) (*Diaspididae*)
 335. *Aonidiella aurantii* (Maskell) (*Diaspididae*)
 336. *Aonidiella citrina* (Coquillett) (*Diaspididae*)
 337. *Apalus apicalis* Latreille, 1804 (*Meloidae*)
 338. *Apalus himaculatus* (Linnaeus, 1761) (*Meloidae*)
 339. *Apalus bipunctatus* Germar, 1817 (*Meloidae*)
 340. *Apalus montanus* Escherich, 1897 (*Meloidae*)
 341. *Apalus necydaleus* (Pallas, 1782) (*Meloidae*)
 342. *Apalus spectabilis* Schaum, 1859 (*Meloidae*)
 343. *Apanteles aragatzi* Tobias, 1976 (*Braconidae*)
 344. *Apanteles ater* (Ratzeburg, 1852) (*Braconidae*)
 345. *Apanteles atreus* Nixon, 1973 (*Braconidae*)
 346. *Apanteles brunnistigma* Abidinbekova, 1969 (*Braconidae*)
 347. *Apanteles carpatus* Say, 1836 (*Braconidae*)
 348. *Apanteles evanidis* Papp, 1975 (*Braconidae*)
 349. *Apanteles gallerie* Wilkinson, 1932 (*Braconidae*)
 350. *Apanteles hemera* Nixon, 1965 (*Braconidae*)
 351. *Apanteles ingenuoides* Papp, 1971 (*Braconidae*)
 352. *Apanteles kubensis* Abidinbekova, 1975 (*Braconidae*)
 353. *Apanteles myron* Nixon, 1973 (*Braconidae*)
 354. *Apanteles obscurus* (Nees, 1834) (*Braconidae*)
 355. *Aphaenogaster holtzi* Emery, 1898 (*Formicidae*)
 356. *Aphaenogaster kervillei* Forel, 1910 (*Formicidae*)
 357. *Aphaenogaster simonelli* Emery, 1894 (*Formicidae*)
 358. *Aphaenogaster subterranea* (Latreille, 1798) (*Formicidae*)
 359. *Aphalara maculipennis* Loew, 1886 (*Psyllidae*)
 360. *Aphasganophora armeniacae* (Bouček) (*Chalcididae*)
 361. *Aphelinoidea anatolica* Novicki (*Trichogrammatidae*)
 362. *Aphelinus asychis* Walker, 1839 (*Aphelinidae*)
 363. *Aphelinus chaonia* Walker, 1839 (*Aphelinidae*)
 364. *Aphelinus mali* (Haldeman, 1851) (*Aphelinidae*)
 365. *Aphelinus semiflavus* Howard, 1908 (*Aphelinidae*)
 366. *Aphelinus varipes* (Förster, 1841) (*Aphelinidae*)
 367. *Aphelonema melichari* (Horvath, 1897) (*Caliscelidae*)
 368. *Aphidoletes aphidimyza* (Rondani, 1847) (*Cecidomyiidae*)
 369. *Apholidoptera kurda* (Uvarov, 1916) (*Tettigoniidae*)
 370. *Apholidoptera pietschmanni* (Ebner, 1912) (*Tettigoniidae*)
 371. *Aphrodes anguliceps* Emeljanov, 1964 (*Cicadellidae*)
 372. *Aphrodes bicinctus* (Schrank, 1776) (*Cicadellidae*)
 373. *Aphrodes makarovi* Zachvatkin, 1948 (*Cicadellidae*)
 374. *Aphrodes nigratus* (Kirschbaum, 1868) (*Cicadellidae*)
 375. *Aphrophora alni* (Fallén, 1805) (*Cercopidae*)
 376. *Aphrophora corticea* Germar, 1821 (*Cercopidae*)
 377. *Aphrophora exoleta* Horvath, 1901 (*Cercopidae*)
 378. *Aphrophora salicina* (Goeze, 1778) (*Cercopidae*)
 379. *Aphycoides clavellatus* (Dalman) (*Encyrtidae*)
 380. *Aphycus primus* (Mercet) (*Encyrtidae*)
 381. *Aphytis abnormis* (Howard, 1881) (*Aphelinidae*)
 382. *Aphytis aonidiae* (Mercet, 1911) (*Aphelinidae*)
 383. *Aphytis chilensis* Howard, 1900 (*Aphelinidae*)
 384. *Aphytis chrysomphali* (Mercet, 1912) (*Aphelinidae*)
 385. *Aphytis diaspidis* (Howard, 1881) (*Aphelinidae*)
 386. *Aphytis hispanicus* (Mercet, 1912) (*Aphelinidae*)
 387. *Aphytis lepidosaphes* Compere, 1955 (*Aphelinidae*)
 388. *Aphytis libanicus* Traboulsi, 1969 (*Aphelinidae*)
 389. *Aphytis lingnanensis* Compere, 1955 (*Aphelinidae*)
 390. *Aphytis maculicornis* (Masi, 1911) (*Aphelinidae*)
 391. *Aphytis melinus* DeBach, 1959 (*Aphelinidae*)
 392. *Aphytis mytilaspidis* (Le Baron, 1870) (*Aphelinidae*)
 393. *Aphytis neuter* Yasnosh & Myartseva, 1971 (*Aphelinidae*)
 394. *Aphytis proclia* (Walker, 1839) (*Aphelinidae*)
 395. *Apiomyia bergenstammi* (Wachtl, 1882) (*Cecidomyiidae*)
 396. *Aplotarsus angustulus* (Kiesenwetter, 1858) (*Elateridae*)
 397. *Apoclea algira* (Linnaeus, 1767) (*Asilidae*)
 398. *Apoclea helvipes* Loew, 1873 (*Asilidae*)
 399. *Apoclea trivialis* Loew, 1873 (*Asilidae*)
 400. *Aprostocetus agevilleae* Graham (*Eulophidae*)
 401. *Aprostocetus agrus* (Walker) (*Eulophidae*)
 402. *Aprostocetus bucculentus* (Kostjukov) (*Eulophidae*)
 403. *Aprostocetus catius* (Walker) (*Eulophidae*)
 404. *Aprostocetus caudatus* Westwood (*Eulophidae*)
 405. *Aprostocetus ceroplastae* (Girault) (*Eulophidae*)
 406. *Aprostocetus cracens* Graham (*Eulophidae*)
 407. *Aprostocetus crino* (Walker) (*Eulophidae*)
 408. *Aprostocetus eriophyes* (Taylor) (*Eulophidae*)
 409. *Aprostocetus eurytomae* (Nees) (*Eulophidae*)
 410. *Aprostocetus forsteri* (Walker) (*Eulophidae*)
 411. *Aprostocetus holoxanthus* Graham (*Eulophidae*)
 412. *Aprostocetus levadiensis* Graham (*Eulophidae*)
 413. *Aprostocetus longicauda* (Thomson) (*Eulophidae*)
 414. *Aprostocetus lycidas* (Walker) (*Eulophidae*)
 415. *Aprostocetus neglectus* (Domenichini) (*Eulophidae*)
 416. *Aprostocetus pausiris* (Walker) (*Eulophidae*)
 417. *Aprostocetus productus* Graham (*Eulophidae*)
 418. *Aprostocetus pygmaeus* (Zetterstedt) (*Eulophidae*)
 419. *Aprostocetus terebrans* Erdős (*Eulophidae*)
 420. *Aprostocetus toddaliae* (Risbec) (*Eulophidae*)
 421. *Aprostocetus trjapitzini* (*Eulophidae*)
 422. *Aprostocetus tymbor* (Walker) (*Eulophidae*)
 423. *Arachnocephalus vestitus* A. Costa, 1855 (*Mogoplistidae*)
 424. *Arboridia adanae* (Dlabola, 1957) (*Cicadellidae*)
 425. *Arboridia expansa* (Zachvatkin, 1946) (*Cicadellidae*)
 426. *Arboridia parvula* (Boheman, 1845) (*Cicadellidae*)
 427. *Arcyptera* (Pararcyptera) *labiata* (Brullé, 1832) (*Acrididae*)
 428. *Arcyptera* (Pararcyptera) *microptera* (Fischer de Waldheim, 1833) (*Acrididae*)
 429. *Arcyptera* (s.str.) *fusca* (Pallas, 1773) (*Acrididae*)
 430. *Arenivaga cerverae* (Bolivar, 1886) (*Polyphagidae*)
 431. *Arenivaga ebneri* (Chopard, 1929) (*Polyphagidae*)
 432. *Arenivaga livida* (Brunner von Wattenwyl, 1865) (*Polyphagidae*)
 433. *Argyra leucocephala* (Meigen, 1824) (*Dolichopodidae*)
 434. *Arocephalus languidus* (Flor, 1861) (*Cicadellidae*)
 435. *Arocephalus longiceps* (Kirschbaum, 1868) (*Cicadellidae*)
 436. *Arthrocnodax coryligallarum* (Targioni-Tozzetti, 1887) (*Cecidomyiidae*)
 437. *Arthrolitus discoideus* (Nees) (*Pteromalidae*)
 438. *Artianus manderstjernii* (Kirschbaum, 1868) (*Cicadellidae*)
 439. *Artvinia tschorochensis* (Adelung, 1907) (*Tettigoniidae*)
 440. *Asaphes suspensus* (Nees) (*Pteromalidae*)
 441. *Asaphes vulgaris* Walker (*Pteromalidae*)
 442. *Ascalaphus dicax* Walker, 1853 (*Ascalaphidae*)
 443. *Aschitus annulatus* Erdős (*Encyrtidae*)
 444. *Ascogaster armatus* Wesmael, 1835 (*Braconidae*)
 445. *Ascogaster instabilis* Wesmael, 1835 (*Braconidae*)
 446. *Ascogaster rufipes* (Latreille, 1809) (*Braconidae*)

447. *Asiotmethis limbatus* (Charpentier, 1845) (*Pamphagidae*)
448. *Asiraca clavicornis* (Fabricius, 1794) (*Delphacidae*)
449. *Asphingoderus elazigi* Demirsoy, 1977 (*Acrididae*)
450. *Asphingoderus uvarovites* (Mishtshenko, 1936) (*Acrididae*)
451. *Asphondylia anatolica* Skuhrava & Çam, 1998 (*Cecidomyiidae*)
452. *Asphondylia gennadii* (Marchal, 1904) (*Cecidomyiidae*)
453. *Asphondylia verbasci* (Vallot, 1827) (*Cecidomyiidae*)
454. *Aspidiotus hedericola* Leonardi (*Diaspididae*)
455. *Aspidiotus nerii* Bouche (*Diaspididae*)
456. *Aspoeckina glaseri* Hölzel, 1972 (*Myrmeleontidae*)
457. *Aspoeckina uralensis* Hölzel (*Myrmeleontidae*)
458. *Aspoeckina glaseri* Hölzel, 1972 (*Myrmeleontidae*)
459. *Aspoeckina uralensis* Hölzel (*Myrmeleontidae*)
460. *Asterodiaspis ilicicola* (Targioni Tozzetti) (*Asterolecaniidae*)
461. *Asterodiaspis quercicola* (Bouche) (*Asterolecaniidae*)
462. *Asterodiaspis variolasa* (Ratzeburg) (*Asterolecaniidae*)
463. *Asymmetrasca decedens* (Paoli, 1932) (*Cicadellidae*)
464. *Asynapta strobi* (Kieffer, 1920) (*Cecidomyiidae*)
465. *Athous* (*Euplathous*) *proximus* (Hampe, 1864) (*Elateridae*)
466. *Athous* (*Haplathous*) *carpathicus* Reitter, 1889 (*Elateridae*)
467. *Athous* (*Haplathous*) *marginicollis* Reitter, 1890 (*Elateridae*)
468. *Athous* (*Haplathous*) *subfuscus* (O.F. Müller, 1764) (*Elateridae*)
469. *Athous* (*Haplathous*) *turcicus* Reitter, 1905 (*Elateridae*)
470. *Athous* (*Orthathous*) *acutangulus* Fairmaire, 1866 (*Elateridae*)
471. *Athous* (*Orthathous*) *anatolicus* Platia, 1989 (*Elateridae*)
472. *Athous* (*Orthathous*) *apfelbecki* Reitter, 1905 (*Elateridae*)
473. *Athous* (*Orthathous*) *artvinensis* Platia, Yıldırım & Kesdek, 2007 (*Elateridae*)
474. *Athous* (*Orthathous*) *audisioi* Guglielmi & Platia, 1985 (*Elateridae*)
475. *Athous* (*Orthathous*) *barriesi* Platia & Gudenzi, 1996 (*Elateridae*)
476. *Athous* (*Orthathous*) *benedikti* Platia, 2003 (*Elateridae*)
477. *Athous* (*Orthathous*) *cavazzutii* Platia, 2003 (*Elateridae*)
478. *Athous* (*Orthathous*) *daccordii* Guglielmi & Platia, 1985 (*Elateridae*)
479. *Athous* (*Orthathous*) *dasycerus* Buysson, 1890 (*Elateridae*)
480. *Athous* (*Orthathous*) *demirsoyi* Platia, Kabalak & Sert, 2007 (*Elateridae*)
481. *Athous* (*Orthathous*) *dusaneki* Platia, 2003 (*Elateridae*)
482. *Athous* (*Orthathous*) *edirnenensis* Platia & Gudenzi, 2000 (*Elateridae*)
483. *Athous* (*Orthathous*) *epirus* Stierlin, 1875 (*Elateridae*)
484. *Athous* (*Orthathous*) *fragariae* Platia & Kovanci, 2005 (*Elateridae*)
485. *Athous* (*Orthathous*) *freudei* Platia, 1989 (*Elateridae*)
486. *Athous* (*Orthathous*) *frontalis* Platia & Schimmel, 1991 (*Elateridae*)
487. *Athous* (*Orthathous*) *gianassoi* Platia & Gudenzi, 1996 (*Elateridae*)
488. *Athous* (*Orthathous*) *graecus* Platia, 1989 (*Elateridae*)
489. *Athous* (*Orthathous*) *gudenzi* Guglielmi & Platia, 1985 (*Elateridae*)
490. *Athous* (*Orthathous*) *hajeki* Platia & Gudenzi, 2005 (*Elateridae*)
491. *Athous* (*Orthathous*) *hetzeli* Platia, 2004 (*Elateridae*)
492. *Athous* (*Orthathous*) *kovancii* Platia, 2003 (*Elateridae*)
493. *Athous* (*Orthathous*) *lassallei* Platia & Gudenzi, 1996 (*Elateridae*)
494. *Athous* (*Orthathous*) *malmusii* Platia & Gudenzi, 2000 (*Elateridae*)
495. *Athous* (*Orthathous*) *margheritae* Guglielmi & Platia, 1985 (*Elateridae*)
496. *Athous* (*Orthathous*) *mertliki* Platia & Gudenzi, 2002 (*Elateridae*)
497. *Athous* (*Orthathous*) *paflagonensis* Platia & Gudenzi, 1998 (*Elateridae*)
498. *Athous* (*Orthathous*) *ponticus* Platia & Gudenzi, 2007 (*Elateridae*)
499. *Athous* (*Orthathous*) *propinquus* Buysson, 1889 (*Elateridae*)
500. *Athous* (*Orthathous*) *ruffoi* Guglielmi & Platia, 1985 (*Elateridae*)
501. *Athous* (*Orthathous*) *sabatinellii* Guglielmi & Platia, 1985 (*Elateridae*)
502. *Athous* (*Orthathous*) *sameki* Platia, 2003 (*Elateridae*)
503. *Athous* (*Orthathous*) *senaci* Buysson, 1889 (*Elateridae*)
504. *Athous* (*Orthathous*) *snizeki* Platia, 2004 (*Elateridae*)
505. *Athous* (*Orthathous*) *svihlai* Platia & Gudenzi, 1998 (*Elateridae*)
506. *Athous* (*Orthathous*) *tekkirazicus* Platia, 2003 (*Elateridae*)
507. *Athous* (*Orthathous*) *tribertii* Guglielmi & Platia, 1985 (*Elateridae*)
508. *Athous* (*Orthathous*) *warchalowskii* Platia & Tarnawski, 1998 (*Elateridae*)
509. *Athous* (*Orthathous*) *wewalkai* Platia, 1989 (*Elateridae*)
510. *Athous* (*Orthathous*) *zanettii* Guglielmi & Platia, 1985 (*Elateridae*)
511. *Athous* (*Orthathous*) *zbuzeki* Platia & Gudenzi, 2007 (*Elateridae*)
512. *Athous* (s.str.) *haemorrhoidalis* (Fabricius, 1801) (*Elateridae*)
513. *Athous* (s.str.) *nadoraz* Mertlik & Dusanek, 2006 (*Elateridae*)
514. *Athous* (s.str.) *vittatus* (Fabricius, 1792) (*Elateridae*)
515. *Atomoscelis roubali* Hoberlandt, 1961 (*Miridae*)
516. *Atricops apollinis* Lindler, 1923 (*Athericidae*)
517. *Atrococcus achilleae* (Kiritchenko) (*Pseudococcidae*)
518. *Atrococcus indigens* (Borchsenius) (*Pseudococcidae*)
519. *Atrococcus paludinus* (Green) (*Pseudococcidae*)
520. *Atrococcus parvulus* (Borchsenius) (*Pseudococcidae*)
521. *Atrococcus saxatilis* (Ter-Grigorian) (*Pseudococcidae*)
522. *Atylotus agricola* (Wiedemann, 1826) (*Tabanidae*)
523. *Atylotus austeni* (Szilady, 1915) (*Tabanidae*)
524. *Atylotus flavoguttatus* (Szilady, 1915) (*Tabanidae*)
525. *Atylotus fulvus* (Meigen, 1820) (*Tabanidae*)
526. *Atylotus hendrixi* Leclercq, 1967 (*Tabanidae*)
527. *Atylotus kerteszi* (Szilady, 1915) (*Tabanidae*)
528. *Atylotus latistriatus* Brauer, 1879 (*Tabanidae*)
529. *Atylotus loewianus* (Vileneuve, 1920) (*Tabanidae*)
530. *Atylotus plebeius* (Fallén, 1817) (*Tabanidae*)
531. *Atylotus protidor* (Bogatshev & Samedov, 1949) (*Tabanidae*)
532. *Atylotus pulchellus* (Loew, 1858) (*Tabanidae*)
533. *Atylotus quadrifarius* (Loew, 1874) (*Tabanidae*)
534. *Atylotus rusticus* (Linnaeus, 1767) (*Tabanidae*)
535. *Atylotus venturii* Leclercq, 1966 (*Tabanidae*)
536. *Aulacaspis rosae* (Bouche) (*Diaspididae*)
537. *Aulogymnus skianeuross* (Ratzeburg) (*Eulophidae*)
538. *Aulonogyrus concinnus* (Klug, 1834) (*Gyrinidae*)

539. *Austroagallia sinuata* (Mulsant & Rey, 1855) (Cicadellidae)
 540. *Azelia gibbera* (Meigen, 1826) (Muscidae)
 541. *Bacillus* sp. (Phasmidae)
 542. *Bactericera albiventris* (Förster) (Triozidae)
 543. *Bactericera femoralis* (Förster, 1848) (Triozidae)
 544. *Bactericera nigricornis* (Förster) (Triozidae)
 545. *Balcanocerus balcanicus* (Horvath, 1903) (Cicadellidae)
 546. *Balclutha hebe* (Kirkaldy, 1906) (Cicadellidae)
 547. *Balclutha pellucens* Horvath, 1909 (Cicadellidae)
 548. *Balclutha punctata* (Fabricius, 1775) (Cicadellidae)
 549. *Balclutha rhenana* Wagner, 1939 (Cicadellidae)
 550. *Balclutha rosea* (Scott, 1876) (Cicadellidae)
 551. *Balclutha saltuella* (Kirschbaum, 1868) (Cicadellidae)
 552. *Bangasternus fausti* (Reitter, 1890) (Curculionidae)
 553. *Bangasternus orientalis* (Capiomont, 1873) (Curculionidae)
 554. *Bangasternus planifrons* (Brullé, 1832) (Curculionidae)
 555. *Barbitistes* sp.n. (Tettigoniidae)
 556. *Baryphora speciosa* Loew, 1844 (Therevidae)
 557. *Baryscapus adalia* (Walker) (Eulophidae)
 558. *Baryscapus babiyi* Doganlar (Eulophidae)
 559. *Baryscapus bruchidii* (Erdős) (Eulophidae)
 560. *Baryscapus bruchivorus* (Gahan) (Eulophidae)
 561. *Baryscapus bruchophagi* (Gahan) (Eulophidae)
 562. *Baryscapus ceroplastophilus* (Domenichini) (Eulophidae)
 563. *Baryscapus cirsiicola* Graham (Eulophidae)
 564. *Baryscapus crassicornis* (Erdős) (Eulophidae)
 565. *Baryscapus दौरa* (Walker) (Eulophidae)
 566. *Baryscapus endemus* (Walker) (Eulophidae)
 567. *Baryscapus euphorbiae* Graham (Eulophidae)
 568. *Baryscapus evonymellae* Bouché (Eulophidae)
 569. *Baryscapus fossarum* Graham (Eulophidae)
 570. *Baryscapus galactopus* (Ratzeburg) (Eulophidae)
 571. *Baryscapus garganus* (Domenichini) (Eulophidae)
 572. *Baryscapus gaziantepensis* Doganlar (Eulophidae)
 573. *Baryscapus impeditus* (Nees) (Eulophidae)
 574. *Baryscapus nigroviolaceus* (Nees) (Eulophidae)
 575. *Baryscapus pallidae* Graham (Eulophidae)
 576. *Baryscapus protasis* Graham (Eulophidae)
 577. *Baryscapus servadeii* (Domenichini) (Eulophidae)
 578. *Baryscapus spartifoliellae* Graham (Eulophidae)
 579. *Baryscapus turionum* (Hartig) (Eulophidae)
 580. *Basilia mongolensis* Theodor, 1966 (Nycteribiidae)
 581. *Basilia nana* Theodor & Moscona, 1954 (Nycteribiidae)
 582. *Batocera rufomaculata* (De Geer, 1775) (Cerambycidae)
 583. *Batracomorphus glaber* Haupt, 1927 (Cicadellidae)
 584. *Batracomorphus irroratus* Lewis, 1834 (Cicadellidae)
 585. *Batracomorphus signatus* Lindberg, 1923 (Cicadellidae)
 586. *Bazarella subneglecta* (Tonnoir, 1922) (Psychodidae)
 587. *Beckerellus androgynus* (Loew, 1855) (Bombyliidae)
 588. *Belaspidia nigra* (Siebold) (Chalcididae)
 589. *Belaspidia obscura* Masi (Chalcididae)
 590. *Belopus* (Centorus) procerus Mulsant, 1854 (Tenebrionidae)
 591. *Belopus* (Centorus) turcicus (Kaszab, 1959) (Tenebrionidae)
 592. *Berosus* (Enoplurus) bispina Reiche & Saulcy, 1856 (Hydrophilidae)
 593. *Berosus* (Enoplurus) frontifoveatus Kuwert, 1888 (Hydrophilidae)
 594. *Berosus* (Enoplurus) fulvus Kuwert, 1888 (Hydrophilidae)
 595. *Berosus* (Enoplurus) jaechi Schödi, 1991 (Hydrophilidae)
 596. *Berosus* (Enoplurus) spinosus (Steven, 1808) (Hydrophilidae)
 597. *Berosus* (s.str.) affinis Brulle, 1922 (Hydrophilidae)
 598. *Berosus* (s.str.) byzantinus Ganglbauer, 1904 (Hydrophilidae)
 599. *Berosus* (s.str.) dispar Reiche & Saulcy, 1856 (Hydrophilidae)
 600. *Berosus* (s.str.) hispanicus Küster, 1847 (Hydrophilidae)
 601. *Berosus* (s.str.) luridus (Linnaeus, 1761) (Hydrophilidae)
 602. *Berosus* (s.str.) signaticollis (Charpentier, 1825) (Hydrophilidae)
 603. *Berosus spinosus* (Steven, 1808) (Hydrophilidae)
 604. *Berytinus minor* (Herrich-Schäffer, 1835) (Berytidae)
 605. *Betarmon bisbimaculatus* (Fabricius, 1803) (Elateridae)
 606. *Blaps abbreviata* Ménétriés, 1836 (Tenebrionidae)
 607. *Blaps gigas* (Linnaeus, 1767) (Tenebrionidae)
 608. *Blaps jeanneli* Ferrer & Soldati, 1999 (Tenebrionidae)
 609. *Blaps lata* Seidlitz, 1893 (Tenebrionidae)
 610. *Blaps lethifera* Marsham, 1802 (Tenebrionidae)
 611. *Blaps ocreata* Allard, 1880 (Tenebrionidae)
 612. *Blaps pterostapha* Ménétriés, 1832 (Tenebrionidae)
 613. *Blaps rotundata* Solier, 1848 (Tenebrionidae)
 614. *Blaps splichali* Gebien, 1913 (Tenebrionidae)
 615. *Blaps tibialis* Reiche, 1857 (Tenebrionidae)
 616. *Blastophaga psenes* (Linnaeus, 1758) (Agaonidae)
 617. *Blastothrix erythrostetha* (Walker) (Encyrtidae)
 618. *Blastothrix gurselae* Japoshvili & Karaca (Encyrtidae)
 619. *Blastothrix hungarica* Erdős (Encyrtidae)
 620. *Blastothrix longipennis* Howard (Encyrtidae)
 621. *Blastothrix sericea* (Dalman) (Encyrtidae)
 622. *Blastothrix turanica* Sugonjaev (Encyrtidae)
 623. *Blatta orientalis* Linnaeus, 1758 (Blattidae)
 624. *Blattella germanica* (Linnaeus, 1767) (Blattidae)
 625. *Blepharidopterus angulatus* (Fallén, 1807) (Miridae)
 626. *Blepharopsis mendica* (Fabricius, 1775) (Empusidae)
 627. *Bloodiella andalusica* Nowicki (Trichogrammatidae)
 628. *Bodenheimera rachelae* (Bodenheimer, 1924) (Coccidae)
 629. *Bolitophagus reticulatus* (Linnaeus, 1767) (Tenebrionidae)
 630. *Bolivaria brachyptera* (Pallas, 1773) (Mantidae)
 631. *Bolivaria kurda* Ramme, 1951 (Mantidae)
 632. *Bolua turkiyae* Ünal, 1999 (Tettigoniidae)
 633. *Bombomyia discoidea* (Fabricius, 1794) (Bombyliidae)
 634. *Bombomyia stictica* (Boisduval, 1835) (Bombyliidae)
 635. *Bombylella atra* (Scopoli, 1763) (Bombyliidae)
 636. *Bombylisoma breviusculum* (Loew, 1855) (Bombyliidae)
 637. *Bombylisoma croaticum* (Kertész, 1901) (Bombyliidae)
 638. *Bombylisoma melanocephalum* (Fabricius, 1794) (Bombyliidae)
 639. *Bombylisoma minimum* (Scopoli, 1772) (Bombyliidae)
 640. *Bombylisoma nigriceps* (Loew, 1862) (Bombyliidae)
 641. *Bombylisoma simulator* (Loew, 1855) (Bombyliidae)
 642. *Bombylisoma turkmenicum* (Paramonov, 1926) (Bombyliidae)
 643. *Bombylisoma unicolor* (Loew, 1855) (Bombyliidae)
 644. *Boriomyia arenata* Aspöck & Aspöck, 1966 (Hemerobiidae)
 645. *Bothriomyrmex communista* (Santschi, 1920) (Formicidae)
 646. *Bothriothorax clavicornis* (Dalman) (Encyrtidae)
 647. *Bothriothorax serratellus* (Dalman) (Encyrtidae)
 648. *Bothynoderes carinatus* (Zoubkoff, 1829) (Curculionidae)
 649. *Bothynoderes carinicornis* Gyllenhal, 1834 (Curculionidae)

650. *Bothynoderes punctiventris* (Germar, 1794) (*Curculionidae*)
 651. *Brachineura squamigera* (Winnertz, 1853) (*Cecidomyiidae*)
 652. *Brachycarenum tigrinus* (Schilling, 1829) (*Rhopalidae*)
 653. *Brachycephalus exiguus* (Horvath, 1901) (*Tettigometridae*)
 654. *Brachyceraea brevicornis* (Loew, 1847) (*Conopidae*)
 655. *Brachycoleus decolor* Rt., 1887 (*Miridae*)
 656. *Brachycoleus scriptus* (Fabricius, 1803) (*Miridae*)
 657. *Brachygonus frater* Wurst, 1995 (*Elateridae*)
 658. *Brachygonus gratus* Platia & Schimmel, 1991 (*Elateridae*)
 659. *Brachygonus hadullanus* Wurst, 1995 (*Elateridae*)
 660. *Brachygonus megerlei* (Lacordaire, 1835) (*Elateridae*)
 661. *Brachygonus ruficepsoides* Platia & Gudenzi, 2002 (*Elateridae*)
 662. *Brachymeria femorata* (Panzer) (*Chalcididae*)
 663. *Brachymeria inermis* (Fonscolombe) (*Chalcididae*)
 664. *Brachymeria minuta* (Linnaeus) (*Chalcididae*)
 665. *Brachymeria moerens* (Ruschka) (*Chalcididae*)
 666. *Brachymeria obtusata* (Förster) (*Chalcididae*)
 667. *Brachymeria pseudorugosa* Masi (*Chalcididae*)
 668. *Brachymeria rugulosa* (Förster) (*Chalcididae*)
 669. *Brachymeria secundaria* (Ruschka) (*Chalcididae*)
 670. *Brachymeria tibialis* (Walker) (*Chalcididae*)
 671. *Brachymeria vitripennis* (Förster) (*Chalcididae*)
 672. *Brachynema virens* (Klug, 1845) (*Pentatomidae*)
 673. *Brachyptera ankara* Kazancı, 2000 (*Taeniopterygidae*)
 674. *Brachyptera berkii* Kazancı, 2001 (*Taeniopterygidae*)
 675. *Brachyptera demirsoyi* Kazancı, 1983 (*Taeniopterygidae*)
 676. *Brachyptera sislii* Kazancı, 1983 (*Taeniopterygidae*)
 677. *Brachyptera transcaucasica* Zhiltzova, 1956 (*Taeniopterygidae*)
 678. *Brachyptera zwicki* Braasch & Joost, 1971 (*Taeniopterygidae*)
 679. *Brachytarsina flavipennis* Macquart, 1851 (*Streblidae*)
 680. *Bracon* (*Cyanopterobracon*) *illyricus* (Marshall, 1888) (*Braconidae*)
 681. *Bracon* (*Cyanopterobracon*) *oculatus* Tobias, 1957 (*Braconidae*)
 682. *Bracon* (*Cyanopterobracon*) *spectabilis* (Telenga, 1936) (*Braconidae*)
 683. *Bracon* (*Glabrobracon*) *angustiventris* Tobias, 1957 (*Braconidae*)
 684. *Bracon* (*Glabrobracon*) *anthracinus* (Nees, 1834) (*Braconidae*)
 685. *Bracon* (*Glabrobracon*) *atrator* (Nees, 1834) (*Braconidae*)
 686. *Bracon* (*Glabrobracon*) *delusorius* Telenga, 1936 (*Braconidae*)
 687. *Bracon* (*Glabrobracon*) *discoideus* (Wesmael, 1838) (*Braconidae*)
 688. *Bracon* (*Glabrobracon*) *fumipennis* (Thomson, 1892) (*Braconidae*)
 689. *Bracon* (*Glabrobracon*) *larvicida* (Wesmael, 1838) (*Braconidae*)
 690. *Bracon* (*Glabrobracon*) *maculiger* (Wesmael, 1838) (*Braconidae*)
 691. *Bracon* (*Glabrobracon*) *obscurator* (Nees, 1812) (*Braconidae*)
 692. *Bracon* (*Glabrobracon*) *osculator* (Nees, 1812) (*Braconidae*)
 693. *Bracon* (*Glabrobracon*) *piger* (Wesmael, 1838) (*Braconidae*)
 694. *Bracon* (*Glabrobracon*) *popovi* Telenga, 1936 (*Braconidae*)
 695. *Bracon* (*Glabrobracon*) *terebella* (Wesmael, 1838) (*Braconidae*)
 696. *Bracon* (*Glabrobracon*) *tshitsherini* (Kokoujev, 1904) (*Braconidae*)
 697. *Bracon* (*Glabrobracon*) *variator* (Nees, 1812) (*Braconidae*)
 698. *Bracon* (*Rostrobracon*) (*Braconidae*)
 699. *Bracon* (*Rostrobracon*) *urinator* (Fabricius, 1798) (*Braconidae*)
 700. *Bradyporus dasypus* (Illiger, 1800) (*Tettigoniidae*)
 701. *Bruchophagus roddi* Gussakovskiy (*Eurytomidae*)
 702. *Brucoscelis peculiaris* (Horvath, 1904) (*Caliscelidae*)
 703. *Brunnerella mirabilis* Saussure, 1888 (*Acrididae*)
 704. *Bruntridactylus irremipes* (Uvarov, 1934) (*Tridactylidae*)
 705. *Bubastia* (*Acrestia*) *ephialtes* (Linnavuori, 1971) (*Issidae*)
 706. *Bubastia* (s.str.) *suturale* (Fieber, 1877) (*Issidae*)
 707. *Bubopsis andromache* Aspöck, Aspöck & Hölzel, 1979 (*Ascalaphidae*)
 708. *Bubopsis hamatus* (Klug, 1834) (*Ascalaphidae*)
 709. *Bubopsis zarudnyi* Alexandrov-Martynov, 1926 (*Ascalaphidae*)
 710. *Bucephaloptera bolivari* Karabağ, 1950 (*Tettigoniidae*)
 711. *Bucephaloptera bucephala* (Brunner von Wattenwyl, 1882) (*Tettigoniidae*)
 712. *Bucephaloptera convergens* Karabağ, 1950 (*Tettigoniidae*)
 713. *Bucephaloptera robusta* Karabağ, 1956 (*Tettigoniidae*)
 714. *Bugraia ocularis* (Mulsant & Rey, 1855) (*Cicadellidae*)
 715. *Burriola* sp.? (*Forficulidae*)
 716. *Cabirutus cribricollis* (Baudi, 1875) (*Tenebrionidae*)
 717. *Cabirutus gracilis* (Reitter, 1904) (*Tenebrionidae*)
 718. *Cacopsylla hippophaes* (Förster, 1848) (*Psyllidae*)
 719. *Cacopsylla mali* (Schmidberger) (*Psyllidae*)
 720. *Cacopsylla mariannae* (Beava) (*Psyllidae*)
 721. *Cacopsylla peregrina* (Förster) (*Psyllidae*)
 722. *Cacopsylla pyri* (Linnaeus) (*Psyllidae*)
 723. *Caenoblaps kulzeri* Schuster, 1928 (*Tenebrionidae*)
 724. *Caenoblaps nitida* Schuster, 1920 (*Tenebrionidae*)
 725. *Caenocrepis arenicola* (Thomson) (*Pteromalidae*)
 726. *Caenocrepis bothynoderi* Gromakov (*Pteromalidae*)
 727. *Calais parreyssi* (Steven, 1830) (*Elateridae*)
 728. *Cales noacki* Howard, 1907 (*Aphelinidae*)
 729. *Calligypona reyi* (Fieber, 1866) (*Delphacidae*)
 730. *Callimenus dilatatus* (Stål, 1876) (*Tettigoniidae*)
 731. *Callimenus macrogaster* (Lefebvre, 1831) (*Tettigoniidae*)
 732. *Calliptamus barbarus* (Costa, 1836) (*Acrididae*)
 733. *Calliptamus coelesyriensis* (Giglio-Tos, 1893) (*Acrididae*)
 734. *Calliptamus italicus* (Linnaeus, 1758) (*Acrididae*)
 735. *Calliptamus tenuicercis* Tarbinsky, 1930 (*Acrididae*)
 736. *Callipteroma sexguttata* Motschulsky (*Encyrtidae*)
 737. *Callodictya krueperi* (Fieber, 1876) (*Dictyopharidae*)
 738. *Callostoma oezbeki* Dils & Özbek, 2006 (*Bombyliidae*)
 739. *Calosota aestivalis* Curtis (*Eupelmidae*)
 740. *Calydus escherichi* Reitter, 1898 (*Meloidae*)
 741. *Calyptropsis capnisiformis* Reitter, 1903 (*Tenebrionidae*)
 742. *Calyptropsis capnisiformis* Reitter, 1903 (*Tenebrionidae*)
 743. *Calyptropsis emarginata* Reitter, 1889 (*Tenebrionidae*)
 744. *Camponotus aethiops* (Latreille, 1798) (*Formicidae*)
 745. *Camponotus compressus* (Fabricius, 1787) (*Formicidae*)
 746. *Camponotus dalmaticus* (Nylander, 1848) (*Formicidae*)
 747. *Camponotus festai* Emery, 1894 (*Formicidae*)
 748. *Camponotus gestroi* Emery, 1878 (*Formicidae*)
 749. *Camponotus herculeanus* (Linnaeus, 1758) (*Formicidae*)

750. *Camponotus ionius* Emery, 1901 (*Formicidae*)
 751. *Camponotus jaliensis* Dalla Torre, 1893 (*Formicidae*)
 752. *Camponotus kiesenwetteri* Roger, 1859 (*Formicidae*)
 753. *Camponotus samius* Forel, 1888 (*Formicidae*)
 754. *Camponotus sylvaticus* (Olivier, 1792) (*Formicidae*)
 755. *Camptocera glaberrima* (Walker, 1872) (*Lygaeidae*)
 756. *Camptomyia pinicola* Mamaev, 1961 (*Cecidomyiidae*)
 757. *Camptopus illustris* Horvarth, 1899 (*Alydidae*)
 758. *Camptopus lateralis* (Germar, 1817) (*Alydidae*)
 759. *Camptopus tragacanthae* Kolenati, 1845 (*Alydidae*)
 760. *Campylomma nicolasi* Puton & Reuter, 1883 (*Miridae*)
 761. *Capnia nigra* (Pictet, 1833) (*Capniidae*)
 762. *Capnia sevanica* Zhiltzova, 1964 (*Capniidae*)
 763. *Cardiocondyla elegans* Emery, 1869 (*Formicidae*)
 764. *Cardiophorus* (s.str.) *acuminatus* Platia & Gundezi, 2002 (*Elateridae*)
 765. *Cardiophorus* (s.str.) *aemulus* Platia & Gundezi, 2002 (*Elateridae*)
 766. *Cardiophorus* (s.str.) *agilis* Platia & Gundezi, 2002 (*Elateridae*)
 767. *Cardiophorus* (s.str.) *alepensis* Pic, 1914 (*Elateridae*)
 768. *Cardiophorus* (s.str.) *analisis* Schwarz, 1892 (*Elateridae*)
 769. *Cardiophorus* (s.str.) *anticus* Erichson, 1840 (*Elateridae*)
 770. *Cardiophorus* (s.str.) *apterus* Platia & Gundezi, 2002 (*Elateridae*)
 771. *Cardiophorus* (s.str.) *araxicola* Jablokoff & Khnzorian, 1970 (*Elateridae*)
 772. *Cardiophorus* (s.str.) *bellus* Platia & Gundezi, 2000 (*Elateridae*)
 773. *Cardiophorus* (s.str.) *carnosus* Platia & Gundezi, 2002 (*Elateridae*)
 774. *Cardiophorus* (s.str.) *cyanipennis* Mulsant & Wachanru, 1852 (*Elateridae*)
 775. *Cardiophorus* (s.str.) *discicollis* (Herbst, 1806) (*Elateridae*)
 776. *Cardiophorus* (s.str.) *dolini* Mardjanian, 1985 (*Elateridae*)
 777. *Cardiophorus* (s.str.) *ebeninus* (Germar, 1824) (*Elateridae*)
 778. *Cardiophorus* (s.str.) *eliasi* Pic, 1904 (*Elateridae*)
 779. *Cardiophorus* (s.str.) *fossulatus* Platia & Gundezi, 2002 (*Elateridae*)
 780. *Cardiophorus* (s.str.) *frequens* Platia & Gundezi, 2002 (*Elateridae*)
 781. *Cardiophorus* (s.str.) *gramineus* (Scopoli, 1763) (*Elateridae*)
 782. *Cardiophorus* (s.str.) *hayekae* Platia & Gundezi, 2002 (*Elateridae*)
 783. *Cardiophorus* (s.str.) *hinkei* Frivaldsky, 1837 (*Elateridae*)
 784. *Cardiophorus* (s.str.) *imitator* Platia & Gundezi, 2002 (*Elateridae*)
 785. *Cardiophorus* (s.str.) *impressiventris* Schwarz, 1900 (*Elateridae*)
 786. *Cardiophorus* (s.str.) *insignis* Descrochers, 1875 (*Elateridae*)
 787. *Cardiophorus* (s.str.) *kindermanni* Candeze, 1860 (*Elateridae*)
 788. *Cardiophorus* (s.str.) *kinzelbachi* Chassain, 1979 (*Elateridae*)
 789. *Cardiophorus* (s.str.) *laevis* Platia & Gundezi, 2002 (*Elateridae*)
 790. *Cardiophorus* (s.str.) *lundbergi* Platia & Gundezi, 2000 (*Elateridae*)
 791. *Cardiophorus* (s.str.) *maculicollis* Reiche & Saulcy, 1856 (*Elateridae*)
 792. *Cardiophorus* (s.str.) *megathorax* (Faldermann, 1835) (*Elateridae*)
 793. *Cardiophorus* (s.str.) *miniaticollis* Candeze, 1860 (*Elateridae*)
 794. *Cardiophorus* (s.str.) *neuberti* Platia & Gundezi, 2002 (*Elateridae*)
 795. *Cardiophorus* (s.str.) *nigerrimus* Erichson, 1840 (*Elateridae*)
 796. *Cardiophorus* (s.str.) *nigratissimus* Buysson, 1891 (*Elateridae*)
 797. *Cardiophorus* (s.str.) *parvulus* Platia & Gundezi, 2000 (*Elateridae*)
 798. *Cardiophorus* (s.str.) *pavesii* Platia & Gundezi, 2000 (*Elateridae*)
 799. *Cardiophorus* (s.str.) *picinus* Platia & Gundezi, 2002 (*Elateridae*)
 800. *Cardiophorus* (s.str.) *plurimus* Platia & Gundezi, 2002 (*Elateridae*)
 801. *Cardiophorus* (s.str.) *procerus* Platia & Gundezi, 2002 (*Elateridae*)
 802. *Cardiophorus* (s.str.) *proprius* Platia & Gundezi, 2002 (*Elateridae*)
 803. *Cardiophorus* (s.str.) *ressli* Platia & Gundezi, 2002 (*Elateridae*)
 804. *Cardiophorus* (s.str.) *rotundicollis* Frivaldsky, 1845 (*Elateridae*)
 805. *Cardiophorus* (s.str.) *ruficollis* (Linnaeus, 1758) (*Elateridae*)
 806. *Cardiophorus* (s.str.) *ruficruris* (Linnaeus, 1758) (*Elateridae*)
 807. *Cardiophorus* (s.str.) *sacratu* Erichson, 1840 (*Elateridae*)
 808. *Cardiophorus* (s.str.) *samai* Platia & Gundezi, 2000 (*Elateridae*)
 809. *Cardiophorus* (s.str.) *schuberti* Platia & Gundezi, 2002 (*Elateridae*)
 810. *Cardiophorus* (s.str.) *schurmanni* Platia & Gundezi, 2002 (*Elateridae*)
 811. *Cardiophorus* (s.str.) *somcheticus* Schwarz, 1896 (*Elateridae*)
 812. *Cardiophorus* (s.str.) *stussineri* Buysson, 1913 (*Elateridae*)
 813. *Cardiophorus* (s.str.) *syriacus* (Linnaeus, 1758) (*Elateridae*)
 814. *Cardiophorus* (s.str.) *tenellus* Reiche, 1856 (*Elateridae*)
 815. *Cardiophorus* (s.str.) *turgidus* Erichson, 1840 (*Elateridae*)
 816. *Cardiophorus* (s.str.) *uncinatus* Platia & Gundezi, 2002 (*Elateridae*)
 817. *Cardiophorus* (s.str.) *varius* Cate, Platia & Schimmel, 2002 (*Elateridae*)
 818. *Cardiophorus* (s.str.) *vestigialis* Erichson, 1840 (*Elateridae*)
 819. *Cardiophorus* (s.str.) *winkleri* Platia & Gundezi, 2002 (*Elateridae*)
 820. *Cardiophorus* (s.str.) *witzgalli* Platia & Gundezi, 2002 (*Elateridae*)
 821. *Cardiophorus* (s.str.) *zeisingi* Platia, 2004 (*Elateridae*)
 822. *Carpocoris fuscispinus* (Boheman, 1851) (*Pentatomidae*)
 823. *Carpocoris pudicus* (Poda, 1761) (*Pentatomidae*)
 824. *Carulaspis juniperi* (Bouche) (*Diaspididae*)
 825. *Carulaspis minima* (Signoret) (*Diaspididae*)
 826. *Cassida atrata* Fabricius, 1787 (*Chrysomelidae*)
 827. *Cassida bella* Faldermann, 1837 (*Chrysomelidae*)
 828. *Cassida brevis* Weise, 1834 (*Chrysomelidae*)
 829. *Cassida hablitziae* Motschoulsky, 1838 (*Chrysomelidae*)
 830. *Cassida margaritacea* Schaller, 1783 (*Chrysomelidae*)
 831. *Cassida palaestina* Reiche, 1858 (*Chrysomelidae*)
 832. *Cassida pannonica* Suffrian, 1844 (*Chrysomelidae*)
 833. *Cassida prasina* Illiger, 1798 (*Chrysomelidae*)
 834. *Cassida rubiginosa* Müller, 1776 (*Chrysomelidae*)
 835. *Cassida sanguinolenta* Müller, 1776 (*Chrysomelidae*)
 836. *Cassida saucia* Weise, 1889 (*Chrysomelidae*)
 837. *Cassida seraphina* Ménétriés, 1836 (*Chrysomelidae*)
 838. *Cassida vibex* Linnaeus, 1767 (*Chrysomelidae*)
 839. *Cassida viridis* Linnaeus, 1758 (*Chrysomelidae*)

840. *Cataglyphis kurdistanicus* Pisarski, 1965 (*Formicidae*)
 841. *Cataglyphis livida* André, 1881 (*Formicidae*)
 842. *Cataglyphis nodus* (Brullé, 1832) (*Formicidae*)
 843. *Cataglyphis viaticoides* André, 1881 (*Formicidae*)
 844. *Cataphronetus reitteri* Seidlitz, 1893 (*Tenebrionidae*)
 845. *Catolaccus ater* (Ratzeburg) (*Pteromalidae*)
 846. *Catomus consentaneus* (Küster, 1851) (*Tenebrionidae*)
 847. *Catoplatus nigriceps* Horvath, 1905 (*Tingidae*)
 848. *Cea pulicaris* Walker (*Pteromalidae*)
 849. *Cebrio nigricollis* Laporte, 1838 (*Cebriionidae*)
 850. *Celes variabilis* (Pallas, 1771) (*Acrididae*)
 851. *Centrocoris spiniger* (Fabricius, 1781) (*Coreidae*)
 852. *Centrotus cornutus* (Linnaeus, 1758) (*Membracidae*)
 853. *Cephalochilus draco* Giordani & Soika, 1970 (*Vespidae*)
 854. *Cephalostenus demaisonii* Reitter, 1903 (*Tenebrionidae*)
 855. *Cephalostenus elegans* Brullé, 1832 (*Tenebrionidae*)
 856. *Cephalostenus orbicollis* Ménétériés, 1836 (*Tenebrionidae*)
 857. *Cephalota* (s.str.) *turcica* (Schaum, 1859) (*Carabidae*)
 858. *Cephalota* (*Taenidia*) *circumdata* (Dejean, 1822) (*Carabidae*)
 859. *Cephalota* (*Taenidia*) *deserticola* (Faldermann, 1836) (*Carabidae*)
 860. *Cephalota* (*Taenidia*) *eiselti* (Mandl, 1967) (*Carabidae*)
 861. *Ceraninus antalyacus* Triapitsyn (*Eulophidae*)
 862. *Ceraninus bozovaensis* Doganlar (*Eulophidae*)
 863. *Ceraninus hirsutus* Doganlar & Triapitsyn (*Eulophidae*)
 864. *Ceraninus menes* (Walker) (*Eulophidae*)
 865. *Ceraninus pacuvius* (Walker) (*Eulophidae*)
 866. *Cerapteroceris mirabilis* Westwood (*Encyrtidae*)
 867. *Ceratanisus tristis* (Faldermann, 1837) (*Tenebrionidae*)
 868. *Ceratitis* (s.str.) *capitata* (Wiedemann, 1824) (*Tephritidae*)
 869. *Cerchysiella planiscutellum* (Mercet) (*Encyrtidae*)
 870. *Cerchysius subplanus* (Dalman) (*Encyrtidae*)
 871. *Cercopis distincta* (Melichar, 1896) (*Cercopidae*)
 872. *Cercopis intermedia* Kirschbaum, 1868 (*Cercopidae*)
 873. *Cercopis sanguinolenta* (Scopoli, 1763) (*Cercopidae*)
 874. *Cercopis septemmaculata* (Melichar, 1903) (*Cercopidae*)
 875. *Cereyon* (s.str.) *haemorrhoidalis* (Fabricius, 1775) (*Hydrophilidae*)
 876. *Cereyon* (s.str.) *marinus* Thomson, 1853 (*Hydrophilidae*)
 877. *Cereyon* (s.str.) *putricola* Wollaston, 1867 (*Hydrophilidae*)
 878. *Cerdistus dactylopygus* Janssens, 1968 (*Asilidae*)
 879. *Cerdistus debilis* Becker, 1923 (*Asilidae*)
 880. *Cerdistus erythruroides* Theodor, 1980 (*Asilidae*)
 881. *Cerdistus manii* Schiner, 1867 (*Asilidae*)
 882. *Cerococcus perowskiae* Archangelskaya (*Cerococcidae*)
 883. *Cerocoma adamovichiana* (Piller & Mitterpacher, 1783) (*Meloidae*)
 884. *Cerocoma albopilosa* Dvorak, 1993 (*Meloidae*)
 885. *Cerocoma bodemeyeri* Reitter, 1913 (*Meloidae*)
 886. *Cerocoma dahli* Kraatz, 1863 (*Meloidae*)
 887. *Cerocoma ephesica* Reitter, 1885 (*Meloidae*)
 888. *Cerocoma festiva* Faldermann, 1837 (*Meloidae*)
 889. *Cerocoma gloriosa* Mulsant, 1857 (*Meloidae*)
 890. *Cerocoma kunzei* Frivaldsky, 1835 (*Meloidae*)
 891. *Cerocoma macedonica* Maran, 1944 (*Meloidae*)
 892. *Cerocoma malatyensis* Kaszab, 1941 (*Meloidae*)
 893. *Cerocoma marginiventris* Reitter, 1889 (*Meloidae*)
 894. *Cerocoma muehlfeldi* Gyllenhal, 1817 (*Meloidae*)
 895. *Cerocoma schaefferi* (Linnaeus, 1758) (*Meloidae*)
 896. *Cerocoma schreberi* Fabricius, 1781 (*Meloidae*)
 897. *Cerocoma scovitzii* Faldermann, 1837 (*Meloidae*)
 898. *Cerocoma syriaca* Abeille de Perrin, 1880 (*Meloidae*)
 899. *Cerocoma turcica* Pardo Alcaide, 1977 (*Meloidae*)
 900. *Ceroplastes floridensis* Comstock (*Coccidae*)
 901. *Ceroplastes rusci* (Linnaeus) (*Coccidae*)
 902. *Ceroplastes sinensis* Del Guercio (*Coccidae*)
 903. *Cetonia* (s.str.) *asiatica* Gory & Percheron, 1833 (*Scarabaeidae*)
 904. *Cetonia* (s.str.) *aurata* (Linnaeus, 1761) (*Scarabaeidae*)
 905. *Cetonia* (s.str.) *delangrei* Boucard, 1893 (*Scarabaeidae*)
 906. *Cetonia* (s.str.) *kemali* Delpont, 1995 (*Scarabaeidae*)
 907. *Chaetarthria seminulum* (Herbst, 1797) (*Hydrophilidae*)
 908. *Chaetococcus bambusae* (Maskell) (*Pseudococcidae*)
 909. *Chaetococcus phragmitis* (Marchal) (*Pseudococcidae*)
 910. *Chaetorellia carthami* Stackelberg, 1929 (*Tephritidae*)
 911. *Chaetorellia loricata* (Rondani, 1870) (*Tephritidae*)
 912. *Chaetostomella cylindrica* (Robineau-Desvoidy, 1830) (*Tephritidae*)
 913. *Chaetostricha steineri* (Nowicki) (*Trichogrammatidae*)
 914. *Charitopus fulviventris* Förster (*Encyrtidae*)
 915. *Charora pentagrammica* Bolívar, 1899 (*Acrididae*)
 916. *Chartocerus novitzkyi* (Domenichini) (*Signiphoridae*)
 917. *Chartocerus subaeneus* (Förster) (*Signiphoridae*)
 918. *Cheloneurus claviger* Thomson (*Encyrtidae*)
 919. *Cheloneurus paralia* (Walker) (*Encyrtidae*)
 920. *Cheloneurus quercus* Mayr (*Encyrtidae*)
 921. *Cheirodes sardous* Génè, 1839 (*Tenebrionidae*)
 922. *Chelopachys quadrum* (Fabricius) (*Pteromalidae*)
 923. *Chelidura specifica* Steinmann, 1889 (*Labiduridae*)
 924. *Chelonella basalis* (Curtis, 1837) (*Braconidae*)
 925. *Chelonella contracta* (Nees, 1834) (*Braconidae*)
 926. *Chelonella hungarica* (Szepligeti, 1896) (*Braconidae*)
 927. *Chelonella nitens* (Reinhard, 1867) (*Braconidae*)
 928. *Chelonella sulcata* (Jurine, 1807) (*Braconidae*)
 929. *Chelonus carbonator* Marshall, 1885 (*Braconidae*)
 930. *Chelonus erythrogaster* Lucas, 1846 (*Braconidae*)
 931. *Chelonus gravenhorstii* (Nees, 1813) (*Braconidae*)
 932. *Chelonus inanitus* (Linnaeus, 1767) (*Braconidae*)
 933. *Chelonus mucronatus* Thomson, 1874 (*Braconidae*)
 934. *Chelonus obscurator* Herrich-Schäffer, 1838 (*Braconidae*)
 935. *Chiasmus conspurcatus* (Perris, 1857) (*Cicadellidae*)
 936. *Chionaspis etrusca* Leonardi (*Diaspididae*)
 937. *Chionaspis salicis* (Linnaeus) (*Diaspididae*)
 938. *Chitona cretica* Fairmaire, 1863 (*Oedemeridae*)
 939. *Chitona fucata* (Faldermann, 1837) (*Oedemeridae*)
 940. *Chitona incana* (W. Schmidt, 1846) (*Oedemeridae*)
 941. *Chlidaspis asiatica* (Archangelskaya) (*Diaspididae*)
 942. *Chloriona canariensis* Lindberg, 1954 (*Delphacidae*)
 943. *Chloriona ponticana* Asche, 1982 (*Delphacidae*)
 944. *Chloriona sicala* Matsumura, 1910 (*Delphacidae*)
 945. *Chlorita brevispina* Linnavuori, 1965 (*Cicadellidae*)
 946. *Chlorita mogana* (Dlabola, 1957) (*Cicadellidae*)
 947. *Chlorita paolii* (Ossiannilsson, 1939) (*Cicadellidae*)
 948. *Chlorita tessellata* Lethierry, 1884 (*Cicadellidae*)
 949. *Chlorita uvaroviana* Zachvatkin, 1946 (*Cicadellidae*)
 950. *Chlorocytus diversus* (Walker) (*Pteromalidae*)
 951. *Chlorocytus phalaridis* Graham (*Pteromalidae*)
 952. *Chlorocytus ultonicus* Graham (*Pteromalidae*)
 953. *Chloromyia speciosa* (Macquart, 1834) (*Stratiomyidae*)
 954. *Chloroperla zhiltzovae* Zwick (*Chloroperlidae*)
 955. *Choerades ursula* (Loew, 1851) (*Asilidae*)
 956. *Choerades dorsalis* (Spinola, 1808) (*Braconidae*)

957. *Choreia maculata* (Hoffer) (*Encyrtidae*)
 958. *Chorosoma schillingi* Schummel, 1829 (*Rhopalidae*)
 959. *Chorthippus* (*Chorthippus*) *brauneri* Znojko, 1928 (*Acrididae*)
 960. *Chorthippus* (*Chorthippus*) *dorsatus* (Zetterstedt, 1821) (*Acrididae*)
 961. *Chorthippus* (*Chorthippus*) *labaumei* Ramme, 1926 (*Acrididae*)
 962. *Chorthippus* (*Chorthippus*) *parallelus* (Zetterstedt, 1821) (*Acrididae*)
 963. *Chorthippus* (*Glyptobothrus*) *apricarius* (Linnaeus, 1758) (*Acrididae*)
 964. *Chorthippus* (*Glyptobothrus*) *biguttulus* (Linnaeus, 1758) (*Acrididae*)
 965. *Chorthippus* (*Glyptobothrus*) *binotatus* (Charpentier, 1825) (*Acrididae*)
 966. *Chorthippus* (*Glyptobothrus*) *bozdaghi* Uvarov, 1934 (*Acrididae*)
 967. *Chorthippus* (*Glyptobothrus*) *brunneus* (Thunberg, 1815) (*Acrididae*)
 968. *Chorthippus* (*Glyptobothrus*) *demodikovi* Ramme, 1930 (*Acrididae*)
 969. *Chorthippus* (*Glyptobothrus*) *helverseni* Mol, 2003 (*Acrididae*)
 970. *Chorthippus* (*Glyptobothrus*) *ilkazi* Uvarov, 1934 (*Acrididae*)
 971. *Chorthippus* (*Glyptobothrus*) *kazdagensis* Mol & Ciplak, 2005 (*Acrididae*)
 972. *Chorthippus* (*Glyptobothrus*) *labaumei* Ramme, 1926 (*Acrididae*)
 973. *Chorthippus* (*Glyptobothrus*) *longicornis* (Latreille, 1804) (*Acrididae*)
 974. *Chorthippus* (*Glyptobothrus*) *macrocerus* (Fischer von Waldheim, 1846) (*Acrididae*)
 975. *Chorthippus* (*Glyptobothrus*) *mollis* (Charpentier, 1825) (*Acrididae*)
 976. *Chorthippus* (*Glyptobothrus*) *satunini* Mistshenko, 1951 (*Acrididae*)
 977. *Chorthippus* (*Glyptobothrus*) *taurensis* Şirin & Ciplak, 2005 (*Acrididae*)
 978. *Chorthippus* (*Glyptobothrus*) *vagans* (Eversmann, 1848) (*Acrididae*)
 979. *Chorthippus* (s.str.) *albomarginatus* (De Geer, 1773) (*Acrididae*)
 980. *Chorthippus* (s.str.) *dichrous* (Eversmann, 1859) (*Acrididae*)
 981. *Chorthippus* (s.str.) *loratus* (Fischer von Waldheim, 1846) (*Acrididae*)
 982. *Chorthippus* (*Stauroderus*) *scalaris* (Fischer von Waldheim, 1846) (*Acrididae*)
 983. *Chortinaspis subterranea* (Lindinger) (*Diaspididae*)
 984. *Chromoderus fasciatus* (O.F. Müller, 1776) (*Curculionidae*)
 985. *Chrysanthia chalcocroa* Fairmaire, 1892 (*Oedemeridae*)
 986. *Chrysanthia distinctithorax* Pic, 1904 (*Oedemeridae*)
 987. *Chrysanthia flavipes* Reitter, 1889 (*Oedemeridae*)
 988. *Chrysanthia varipes* Kiesenwetter, 1861 (*Oedemeridae*)
 989. *Chrysocharis amarus* (Walker) (*Eulophidae*)
 990. *Chrysocharis debussyi* Hansson (*Eulophidae*)
 991. *Chrysocharis gemma* (Walker) (*Eulophidae*)
 992. *Chrysocharis idyia* (Walker) (*Eulophidae*)
 993. *Chrysocharis laomedon* (Walker) (*Eulophidae*)
 994. *Chrysocharis latifossa* Hansson (*Eulophidae*)
 995. *Chrysocharis liriomyzae* Delucchi (*Eulophidae*)
 996. *Chrysocharis mediana* Förster (*Eulophidae*)
 997. *Chrysocharis nephereus* (Walker) (*Eulophidae*)
 998. *Chrysocharis pentheus* (Walker) (*Eulophidae*)
 999. *Chrysocharis phryne* (Walker) (*Eulophidae*)
 1000. *Chrysocharis polyzo* (Walker) (*Eulophidae*)
 1001. *Chrysocharis pubicornis* (Zetterstedt) (*Eulophidae*)
 1002. *Chrysomallus thenae* (Walker) (*Perilampidae*)
 1003. *Chrysomalla roseri* Förster (*Perilampidae*)
 1004. *Chrysomalla stigmatica* Bouček (*Perilampidae*)
 1005. *Chrysomalla turcica* Bouček (*Perilampidae*)
 1006. *Chrysomphalus aonidus* (Linnaeus) (*Diaspididae*)
 1007. *Chrysomphalus dictyospermi* (Morgan) (*Diaspididae*)
 1008. *Chrysomphalus pinnulifer* (Maskell) (*Diaspididae*)
 1009. *Chrysopilus pallipes* (Loew, 1869) (*Rhagionidae*)
 1010. *Chrysops* (*Petersenichrysops*) *buxtoni* Austen, 1922 (*Tabanidae*)
 1011. *Chrysops* (*Petersenichrysops*) *compactus* Austen, 1924 (*Tabanidae*)
 1012. *Chrysops* (*Petersenichrysops*) *hamatus* Loew, 1858 (*Tabanidae*)
 1013. *Chrysops* (s.str.) *caecutiens* (Linnaeus, 1761) (*Tabanidae*)
 1014. *Chrysops* (s.str.) *flavipes* Meigen, 1804 (*Tabanidae*)
 1015. *Chrysops* (s.str.) *italicus* Meigen, 1804 (*Tabanidae*)
 1016. *Chrysops* (s.str.) *relictus* Meigen, 1820 (*Tabanidae*)
 1017. *Chrysops* (s.str.) *sejunctus* Szilady, 1917 (*Tabanidae*)
 1018. *Chrysops* (s.str.) *viduatus* (Fabricius, 1794) (*Tabanidae*)
 1019. *Chrysotus albibarbus* Loew, 1857 (*Dolichopodidae*)
 1020. *Chrysotus alpicola* Strobl, 1893 (*Dolichopodidae*)
 1021. *Chrysotus cilipes* Meigen, 1824 (*Dolichopodidae*)
 1022. *Chrysotus obscuripes* Zetterstedt, 1838 (*Dolichopodidae*)
 1023. *Chrysotus pennatus* Lichtwardt, 1902 (*Dolichopodidae*)
 1024. *Chrysotus suavis* Loew, 1857 (*Dolichopodidae*)
 1025. *Chunrocus balcanicus* (Horvath, 1903) (*Cicadellidae*)
 1026. *Cicada lodosi* Boulard, 1979 (*Cicadidae*)
 1027. *Cicada mordoganensis* Boulard, 1979 (*Cicadidae*)
 1028. *Cicada permagna* (Haupt, 1917) (*Cicadidae*)
 1029. *Cicadatra alhageos* (Kolenati, 1857) (*Cicadidae*)
 1030. *Cicadatra atra* (Oliver, 1790) (*Cicadidae*)
 1031. *Cicadatra hyalina* (Fabricius, 1798) (*Cicadidae*)
 1032. *Cicadatra persica* Kirkaldy, 1909 (*Cicadidae*)
 1033. *Cicadatra platyptera* Fieber, 1876 (*Cicadidae*)
 1034. *Cicadatra tenebrosa* Fieber, 1876 (*Cicadidae*)
 1035. *Cicadella viridis* (Linnaeus, 1758) (*Cicadellidae*)
 1036. *Cicadetta dimissa* (Hagen, 1856) (*Cicadidae*)
 1037. *Cicadetta montana* (Scopoli, 1772) (*Cicadidae*)
 1038. *Cicadetta musiva* (Germar, 1830) (*Cicadidae*)
 1039. *Cicadetta parvula* Fieber, 1876 (*Cicadidae*)
 1040. *Cicadetta pilosa* (Horvath, 1901) (*Cicadidae*)
 1041. *Cicadetta sibilatrix* Horvath, 1901 (*Cicadidae*)
 1042. *Cicadivetta tibialis* (Panzer, 1798) (*Cicadidae*)
 1043. *Cicadula lineatopunctata* (Matsumura, 1908) (*Cicadellidae*)
 1044. *Cicadulina bipunctata* (Melichar, 1904) (*Cicadellidae*)
 1045. *Cicindela asiatica* Audouin & Brullé, 1839 (*Carabidae*)
 1046. *Cicindela campestris* Linnaeus, 1758 (*Carabidae*)
 1047. *Cicindela desertorum* Dejean, 1825 (*Carabidae*)
 1048. *Cicindela herbacea* Klug, 1832 (*Carabidae*)
 1049. *Cicindela sylvatica* Linnaeus, 1758 (*Carabidae*)
 1050. *Cicindela turkestanicoides* W. Horn, 1938 (*Carabidae*)
 1051. *Cidnopus crassipes* (Schwarz, 1900) (*Elateridae*)
 1052. *Cidnopus pilosus* (Leske, 1785) (*Elateridae*)
 1053. *Cidnopus schurmanni* Platia & Gudenzi, 1998 (*Elateridae*)
 1054. *Cidnopus turcicus* Platia, 2004 (*Elateridae*)
 1055. *Circulifer haematoceps* (Mulsant & Rey, 1855) (*Cicadellidae*)
 1056. *Cirrospilus lynceus* Walker (*Eulophidae*)
 1057. *Cirrospilus staryi* Bouček (*Eulophidae*)
 1058. *Cirrospilus variegatus* (Masi) (*Eulophidae*)
 1059. *Cirrospilus vittatus* Walker (*Eulophidae*)
 1060. *Cixidia marginicollis* (Spinola, 1839) (*Achilidae*)
 1061. *Cixidia mersinica* Dlabola, 1987 (*Achilidae*)
 1062. *Cixidia pilatoi* D'Urso & Guglielmino, 1995 (*Achilidae*)
 1063. *Cixius pallipes* Fieber, 1876 (*Cixiidae*)
 1064. *Cixius remotus* Edwards, 1888 (*Cixiidae*)

1065. *Cleonis piger* (Scopoli, 1763) (Curculionidae)
 1066. *Clinodiplosis botularia* (Winnertz, 1853) (Cecidomyiidae)
 1067. *Closterocerus chlorogaster* (Erdős) (Eulophidae)
 1068. *Closterocerus cuprifrons* (Erdős) (Eulophidae)
 1069. *Closterocerus formosus* Westwood (Eulophidae)
 1070. *Closterocerus lyonetiae* (Ferrière) (Eulophidae)
 1071. *Cnemeplatia atropos* Costa, 1847 (Tenebrionidae)
 1072. *Coccidohystrix artemisiae* (Kiritchenko, 1937) (Pseudococcidae)
 1073. *Coccobius testaceus* (Masi, 1909) (Aphelinidae)
 1074. *Coccophagoides moeris* (Walker, 1839) (Aphelinidae)
 1075. *Coccophagus aterrimus* Vikberg, 1966 (Aphelinidae)
 1076. *Coccophagus differens* Yasnosh, 1966 (Aphelinidae)
 1077. *Coccophagus insidiator* (Dalman, 1826) (Aphelinidae)
 1078. *Coccophagus kvavadze* Japoshvili & Karaca, 2002 (Aphelinidae)
 1079. *Coccophagus lycimnia* (Walker, 1839) (Aphelinidae)
 1080. *Coccophagus palaeolecanii* Yasnosh, 1957 (Aphelinidae)
 1081. *Coccophagus piceae* Erdős, 1956 (Aphelinidae)
 1082. *Coccophagus proximus* Yasnosh, 1956 (Aphelinidae)
 1083. *Coccophagus scutellaris* (Dalman, 1826) (Aphelinidae)
 1084. *Coccophagus spartanus* Japoshvili & Karaca, 2002 (Aphelinidae)
 1085. *Coccus hesperidum* Linnaeus (Coccidae)
 1086. *Coccus pseudomagnoliarum* (Kuwana) (Coccidae)
 1087. *Codophila varia* (Fabricius, 1787) (Pentatomidae)
 1088. *Coelopenyrtus callidii* (Jansson) (Encyrtidae)
 1089. *Coelopisthia caledonica* Askew (Pteromalidae)
 1090. *Coenosia agromyzina* (Fallén, 1825) (Muscidae)
 1091. *Coenosia nigridigita* Rondani, 1866 (Muscidae)
 1092. *Coleostoma* (s.str.) *orbiculare* (Fabricius, 1775) (Hydrophilidae)
 1093. *Colotrechnus viridis* (Masi) (Pteromalidae)
 1094. *Colpoclypeus florus* (Walker) (Eulophidae)
 1095. *Colpotus byzantinicus* (Waltl, 1838) (Tenebrionidae)
 1096. *Colpotus dentatus* Grimm & Schawaller, 2000 (Tenebrionidae)
 1097. *Colpotus lassallei* Ferrer & Soldati, 1999 (Tenebrionidae)
 1098. *Colpotus punctipleuris* Reitter, 1904 (Tenebrionidae)
 1099. *Colpotus reitteri* Zürcher, 1911 (Tenebrionidae)
 1100. *Colpotus sulcatus* Ménétriés, 1838 (Tenebrionidae)
 1101. *Colpotus vogti* Koch, 1944 (Tenebrionidae)
 1102. *Colymbetes fuscus* (Linnaeus, 1758) (Dytiscidae)
 1103. *Comperiella bifasciata* Howard (Encyrtidae)
 1104. *Coniatus repandus* (Fabricius, 1792) (Curculionidae)
 1105. *Coniatus tamarisci* (Fabricius, 1787) (Curculionidae)
 1106. *Coniocleonus nigrosuturatus* (Goeze, 1777) (Curculionidae)
 1107. *Conocephalus* (Anisoptera) *concolor* (Burmeister, 1838) (Tettigoniidae)
 1108. *Conocephalus* (s.str.) *conocephalus* (Linnaeus, 1758) (Tettigoniidae)
 1109. *Conocephalus* (Xiphidion) *dorsalis* (Latreille, 1804) (Tettigoniidae)
 1110. *Conocephalus* (Xiphidion) *fuscus* (Fabricius, 1793) (Tettigoniidae)
 1111. *Conocephalus* (Xiphidion) *hastatus* (Charpentier, 1825) (Tettigoniidae)
 1112. *Conocephalus* (Xiphidion) *kisi* (Tettigoniidae)
 1113. *Conocephalus* (Xiphidion) *turanicus* (Semenov, 1915) (Tettigoniidae)
 1114. *Conomelus anceps* (Germar, 1821) (Delphacidae)
 1115. *Conomorium patulum* (Walker) (Pteromalidae)
 1116. *Conomorium pityocampae* Graham (Pteromalidae)
 1117. *Conophorus aktashi* Hasbenli, Koç & Zaitzev, 1998 (Bombyliidae)
 1118. *Conophorus anatolicus* Zaitzev, 1981 (Bombyliidae)
 1119. *Conophorus asiaticus* Paramonov, 1929 (Bombyliidae)
 1120. *Conophorus bivittatus* (Loew, 1862) (Bombyliidae)
 1121. *Conophorus glaucescens* (Loew, 1863) (Bombyliidae)
 1122. *Conophorus gracilis* Dils & Özbek, 2006 (Bombyliidae)
 1123. *Conophorus nobilis* (Loew, 1873) (Bombyliidae)
 1124. *Conophorus rossicus* Paramonov, 1929 (Bombyliidae)
 1125. *Conophorus simplex* Loew, 1869 (Bombyliidae)
 1126. *Conophorus syriacus* Paramonov, 1929 (Bombyliidae)
 1127. *Conophorus virescens* (Fabricius, 1787) (Bombyliidae)
 1128. *Conops flavicaudus* (Bigot, 1880) (Conopidae)
 1129. *Conops flavifrons* Meigen, 1824 (Conopidae)
 1130. *Conops flavipes* Linnaeus, 1758 (Conopidae)
 1131. *Conops insignis* Loew, 1848 (Conopidae)
 1132. *Conops quadrifasciatus* De Geer, 1776 (Conopidae)
 1133. *Conops silaceus* Wiedemann, 1824 (Conopidae)
 1134. *Conops tomentosus* Kröber, 1916 (Conopidae)
 1135. *Conops vesicularis* Linnaeus, 1761 (Conopidae)
 1136. *Conorhynchus nigrivittis* (Pallas, 1781) (Curculionidae)
 1137. *Conosanus obsoletus* (Kirschbaum, 1858) (Cicadellidae)
 1138. *Contarinia citri* Barnes, 1944 (Cecidomyiidae)
 1139. *Contarinia coryli* (Kaltenbach, 1859) (Cecidomyiidae)
 1140. *Contarinia nasturtii* (Kieffer, 1888) (Cecidomyiidae)
 1141. *Contarinia populi* (Rübsaamen, 1917) (Cecidomyiidae)
 1142. *Contarinia pyrivora* (Riley, 1886) (Cecidomyiidae)
 1143. *Contigaspis zillae* (Hall) (Diaspididae)
 1144. *Copidosoma agrotis* (Fonscolombe) (Encyrtidae)
 1145. *Copidosoma aithya* (Walker) (Encyrtidae)
 1146. *Copidosoma boucheanum* Ratzeburg (Encyrtidae)
 1147. *Copidosoma breviclava* Hoffer (Encyrtidae)
 1148. *Copidosoma floridanum* (Ashmead) (Encyrtidae)
 1149. *Copidosoma hispanicum* (Mercet) (Encyrtidae)
 1150. *Copidosoma primulum* (Mercet) (Encyrtidae)
 1151. *Copidosoma truncatellum* (Dalman) (Encyrtidae)
 1152. *Copidosoma varicome* (Nees) (Encyrtidae)
 1153. *Coptosoma scutellatum* (Geoffroy, 1785) (Plataspidae)
 1154. *Coriomeris affinis* (Herrich-Schäffer, 1839) (Coreidae)
 1155. *Corizus hyoscyami* (Linnaeus, 1758) (Rhopalidae)
 1156. *Cossyphus tauricus* Steven, 1882 (Tenebrionidae)
 1157. *Cotesia ancilla* (Nixon, 1974) (Braconidae)
 1158. *Cotesia brevicollis* (Wesmael, 1837) (Braconidae)
 1159. *Cotesia calodetta* (Nixon, 1974) (Braconidae)
 1160. *Cotesia cupresus* (Lylé, 1925) (Braconidae)
 1161. *Cotesia geryonis* (Marshall, 1885) (Braconidae)
 1162. *Cotesia glabratus* (Telenga, 1955) (Braconidae)
 1163. *Cotesia hypantiriae* (Riley, 1887) (Braconidae)
 1164. *Cotesia jucunda* (Marshall, 1885) (Braconidae)
 1165. *Cotesia kazak* (Telenga, 1949) (Braconidae)
 1166. *Cotesia kurdjumovi* (Telenga, 1955) (Braconidae)
 1167. *Cotesia lineola* (Curtis, 1830) (Braconidae)
 1168. *Cotesia melanosccla* (Ratzeburg, 1844) (Braconidae)
 1169. *Cotesia memnon* (Nixon, 1974) (Braconidae)
 1170. *Cotesia numen* (Nixon, 1974) (Braconidae)
 1171. *Cotesia orestes* (Nixon, 1974) (Braconidae)
 1172. *Cotesia ruficrus* (Haliday, 1834) (Braconidae)
 1173. *Cotesia saltatoria* (Balevski, 1980) (Braconidae)
 1174. *Cotesia setebis* (Nixon, 1974) (Braconidae)
 1175. *Cotesia telengai* (Tobias, 1972) (Braconidae)
 1176. *Cotesia tenebrosa* (Papp, 1976) (Braconidae)
 1177. *Cotesia tetricus* (Reinhard, 1880) (Braconidae)
 1178. *Cotesia tibialis* (Curtis, 1830) (Braconidae)
 1179. *Cotesia vanessae* (Reinhard, 1880) (Braconidae)
 1180. *Cotesia villanus* Reinhard, 1880 (Braconidae)
 1181. *Cowperia areolata* (Walker) (Encyrtidae)
 1182. *Craspedolepta malachitica* (Dahlbom) (Psyllidae)

1183. *Craspedolepta nebulosa* (Zetterstedt, 1828) (Psyllidae)
 1184. *Craspedolepta pontica* (Dobreaanu & Manolache) (Psyllidae)
 1185. *Crastina myricariae* Loginova (Psyllidae)
 1186. *Crataepus marbis* (Walker) (Eulophidae)
 1187. *Crematogaster laestrygon* Emery, 1869 (Formicidae)
 1188. *Crematogaster scutellaris* (Olivier, 1791) (Formicidae)
 1189. *Crematogaster sordidula* (Nylander, 1849) (Formicidae)
 1190. *Creoleon lugdunensis* (Villers, 1789) (Myrmeleonidae)
 1191. *Crobilocerus engeli* Geller-Grimm & Hradski, 1999 (Asilidae)
 1192. *Crobilocerus megilliformis* (Loew, 1847) (Asilidae)
 1193. *Cryphaeus cornutus* Fischer von Waldheim, 1823 (Tenebrionidae)
 1194. *Crypticus* (Platycrypticus) *castaneus* Baudi, 1876 (Tenebrionidae)
 1195. *Crypticus* (s.str.) *pettersoni* Ferrer & Soldati, 1999 (Tenebrionidae)
 1196. *Crypticus* (s.str.) *quisquilius* (Linnaeus, 1761) (Tenebrionidae)
 1197. *Cryptobium chaudiro* Hochhuth, 1851 (Staphylinidae)
 1198. *Cryptobium fracticorne* (Paykull, 1800) (Staphylinidae)
 1199. *Cryptococcus fagisuga* Lindinger (Eriococcidae)
 1200. *Cryptoptyx latipes* (Rondani) (Pteromalidae)
 1201. *Cryptoptyx robustus* (Masi) (Pteromalidae)
 1202. *Ctenicera pectinicornis* (Linnaeus, 1758) (Elateridae)
 1203. *Ctenopus* sp. (Meloidae)
 1204. *Cueta beieri* Hölzel, 1969 (Myrmeleonidae)
 1205. *Cueta beieri* Hölzel, 1969 (Myrmeleonidae)
 1206. *Cueta lineosa* (Rambur, 1842) (Myrmeleonidae)
 1207. *Cueta lineosus* (Rambur, 1842) (Myrmeleonidae)
 1208. *Cuneala amasiensis* (Kriechbaumer, 1869) (Tenthredinidae)
 1209. *Cuneala confinis* (Konow, 1886) (Tenthredinidae)
 1210. *Cuneala koehleri* Klug, 1817 (Tenthredinidae)
 1211. *Curculio crux* Fabricius, 1776 (Curculionidae)
 1212. *Curculio elephas* Gyllenhal, 1836 (Curculionidae)
 1213. *Curculio excellans* Khnzorian, 1953 (Curculionidae)
 1214. *Curculio glandium* Marsham, 1802 (Curculionidae)
 1215. *Curculio nucum* Linnaeus, 1758 (Curculionidae)
 1216. *Curculio pellitus* Boheman, 1843 (Curculionidae)
 1217. *Curculio pyrrhoceras* Marsham, 1802 (Curculionidae)
 1218. *Curculio salicivorus* Paykull, 1792 (Curculionidae)
 1219. *Curculio venosus* (Gravenhorst, 1807) (Curculionidae)
 1220. *Cyamophila astragalicola* (Gegechkori, 1977) (Psyllidae)
 1221. *Cyamophila glycyrrhizae* (Becker) (Psyllidae)
 1222. *Cyamophila stocklosai* Klimaszwski & Lodos (Psyllidae)
 1223. *Cylindera* (Cicindina) *arenaria* (Fuessli, 1775) (Carabidae)
 1224. *Cylindera* (Cicindina) *pygmaea* (Dejean, 1825) (Carabidae)
 1225. *Cylindera* (Cicindina) *sublacerata* (Solsky, 1874) (Carabidae)
 1226. *Cylindera* (Cicindina) *tresignata* (Dejean, 1822) (Carabidae)
 1227. *Cylindera* (s.str.) *germanica* (Linnaeus, 1758) (Carabidae)
 1228. *Cylindronotus* (Helopelius) *aeneipennis* (Allard, 1876) (Tenebrionidae)
 1229. *Cylindronotus* (Odocnemis) *dasypus* Seidlitz, 1893 (Tenebrionidae)
 1230. *Cylindronotus* (Odocnemis) *exararatus* (Germar, 1817) (Tenebrionidae)
 1231. *Cylindronotus* (Odocnemis) *korbi* Reitter, 1901 (Tenebrionidae)
 1232. *Cylindronotus* (Odocnemis) *nitidus* Seidlitz, 1893 (Tenebrionidae)
 1233. *Cylindronotus* (Odocnemis) *seriegranatus* Seidlitz, 1893 (Tenebrionidae)
 1234. *Cylindronotus* (Odocnemis) *tuberculiger* Reich, 1857 (Tenebrionidae)
 1235. *Cylindronotus* (s.str.) *funestoides* Reitter, 1900 (Tenebrionidae)
 1236. *Cyphon abeillei* Bourgeois, 1884 (Scirtidae)
 1237. *Cyrtisopsis melleus* (Loew, 1856) (Mythicomyiidae)
 1238. *Cyrtogaster vulgaris* Walker (Pteromalidae)
 1239. *Dactylopius coccus* Costa (Dactylopiidae)
 1240. *Dahlbominus fuscipennis* (Zetterstedt) (Eulophidae)
 1241. *Dailognatha caraboides* Solier, 1835 (Tenebrionidae)
 1242. *Dailognatha carceli* Solier, 1835 (Tenebrionidae)
 1243. *Dailognatha impressicollis* Solier, 1835 (Tenebrionidae)
 1244. *Dailognatha pumila* Baudi, 1874 (Tenebrionidae)
 1245. *Dailognatha quadricollis* Brullé, 1832 (Tenebrionidae)
 1246. *Dailognatha rugipleuris* Reitter, 1896 (Tenebrionidae)
 1247. *Dallognatha caraboides* Solier, 1835 (Tenebrionidae)
 1248. *Dallognatha crenata* Reiche & Saulcy, 1857 (Tenebrionidae)
 1249. *Dallognatha pumila* Baudi, 1874 (Tenebrionidae)
 1250. *Dallognatha quadricollis* Brullé, 1832 (Tenebrionidae)
 1251. *Dallognatha rugipleuris* Reitter, 1896 (Tenebrionidae)
 1252. *Dalmannia marginata* (Meigen, 1824) (Conopidae)
 1253. *Dalmannia punctata* (Fabricius, 1794) (Conopidae)
 1254. *Dalopius marginatus* (Linnaeus, 1758) (Elateridae)
 1255. *Dalopius radiculosus* Gurjeva, 1964 (Elateridae)
 1256. *Danaosoma fasciata* (Linnaeus, 1758) (Elateridae)
 1257. *Dasineura affinis* (Kieffer, 1886) (Cecidomyiidae)
 1258. *Dasineura crataegi* (Winnertz, 1853) (Cecidomyiidae)
 1259. *Dasineura oleae* (Loew, 1885) (Cecidomyiidae)
 1260. *Dasineura refescens* (Stefani, 1896) (Cecidomyiidae)
 1261. *Dasineura rosae* (Bremi, 1847) (Cecidomyiidae)
 1262. *Dasineura viciae* (Kieffer, 1888) (Cecidomyiidae)
 1263. *Dasyhippus escalerae* (Bolivar, 1899) (Acrididae)
 1264. *Dasyhippus uvarovi* Karabağ, 1953 (Acrididae)
 1265. *Dasyphora penicillata* (Egger, 1865) (Muscidae)
 1266. *Dasygogon geradi* Weinberg, 1987 (Asilidae)
 1267. *Dasygogon irinela* Weinberg, 1986 (Asilidae)
 1268. *Dasyramphis anthracinus* (Meigen, 1820) (Tabanidae)
 1269. *Dasyramphis ater* (Austen, 1925) (Tabanidae)
 1270. *Dasyramphis carbonarius* (Meigen, 1820) (Tabanidae)
 1271. *Dasyramphis nigrinus* (Fabricius, 1794) (Tabanidae)
 1272. *Dasyramphis umbrinus* (Meigen, 1820) (Tabanidae)
 1273. *Decticus albifrons* (Fabricius, 1793) (Tettigoniidae)
 1274. *Decticus mithati* Ramme, 1939 (Tettigoniidae)
 1275. *Decticus verrucivorus* (Linnaeus, 1758) (Tettigoniidae)
 1276. *Deleproctophylla dusmeti* Navas, 1914 (Ascalaphidae)
 1277. *Deleproctophylla variegata* (Klug, 1834) (Ascalaphidae)
 1278. *Delphacodes audrasi* Ribaut, 1954 (Delphacidae)
 1279. *Delphacodoides anaxarchi* (Muir, 1926) (Delphacidae)
 1280. *Delta Saussure*, 1855 (Vespidae)
 1281. *Delta unguiculatum* (Villers, 1789) (Vespidae)
 1282. *Demirsoyus salmani* Şirin & Çiplak, 2004 (Acrididae)
 1283. *Dendarus* (Pandarinus) *armeniacus* Baudi, 1876 (Tenebrionidae)

1284. *Dendarus (Pandarinus) caelatus* Brullé, 1832 (*Tenebrionidae*)
 1285. *Dendarus (Pandarinus) crenulatus* (Ménétriés, 1832) (*Tenebrionidae*)
 1286. *Dendarus (Pandarinus) dalmatinus* Germar, 1824 (*Tenebrionidae*)
 1287. *Dendarus (Pandarinus) foveolatus* Seidlitz, 1893 (*Tenebrionidae*)
 1288. *Dendarus (Pandarinus) messenius* Brullé, 1832 (*Tenebrionidae*)
 1289. *Dendarus (Pandarinus) moesiacus* Mulsant & Rey, 1854 (*Tenebrionidae*)
 1290. *Dendarus (Pandarinus) punctatus* Audinet-Serville, 1825 (*Tenebrionidae*)
 1291. *Dendarus (Pandarinus) scrobiculatus* Seidlitz, 1893 (*Tenebrionidae*)
 1292. *Dendarus (Pandarinus) tenellus* Mulsant & Rey, 1854 (*Tenebrionidae*)
 1293. *Dendarus (Pandarinus) stygius* Walth, 1838 (*Tenebrionidae*)
 1294. *Dendroleon pantherinus* (Fabricius, 1787) (*Myrmeleonidae*)
 1295. *Dendroleon pantherinus* (Fabricius, 1787) (*Myrmeleonidae*)
 1296. *Denops albofasciatus* (Charpentier, 1825) (*Cleridae*)
 1297. *Denticollis linearis* (Linnaeus, 1758) (*Elateridae*)
 1298. *Denticollis parallelcolis* Aubé, 1850 (*Elateridae*)
 1299. *Denticollis rubens* Piller & Mitterpacher, 1783 (*Elateridae*)
 1300. *Depressotetrix depressa* (Brisout, 1848) (*Tetrigidae*)
 1301. *Deraeocoris punctulatus* (Fallén, 1807) (*Miridae*)
 1302. *Deraeocoris rutilus* (Herrich-Schäffer, 1838) (*Miridae*)
 1303. *Dericorys tibialis* (Pallas, 1773) (*Acrididae*)
 1304. *Dericorys uvarovi* Ramme, 1930 (*Acrididae*)
 1305. *Desmatoneura lepida* (Hermann, 1907) (*Bombyliidae*)
 1306. *Diaclina fagi* (Panzer, 1799) (*Tenebrionidae*)
 1307. *Diaperis boleti* (Linnaeus, 1758) (*Tenebrionidae*)
 1308. *Diaspidiotus anatolicus* (Bodenheimer) (*Diaspididae*)
 1309. *Diaspidiotus armenicus* (Borchsenius) (*Diaspididae*)
 1310. *Diaspidiotus caucasicus* (Borchsenius) (*Diaspididae*)
 1311. *Diaspidiotus distinctus* (Leonardi) (*Diaspididae*)
 1312. *Diaspidiotus elaeagni* (Borchsenius) (*Diaspididae*)
 1313. *Diaspidiotus gigas* (Thiem & Gerneck) (*Diaspididae*)
 1314. *Diaspidiotus kaussarii* Balachowsky (*Diaspididae*)
 1315. *Diaspidiotus lenticularis* (Lindinger) (*Diaspididae*)
 1316. *Diaspidiotus marani* (Zahradnik) (*Diaspididae*)
 1317. *Diaspidiotus osborni* (Newell & Cockerell) (*Diaspididae*)
 1318. *Diaspidiotus ostreaeformis* (Curtis) (*Diaspididae*)
 1319. *Diaspidiotus perniciosus* (Comstock) (*Diaspididae*)
 1320. *Diaspidiotus prunorum* (Laing) (*Diaspididae*)
 1321. *Diaspidiotus pyri* (Lichtenstein) (*Diaspididae*)
 1322. *Diaspidiotus sulci* (Balachowsky) (*Diaspididae*)
 1323. *Diaspidiotus wuenni* (Lindinger) (*Diaspididae*)
 1324. *Diaspidiotus zonatus* (Frauenfeld) (*Diaspididae*)
 1325. *Diaspis boisduvalii* Signoret (*Diaspididae*)
 1326. *Diaspis bromeliae* (Kerner) (*Diaspididae*)
 1327. *Diaspis echinocacti* (Bouche) (*Diaspididae*)
 1328. *Diaspis syriaca* Lindinger (*Diaspididae*)
 1329. *Dibrachoides dynastes* (Förster) (*Pteromalidae*)
 1330. *Dibrachys affinis* Masi (*Pteromalidae*)
 1331. *Dibrachys boarmiae* (Walker) (*Pteromalidae*)
 1332. *Dibrachys cavus* (Walker) (*Pteromalidae*)
 1333. *Dibrachys palandoekenus* Doganlar (*Pteromalidae*)
 1334. *Dicarnosis hemiptera* (Dalman) (*Encyrtidae*)
 1335. *Dicarnosis sugonjaevi* Myartseva (*Encyrtidae*)
 1336. *Dicarnosis superba* Mercet (*Encyrtidae*)
 1337. *Dichillus (Dichillocerus) crassicornis* Allard, 1869 (*Tenebrionidae*)
 1338. *Dichillus carinatus* Küster, 1848 (*Tenebrionidae*)
 1339. *Dichillus subsetulosus* Reitter, 1886 (*Tenebrionidae*)
 1340. *Dicrodiplosis pseudococci* (Felt, 1914) (*Cecidomyiidae*)
 1341. *Dicronychus adanensis* (Pic, 1908) (*Elateridae*)
 1342. *Dicronychus apteriformis* Platia & Gudenzi, 2004 (*Elateridae*)
 1343. *Dicronychus bicolor* Platia & Gudenzi, 2004 (*Elateridae*)
 1344. *Dicronychus bozdaghensis* Platia & Gudenzi, 2004 (*Elateridae*)
 1345. *Dicronychus cinereus* (Herbst, 1784) (*Elateridae*)
 1346. *Dicronychus decorus* (Faldermann, 1835) (*Elateridae*)
 1347. *Dicronychus deminutus* Platia & Gudenzi, 2004 (*Elateridae*)
 1348. *Dicronychus desbrochersi* Platia & Gudenzi, 2004 (*Elateridae*)
 1349. *Dicronychus drureri* (Pic, 1908) (*Elateridae*)
 1350. *Dicronychus equiseti* (Herbst, 1784) (*Elateridae*)
 1351. *Dicronychus exstinctus* (Erichson, 1840) (*Elateridae*)
 1352. *Dicronychus freudei* Platia & Gudenzi, 2007 (*Elateridae*)
 1353. *Dicronychus gillerforsi* Platia & Gudenzi, 2004 (*Elateridae*)
 1354. *Dicronychus iconiensis* (Pic, 1908) (*Elateridae*)
 1355. *Dicronychus incanus* (Erichson, 1840) (*Elateridae*)
 1356. *Dicronychus merkli* (Pic, 1910) (*Elateridae*)
 1357. *Dicronychus mutilus* Platia & Gudenzi, 2004 (*Elateridae*)
 1358. *Dicronychus obscuripennis* (Pic, 1899) (*Elateridae*)
 1359. *Dicronychus pici* Platia & Gudenzi, 2004 (*Elateridae*)
 1360. *Dicronychus rubripes* (Germar, 1824) (*Elateridae*)
 1361. *Dicronychus senaci* Desbrochers, 1870 (*Elateridae*)
 1362. *Dicronychus turcicus* Platia & Gudenzi, 2004 (*Elateridae*)
 1363. *Dicronychus variatus* Desbrochers, 1875 (*Elateridae*)
 1364. *Dicronychus versicolor* (Mulsant & Guillebeau, 1856) (*Elateridae*)
 1365. *Dictyla triconula* (Seidenstücker, 1954) (*Tingidae*)
 1366. *Dictyophara asiatica* Melichar, 1912 (*Dictyopharidae*)
 1367. *Dictyophara europaea* (Linnaeus, 1767) (*Dictyopharidae*)
 1368. *Dictyophara iranica* Linnavuori, 1962 (*Dictyopharidae*)
 1369. *Dictyophara lindbergi* Metcalf, 1955 (*Dictyopharidae*)
 1370. *Dictyophara multireticulata* Mulsant & Rey, 1855 (*Dictyopharidae*)
 1371. *Dictyophara pannonica* (Germar, 1830) (*Dictyopharidae*)
 1372. *Dictyophara xiphias* Puton, 1884 (*Dictyopharidae*)
 1373. *Diolocroce ephemera* (Gersträcker, 1893) (*Nemopteridae*)
 1374. *Diglyphus anadolucius* Doganlar (*Eulophidae*)
 1375. *Diglyphus crassinervis* Erdős (*Eulophidae*)
 1376. *Diglyphus isaea* (Walker) (*Eulophidae*)
 1377. *Diglyphus pachyneurus* Graham (*Eulophidae*)
 1378. *Dikraneura variata* Hardy, 1850 (*Cicadellidae*)
 1379. *Dinarmus acutus* (Thomson) (*Pteromalidae*)
 1380. *Dinarmus italicus* (Masi) (*Pteromalidae*)
 1381. *Dinocistus eupterus* (Walker, 1836) (*Pteromalidae*)
 1382. *Dioctria abdominalis* Becker, 1923 (*Asilidae*)
 1383. *Dioctria arcana* Richter, 1966 (*Asilidae*)
 1384. *Dioctria arthritica* Loew, 1871 (*Asilidae*)
 1385. *Dioctria atricapilla* Meigen, 1804 (*Asilidae*)
 1386. *Dioctria bithynica* Janssens, 1968 (*Asilidae*)
 1387. *Dioctria flavipennis* Meigen, 1820 (*Asilidae*)
 1388. *Dioctria lenta* Becker, 1923 (*Asilidae*)
 1389. *Dioctria lugens* Loew, 1873 (*Asilidae*)
 1390. *Dioctria meyeri* Nowicki, 1867 (*Asilidae*)
 1391. *Dioctria rufonigra* Theodor, 1980 (*Asilidae*)
 1392. *Dioctria striata* Theodor, 1980 (*Asilidae*)
 1393. *Dioctria valida* Loew, 1856 (*Asilidae*)

1394. *Diolcogaster alvearia* (Fabricius, 1798) (Braconidae)
 1395. *Diolcogaster claritibia* (Papp, 1959) (Braconidae)
 1396. *Diplocolenus bekiri* Kalkandelen, 1972 (Cicadellidae)
 1397. *Diplocolenus frauenfeldi* (Fieber, 1869) (Cicadellidae)
 1398. *Diplorhoptrum fugax* (Latreille, 1798) (Formicidae)
 1399. *Dirhinus hesperidum* (Rossi) (Chalcididae)
 1400. *Discodes aeneus* (Dalman) (Encyrtidae)
 1401. *Discodes coccophagus* (Ratzeburg) (Encyrtidae)
 1402. *Discodes obscuriclavus* Myartseva (Encyrtidae)
 1403. *Discodes trjapitzini* Herthetvzian (Encyrtidae)
 1404. *Discoptila beroni* Popov, 1974 (Gryllidae)
 1405. *Discoptila brevis* Bey-Bienko, 1964 (Gryllidae)
 1406. *Discoptila fragosoi* (Bolivar, 1855) (Gryllidae)
 1407. *Dissonomus substriatus* Reitter, 1898 (Tenebrionidae)
 1408. *Distoleon curdicus* Hölzel, 1972 (Myrmeleonidae)
 1409. *Distoleon tetragrammicus* (Fabricius, 1798) (Myrmeleonidae)
 1410. *Ditropis flavipes* (Signoret, 1865) (Delphacidae)
 1411. *Dociostaurus* (Kazakia) *brevicollis* (Eversmann, 1848) (Acrididae)
 1412. *Dociostaurus* (Kazakia) *jagoi* Soltani, 1978 (Acrididae)
 1413. *Dociostaurus* (Notostaurus) *anatolicus* (Krauss, 1896) (Acrididae)
 1414. *Dociostaurus* (s.str.) *genei* (Ocskay, 1832) (Acrididae)
 1415. *Dociostaurus* (s.str.) *maroccanus* (Thunberg, 1815) (Acrididae)
 1416. *Dociostaurus* (s.str.) *salmani* Demirsoy, 1977 (Acrididae)
 1417. *Dociostaurus* (Stauronotulus) *cappadocicus* (Azam, 1913) (Acrididae)
 1418. *Dociostaurus* (Stauronotulus) *hauensteini* (Bolivar, 1893) (Acrididae)
 1419. *Docotettix cornutus* Ribaut, 1948 (Cicadellidae)
 1420. *Dolichogenidea anarsiae* (Faure & Alabouvetle, 1924) (Braconidae)
 1421. *Dolichogenidea breviventris* (Ratzeburg, 1848) (Braconidae)
 1422. *Dolichogenidea coleophorae* (Wilkinson, 1938) (Braconidae)
 1423. *Dolichogenidea drusilla* (Nixon, 1972) (Braconidae)
 1424. *Dolichogenidea immissus* (Papp, 1977) (Braconidae)
 1425. *Dolichogenidea infimus* (Haliday, 1834) (Braconidae)
 1426. *Dolichogenidea lacteicolor* (Viereck, 1911) (Braconidae)
 1427. *Dolichogenidea litae* (Nixon, 1972) (Braconidae)
 1428. *Dolichogenidea longicauda* (Wesmael, 1837) (Braconidae)
 1429. *Dolichogenidea longipalpis* (Reinhard, 1880) (Braconidae)
 1430. *Dolichogenidea mycale* (Nixon, 1972) (Braconidae)
 1431. *Dolichogenidea sicarius* (Marshall, 1885) (Braconidae)
 1432. *Dolichogenidea soikai* (Nixon, 1972) (Braconidae)
 1433. *Dolichopoda* (s.str.) *arana* Bolivar, 1899 (Raphidophoridae)
 1434. *Dolichovespula sylvestris* (Scopoli, 1763) (Vespidae)
 1435. *Dolicopoda* (s.str.) *euxina* Semenov, 1901 (Raphidophoridae)
 1436. *Dolicopoda* (s.str.) *pusilla* (Bolivar, 1899) (Raphidophoridae)
 1437. *Dolycoris baccarum* (Linnaeus, 1758) (Pentatomidae)
 1438. *Donus audax* Faust, 1887 (Curculionidae)
 1439. *Donus comatus* (Boheman, 1842) (Curculionidae)
 1440. *Donus zoilus* (Scopoli, 1763) (Curculionidae)
 1441. *Doratulina acuticeps* (Ribaut, 1948) (Cicadellidae)
 1442. *Doratulina instabilis* (Ribaut, 1948) (Cicadellidae)
 1443. *Doratulina pallifrons* (Horvath, 1897) (Cicadellidae)
 1444. *Doratura heterophylla* Horvath, 1903 (Cicadellidae)
 1445. *Doratura homophylla* (Flor, 1861) (Cicadellidae)
 1446. *Doratura impudica* Horvath, 1897 (Cicadellidae)
 1447. *Doratura stylata* (Boheman, 1847) (Cicadellidae)
 1448. *Drasterius bimaculatus* (Rossi, 1790) (Elateridae)
 1449. *Drymadusa dorsalis* (Brullé, 1832) (Tettigoniidae)
 1450. *Drymadusa limbata* Brunner von Wattenwyl, 1882 (Tettigoniidae)
 1451. *Drymeia alpicola* (Rondani, 1871) (Muscidae)
 1452. *Dryodurgades anatolicus* Dlabola, 1957 (Cicadellidae)
 1453. *Dryodurgades dlabolai* Wagner, 1963 (Cicadellidae)
 1454. *Dryodurgades reticulatus* (Herrich-Schäffer, 1834) (Cicadellidae)
 1455. *Dryomyia circinans* (Giraud, 1861) (Cecidomyiidae)
 1456. *Duilius seticulosa* (Lethierry, 1874) (Cixiidae)
 1457. *Duilius tamaricis* (Puton & Lethierry, 1887) (Cixiidae)
 1458. *Duplacionaspis berlesii* (Leonardi) (Diaspididae)
 1459. *Duplacionaspis natalensis* (Maskell) (Diaspididae)
 1460. *Duplacionaspis noacae* (Hall) (Diaspididae)
 1461. *Duroniella fracta* (Krauss, 1890) (Acrididae)
 1462. *Duroniella laticornis* (Krauss, 1890) (Acrididae)
 1463. *Dynaspidiotus abieticola* (Koroneos) (Diaspididae)
 1464. *Dynaspidiotus abietis* (Schränk) (Diaspididae)
 1465. *Dynaspidiotus atlanticus* (Balachowsky) (Diaspididae)
 1466. *Dynaspidiotus britannicus* (Newstead) (Diaspididae)
 1467. *Dysmachus antipai* Weinberg, 1968 (Asilidae)
 1468. *Dysmachus appendiculatus* Schiner, 1867 (Asilidae)
 1469. *Dysmachus bilobus* Loew, 1871 (Asilidae)
 1470. *Dysmachus cephalenus* Loew, 1871 (Asilidae)
 1471. *Dysmachus dasyproctus* Loew, 1871 (Asilidae)
 1472. *Dysmachus safranboluticus* Hasbenli & Geller-Grimm, 1999 (Asilidae)
 1473. *Dysmachus setiger* (Loew, 1848) (Asilidae)
 1474. *Dysmachus setipyga* Becker, 1923 (Asilidae)
 1475. *Dysmachus suludereae* Hasbenli & Geller-Grimm, 1999 (Asilidae)
 1476. *Dysmachus transcaucasicus* Richter, 1962 (Asilidae)
 1477. *Dysmachus zaitzevi* Lehr, 1996 (Asilidae)
 1478. *Ebarrius cognatus* (Fieber, 1869) (Cicadellidae)
 1479. *Ebnerodes toelgi* (Ebner, 1919) (Pamphagidae)
 1480. *Echthromyrmex schitleromez* Koçak & Kemal, 2008 (Myrmeleonidae)
 1481. *Echthroplexiella aeneiventris* Mercet (Encyrtidae)
 1482. *Ectamenogonus montandoni* (Buysson, 1888) (Elateridae)
 1483. *Ectinus aterrimus* (Linnaeus, 1761) (Elateridae)
 1484. *Ectobius balcani* Rammer, 1923 (Blattidae)
 1485. *Ectobius vittiventris* Costa, 1847 (Blattidae)
 1486. *Edwardsiana lethierryi* (Edwards, 1881) (Cicadellidae)
 1487. *Edwardsiana rosae* (Linnaeus, 1758) (Cicadellidae)
 1488. *Edwardsiana tersa* (Edwards, 1914) (Cicadellidae)
 1489. *Edwardsiana tshinari* Zachvatkin, 1947 (Cicadellidae)
 1490. *Elachertus cyprianus* Ferrière (Eulophidae)
 1491. *Elachertus fenestratus* Nees (Eulophidae)
 1492. *Elachertus pulcher* (Erdős) (Eulophidae)
 1493. *Elasmus cyprianus* Ferrière (Eulophidae)
 1494. *Elasmus flabellatus* (Fonscolombe) (Eulophidae)
 1495. *Elasmus nudus* (Nees) (Eulophidae)
 1496. *Elasmus phthorimacae* Ferrière (Eulophidae)
 1497. *Elasmus platydrae* Ferrière (Eulophidae)
 1498. *Elasmus steffani* Viggiani (Eulophidae)
 1499. *Elasmus unicolor* (Rondani) (Eulophidae)
 1500. *Elasmus westwoodi* Giraud (Eulophidae)
 1501. *Elater ferrugineus* Linnaeus, 1758 (Elateridae)
 1502. *Elater tauricus* (Schwarz, 1897) (Elateridae)
 1503. *Elathous buyssoni* Reitter, 1890 (Elateridae)
 1504. *Elathous depressus* Platia & Schimmel, 1991 (Elateridae)

1505. *Elathous lizlerwernerii* Mertlik & Dusanek, 2006 (*Elateridae*)
 1506. *Elathous mertliki* Platia & Schimmel, 1992 (*Elateridae*)
 1507. *Elathous nigricans* Platia & Schimmel, 1991 (*Elateridae*)
 1508. *Elathous pavesii* Platia & Schimmel, 1992 (*Elateridae*)
 1509. *Elathous rufobasalis* Wurst, 1994 (*Elateridae*)
 1510. *Elathous schwarzi* Reitter, 1905 (*Elateridae*)
 1511. *Elathous smyrnensis* Reitter, 1905 (*Elateridae*)
 1512. *Elathous turcicus* Platia & Gudenzi, 2005 (*Elateridae*)
 1513. *Eledona agaricola* (Herbst, 1784) (*Tenebrionidae*)
 1514. *Elinora asiatica* Enslin, 1910 (*Tenthredinidae*)
 1515. *Elinora baetica* Spinola, 1843 (*Tenthredinidae*)
 1516. *Elinora ornata* André, 1881 (*Tenthredinidae*)
 1517. *Elodes akbesianus* Pic, 1898 (*Scirtidae*)
 1518. *Elodes eberti* Klausnitzer, 1970 (*Scirtidae*)
 1519. *Elodes flavoangularis* Klausnitzer, 1990 (*Scirtidae*)
 1520. *Elodes luteata* Klausnitzer, 1979 (*Scirtidae*)
 1521. *Elodes megalopus* Klausnitzer, 2002 (*Scirtidae*)
 1522. *Elodes microps* Klausnitzer, 2002 (*Scirtidae*)
 1523. *Elodes minuta* (Linnaeus, 1767) (*Scirtidae*)
 1524. *Elodes persimilis* Klausnitzer, 2002 (*Scirtidae*)
 1525. *Elodes pseudominuta* Klausnitzer, 1971 (*Scirtidae*)
 1526. *Elodes sieberi* Klausnitzer, 1973 (*Scirtidae*)
 1527. *Elodes venustula* Klausnitzer, 2002 (*Scirtidae*)
 1528. *Elymana sulphurella* (Zetterstedt, 1828) (*Cicadellidae*)
 1529. *Emblethis denticollis* Hovarth, 1878 (*Lygaeidae*)
 1530. *Emelyanoviana mollicula* (Boheman, 1845) (*Cicadellidae*)
 1531. *Empis* (s.str.) *acinerea* Chavala, 1985 (*Empididae*)
 1532. *Empis* (s.str.) *caudatula* Loew, 1867 (*Empididae*)
 1533. *Empis* (s.str.) *curticoris* Collin, 1960 (*Empididae*)
 1534. *Empis* (s.str.) *discrepans* Collin, 1960 (*Empididae*)
 1535. *Empis* (s.str.) *inopinata* Collin, 1960 (*Empididae*)
 1536. *Empis* (s.str.) *insulata* Collin, 1960 (*Empididae*)
 1537. *Empis* (s.str.) *lepidopus* Meigen, 1822 (*Empididae*)
 1538. *Empis* (s.str.) *nigripes* Fabricius, 1794 (*Empididae*)
 1539. *Empis* (s.str.) *pexata* Collin, 1960 (*Empididae*)
 1540. *Empis* (s.str.) *tristis* Loew, 1867 (*Empididae*)
 1541. *Empoasca decipiens* Paoli, 1930 (*Cicadellidae*)
 1542. *Empoasca solani* (Curtis, 1846) (*Cicadellidae*)
 1543. *Empoasca vitis* (Göthe, 1875) (*Cicadellidae*)
 1544. *Empusa fasciata* Brullé, 1836 (*Empusidae*)
 1545. *Empusa pennicornis* (Pallas, 1773) (*Empusidae*)
 1546. *Encarsia aspidioticola* (Mercet, 1929) (*Aphelinidae*)
 1547. *Encarsia berlesesi* (Howard, 1906) (*Aphelinidae*)
 1548. *Encarsia citrina* (Craw, 1891) (*Aphelinidae*)
 1549. *Encarsia formosa* Gahan, 1924 (*Aphelinidae*)
 1550. *Encarsia inaron* (Walker, 1839) (*Aphelinidae*)
 1551. *Encarsia lahorensis* (Howard, 1911) (*Aphelinidae*)
 1552. *Encarsia leucaspidis* (Mercet, 1912) (*Aphelinidae*)
 1553. *Encarsia lounsburyi* (Berlese & Paoli, 1916) (*Aphelinidae*)
 1554. *Encarsia perniciosi* (Tower, 1913) (*Aphelinidae*)
 1555. *Encarsia sophia* (Girault & Dodd, 1915) (*Aphelinidae*)
 1556. *Encarsia tricolor* Förster, 1878 (*Aphelinidae*)
 1557. *Encyrtus aurantii* (Geoffroy) (*Encyrtidae*)
 1558. *Encyrtus infelix* (Embleton) (*Encyrtidae*)
 1559. *Encyrtus infidus* (Rossi) (*Encyrtidae*)
 1560. *Engelepogon antiochiensis* (Tsacas, 1964) (*Asilidae*)
 1561. *Engelepogon chrysophora* (Tsacas, 1964) (*Asilidae*)
 1562. *Engelepogon goedli* (Loew, 1854) (*Asilidae*)
 1563. *Engelepogon ravus* (Loew, 1871) (*Asilidae*)
 1564. *Enochrus* (Lumetus) *ater* (Kuwer, 1888) (*Hydrophilidae*)
 1565. *Enochrus* (Lumetus) *bicolor* (Fabricius, 1792) (*Hydrophilidae*)
 1566. *Enochrus* (Lumetus) *salmonis* (Shalberg, 1900) (*Hydrophilidae*)
 1567. *Enochrus* (Lumetus) *segmentinotatus* Kuwert, 1888 (*Hydrophilidae*)
 1568. *Enochrus* (Methydrus) *nigritus* (Sharp, 1872) (*Hydrophilidae*)
 1569. *Enochrus bicolor* (Fabricius, 1792) (*Hydrophilidae*)
 1570. *Enochrus melanocephalus* (Olivier, 1792) (*Hydrophilidae*)
 1571. *Ensina sonchi* (Linnaeus, 1767) (*Tephritidae*)
 1572. *Entedon abdera* Walker (*Eulophidae*)
 1573. *Entedon angorensis* Gumovsky (*Eulophidae*)
 1574. *Entedon biroii* Erdős (*Eulophidae*)
 1575. *Entedon calcicola* Graham (*Eulophidae*)
 1576. *Entedon cionobius* Thomson (*Eulophidae*)
 1577. *Entedon fufius* Walker (*Eulophidae*)
 1578. *Entedon hercyna* Walker (*Eulophidae*)
 1579. *Entedon longus* Boucek (*Eulophidae*)
 1580. *Entedon pallidus* Erdős (*Eulophidae*)
 1581. *Entedon palvicalcar* Thomson (*Eulophidae*)
 1582. *Entedon pinetorum* Ratzeburg (*Eulophidae*)
 1583. *Entedon procioni* Erdős (*Eulophidae*)
 1584. *Entedon sparetus* Walker (*Eulophidae*)
 1585. *Entedon subpunctatus* Erdős (*Eulophidae*)
 1586. *Entedon thomsianus* Erdős (*Eulophidae*)
 1587. *Entomogonus* (Delonurops) *duchoni* Reitter, 1903 (*Tenebrionidae*)
 1588. *Entomogonus* (Delonurops) *egregius* Seidlitz, 1893 (*Tenebrionidae*)
 1589. *Entomogonus* (Delonurops) *obtusius* Seidlitz, 1893 (*Tenebrionidae*)
 1590. *Entomogonus* (Delonurops) *peyroni* (Reiche, 1861) (*Tenebrionidae*)
 1591. *Entomogonus* (Delonurops) *saphyrinus* Allard, 1876 (*Tenebrionidae*)
 1592. *Entomogonus* (Eutelogonus) *davidis* (Fairmaire, 1884) (*Tenebrionidae*)
 1593. *Entomogonus* (Eutelogonus) *nylanderi* Ferrer & Soldati, 1999 (*Tenebrionidae*)
 1594. *Entomogonus* (s.str.) *angulicollis* Mulsant & Wacherau, 1852 (*Tenebrionidae*)
 1595. *Eohardya fraudulentus* (Horvath, 1903) (*Cicadellidae*)
 1596. *Eoperla ochracea* (Kolbe, 1885) (*Perlidae*)
 1597. *Ephippiger ephippiger* (Fiebiger, 1784) (*Tettigoniidae*)
 1598. *Epicauta erythrocephala* (Pallas, 1771) (*Meloidae*)
 1599. *Epiclerus alahanensis* Doganlar (*Tetracampidae*)
 1600. *Epiclerus guemenekus* Doganlar (*Tetracampidae*)
 1601. *Epiclerus panyas* (Walker) (*Tetracampidae*)
 1602. *Epiclerus tokatus* Doganlar (*Tetracampidae*)
 1603. *Epicometis* (Epicometis) *hirta* (Poda, 1761) (*Scarabaeidae*)
 1604. *Epidiaspis gennadii* (Leonardi) (*Diaspididae*)
 1605. *Epidiaspis leperii* (Signoret) (*Diaspididae*)
 1606. *Epitetracnemus intersextus* (Fonscolombe) (*Encyrtidae*)
 1607. *Erax hayati* Tomasovic, 2002 (*Asilidae*)
 1608. *Erax nigrosetosus* Theodor, 1980 (*Asilidae*)
 1609. *Erax nubeculus* (Loew, 1848) (*Asilidae*)
 1610. *Erax tenuicornis* (Loew, 1848) (*Asilidae*)
 1611. *Erdoesina albuannulata* (Ratzeburg) (*Pteromalidae*)
 1612. *Eremiaphila dagi* Doganlar, 2007 (*Mantidae*)
 1613. *Eremiaphila genei* Lefebvre, 1835 (*Mantidae*)
 1614. *Eremiaphila hauensteini* Werner, 1905 (*Mantidae*)
 1615. *Eremippus angulatus* Uvarov, 1934 (*Acrididae*)
 1616. *Eremippus gracilis* Uvarov, 1934 (*Acrididae*)
 1617. *Eremippus simplex* (Eversmann, 1859) (*Acrididae*)
 1618. *Eremippus turcicus* Ramme, 1951 (*Acrididae*)
 1619. *Eremippus weidneri* Demirsoy, 1977 (*Acrididae*)
 1620. *Eremocampe choresmiana* Sugonjaev (*Tetracampidae*)
 1621. *Eremopeza festiva* (Saussure, 1884) (*Pamphagidae*)
 1622. *Eremopeza gibbera* (Stål, 1874) (*Pamphagidae*)
 1623. *Eremopeza saussurei* (Uvarov, 1918) (*Pamphagidae*)
 1624. *Eretmocerus debachi* Rose & Rosen, 1992 (*Aphelinidae*)
 1625. *Eretmocerus diversiciliatus* Silvestri, 1915 (*Aphelinidae*)
 1626. *Eretmocerus mundus* Mercet, 1931 (*Aphelinidae*)

1627. *Ericydnus aeneus* Nikol'skaya (*Encyrtidae*)
 1628. *Ericydnus robustior* Mercet (*Encyrtidae*)
 1629. *Eriococcus agropyri* (Borchsenius) (*Eriococcidae*)
 1630. *Eriococcus araucariae* Maskell (*Eriococcidae*)
 1631. *Eriococcus buxi* (Boyer de Fonscolombe) (*Eriococcidae*)
 1632. *Eriococcus cingulatus* Kiritchenko (*Eriococcidae*)
 1633. *Eriococcus cynodontis* Kiritchenko (*Eriococcidae*)
 1634. *Eriococcus devoniensis* (Green) (*Eriococcidae*)
 1635. *Eriococcus greeni* Newstead (*Eriococcidae*)
 1636. *Eriococcus herbaceus* (Danzig) (*Eriococcidae*)
 1637. *Eriococcus laingi* (Bodenheimer) (*Eriococcidae*)
 1638. *Eriococcus micracanthus* (Danzig) (*Eriococcidae*)
 1639. *Eriococcus munroi* (Boratynski) (*Eriococcidae*)
 1640. *Eriococcus pseudinsignis* Green (*Eriococcidae*)
 1641. *Eriococcus roboris* Goux (*Eriococcidae*)
 1642. *Eriococcus spurius* (Modeer) (*Eriococcidae*)
 1643. *Eriococcus tavnani* Goux (*Eriococcidae*)
 1644. *Eriococcus mimonti* (Boieldieu, 1865) (*Eriococcidae*)
 1645. *Eriococcus variabilis* Goux (*Eriococcidae*)
 1646. *Eriococcus zernae* (Tereznikova) (*Eriococcidae*)
 1647. *Eriopeltis festucae* (Boyer de Fonscolombe) (*Coccidae*)
 1648. *Eristalis tenax* (Linnaeus, 1758) (*Syrphidae*)
 1649. *Erodium orientale* Brullé, 1832 (*Tenebrionidae*)
 1650. *Euresta bullans* (Wiedemann, 1830) (*Tephritidae*)
 1651. *Euboeus mimonti* (Boieldieu, 1865) (*Tenebrionidae*)
 1652. *Euborellia annulipes* (Lucas, 1837) (*Labiduridae*)
 1653. *Euborellia moesta* (Géné, 1839) (*Labiduridae*)
 1654. *Eucalymnatus tessellatus* (Signoret) (*Coccidae*)
 1655. *Eucampsipoda aegyptia* (Macquart, 1851) (*Nycteribiidae*)
 1656. *Euchalcis miegii* Dufour (*Chalcididae*)
 1657. *Euchalcis unicolor* (Lucas) (*Chalcididae*)
 1658. *Eucharis adscendens* (Fabricius) (*Eucharitidae*)
 1659. *Eucharis anatolica* Boucek (*Eucharitidae*)
 1660. *Eucharis punctata* Förster (*Eucharitidae*)
 1661. *Eucharis turca* Nikol'skaya (*Eucharitidae*)
 1662. *Euchorthippus declivis* (Brisout de Barneville, 1849) (*Acrididae*)
 1663. *Euchorthippus pulvinatus* (Fischer von Waldheim, 1846) (*Acrididae*)
 1664. *Euchorthippus transcaasicus* Tarbinski, 1930 (*Acrididae*)
 1665. *Euderus agrili* Boucek (*Eulophidae*)
 1666. *Euderus brevicornis* Boucek (*Eulophidae*)
 1667. *Euderus palustris* Erdős (*Eulophidae*)
 1668. *Eugahania fumipennis* (Ratzeburg) (*Encyrtidae*)
 1669. *Euides caspiana* (Dlabola, 1961) (*Delphacidae*)
 1670. *Eulecanium ciliatum* (Douglas) (*Coccidae*)
 1671. *Eulecanium pistaciae* Borchsenius (*Coccidae*)
 1672. *Eulecanium rugulosum* (Archangelskaya) (*Coccidae*)
 1673. *Eulecanium takachihoi* (Kuwana) (*Coccidae*)
 1674. *Eulecanium tiliae* (Linnaeus) (*Coccidae*)
 1675. *Eulecanium transvittatum* (Green) (*Coccidae*)
 1676. *Eulophus larvarum* (Linnaeus) (*Eulophidae*)
 1677. *Eumecurus bourouensis* (Linnavuori, 1965) (*Cixiidae*)
 1678. *Eumecurus gyaurus* (Dlabola, 1957) (*Cixiidae*)
 1679. *Eumenes coarctatus* (Linnaeus, 1758) (*Vespidae*)
 1680. *Eumenes dubius* Saussure, 1852 (*Vespidae*)
 1681. *Eumenes mediterraneus* Kriechbaumer, 1879 (*Vespidae*)
 1682. *Eumenes pomiformis* (Fabricius, 1781) (*Vespidae*)
 1683. *Eunotheotes derjugini* Adelung, 1907 (*Pamphagidae*)
 1684. *Eunotus arcolatus* (Ratzeburg) (*Pteromalidae*)
 1685. *Euodynerus hellenicus* Blüthgen, 1942 (*Vespidae*)
 1686. *Eupelix cuspidata* (Fabricius, 1775) (*Cicadellidae*)
 1687. *Eupelmus annulatus* Nees (*Eupelmidae*)
 1688. *Eupelmus microzonus* Förster (*Eupelmidae*)
 1689. *Eupelmus seculatus* (Ferrière) (*Eupelmidae*)
 1690. *Eupelmus urozonus* Dalman (*Eupelmidae*)
 1691. *Eupelmus vesicularis* (Retzius) (*Eupelmidae*)
 1692. *Eupholidoptera akdeniz* Ünal & Naskrecki, 2002 (*Tettigoniidae*)
 1693. *Eupholidoptera anatolica* (Ramme, 1930) (*Tettigoniidae*)
 1694. *Eupholidoptera annulipes* (Brunner von Wattenwyl, 1882) (*Tettigoniidae*)
 1695. *Eupholidoptera cypria* (*Tettigoniidae*)
 1696. *Eupholidoptera demirsoyi* Salman, 1983 (*Tettigoniidae*)
 1697. *Eupholidoptera excisa* (Karabağ, 1952) (*Tettigoniidae*)
 1698. *Eupholidoptera femorata* Çıplak, 1999 (*Tettigoniidae*)
 1699. *Eupholidoptera karabagi* Salman, 1983 (*Tettigoniidae*)
 1700. *Eupholidoptera krueperi* (Ramme, 1930) (*Tettigoniidae*)
 1701. *Eupholidoptera maraschensis* Salman, 1983 (*Tettigoniidae*)
 1702. *Eupholidoptera mersinensis* Salman, 1983 (*Tettigoniidae*)
 1703. *Eupholidoptera prasina* (Brunner von Wattenwyl, 1882) (*Tettigoniidae*)
 1704. *Eupholidoptera raggei* Salman, 1983 (*Tettigoniidae*)
 1705. *Eupholidoptera sevketi* (Ramme, 1933) (*Tettigoniidae*)
 1706. *Eupholidoptera smyrnensis* (Brunner von Wattenwyl, 1882) (*Tettigoniidae*)
 1707. *Eupholidoptera tahtalica* (Uvarov, 1949) (*Tettigoniidae*)
 1708. *Eupholidoptera tasheliensis* Çıplak, 1999 (*Tettigoniidae*)
 1709. *Eupholidoptera tauricola* (Ramme, 1930) (*Tettigoniidae*)
 1710. *Eupholidoptera tucherti* Harz, 1988 (*Tettigoniidae*)
 1711. *Eupholidoptera unimacula* Karabağ, 1956 (*Tettigoniidae*)
 1712. *Eupholidoptera wernerii* Ramme, 1951 (*Tettigoniidae*)
 1713. *Euphyllura phillyreae* Förster (*Psyllidae*)
 1714. *Euplectrus bicolor* (Swederus) (*Eulophidae*)
 1715. *Euplectrus ceresensis* Ferrière (*Eulophidae*)
 1716. *Euplectrus flavipes* (Fonscolombe) (*Eulophidae*)
 1717. *Euplectrus phthorimaeae* Ferrière (*Eulophidae*)
 1718. *Eupteryx alticola* Ribaut, 1936 (*Cicadellidae*)
 1719. *Eupteryx atropunctata* (Goeze, 1778) (*Cicadellidae*)
 1720. *Eupteryx cypria* (Ribaut, 1948) (*Cicadellidae*)
 1721. *Eupteryx fahringeri* Melichar, 1911 (*Cicadellidae*)
 1722. *Eupteryx gyaurdagicus* Dlabola, 1957 (*Cicadellidae*)
 1723. *Eupteryx insulana* (Ribaut, 1948) (*Cicadellidae*)
 1724. *Eupteryx stachydearum* (Hardy, 1850) (*Cicadellidae*)
 1725. *Eupteryx taborskyi* Dlabola, 1957 (*Cicadellidae*)
 1726. *Eupteryx tenella* (Fallén, 1806) (*Cicadellidae*)
 1727. *Eupteryx thoulessi* Edwards, 1926 (*Cicadellidae*)
 1728. *Eurhadina ribauti* Wagner, 1935 (*Cicadellidae*)
 1729. *Eurpersia amnicola* Borchsenius (*Pseudococcidae*)
 1730. *Euroleon nostras* (Fourcroy, 1785) (*Myrmeleonidae*)
 1731. *Euroleon nostras* (Fourcroy, 1785) (*Myrmeleonidae*)
 1732. *Eurybregma nigrolineata* Scott, 1875 (*Delphacidae*)
 1733. *Eurydema ornatum* (Linnaeus, 1758) (*Pentatomidae*)
 1734. *Eurygaster maurus* (Linnaeus, 1758) (*Scutellaridae*)
 1735. *Eurytoma amygdali* Enderlein (*Eurytomidae*)
 1736. *Eurytoma aspila* (Walker) (*Eurytomidae*)
 1737. *Eurytoma brevicoxa* Zerova & Cam (*Eurytomidae*)
 1738. *Eurytoma curculionum* Mayr (*Eurytomidae*)
 1739. *Eurytoma curta* Walker (*Eurytomidae*)
 1740. *Eurytoma kemalpasensis* Narendran, Tezcan & Civelek (*Eurytomidae*)
 1741. *Eurytoma lobopterae* Erdős (*Eurytomidae*)
 1742. *Eurytoma martellii* Domenichini (*Eurytomidae*)
 1743. *Eurytoma pistaciae* Rondani (*Eurytomidae*)
 1744. *Eurytoma robusta* Mayr (*Eurytomidae*)
 1745. *Eurytoma rosae* Nees (*Eurytomidae*)
 1746. *Eurytoma schreineri* Schreiner (*Eurytomidae*)
 1747. *Eurytoma serratulae* (Fabricius) (*Eurytomidae*)

1748. *Eurytoma tokatensis* Doganlar & Çam (Eurytomidae)
 1749. *Eurytoma turkezia* Zerova & Çam (Eurytomidae)
 1750. *Euscelidius mundus* (Haupt, 1927) (Cicadellidae)
 1751. *Euscelidius obenbergeri* Dlabola, 1957 (Cicadellidae)
 1752. *Euscelis alsoides* Remane, 1967 (Cicadellidae)
 1753. *Euscelis alsius* Ribaut, 1952 (Cicadellidae)
 1754. *Euscelis distinguendus* (Kirschbaum, 1858) (Cicadellidae)
 1755. *Euscelis incisus* (Kirschbaum, 1858) (Cicadellidae)
 1756. *Euscelis lineolatus* Brullé, 1832 (Cicadellidae)
 1757. *Eustenopus villosus* (Boheman, 1843) (Curculionidae)
 1758. *Eutagenia smyrnensis* Solier, 1838 (Tenebrionidae)
 1759. *Euthystira brachyptera* (Ocskay, 1826) (Acrididae)
 1760. *Eutolmus apiculatus* (Loew, 1848) (Asilidae)
 1761. *Eutolmus calopus* (Loew, 1848) (Asilidae)
 1762. *Eutolmus bifasciatus* (Loew, 1848) (Asilidae)
 1763. *Eutolmus palestinensis* Theodor, 1980 (Asilidae)
 1764. *Eutolmus parricida* (Loew, 1848) (Asilidae)
 1765. *Eutolmus polygona* (Loew, 1848) (Asilidae)
 1766. *Euzonitis bifasciata* Swarts, 1808 (Meloidae)
 1767. *Euzonitis fluvipennis* (Fabricius, 1792) (Meloidae)
 1768. *Euzonitis quadrimaculata* (Pallas, 1782) (Meloidae)
 1769. *Euzonitis rubida* (Ménétriér, 1832) (Meloidae)
 1770. *Euzonitis sexmaculata* (Olivier, 1789) (Meloidae)
 1771. *Euzonitis terminata* (Abeille de Perrin, 1880) (Meloidae)
 1772. *Evacanthus acuminatus* (Fabricius, 1794) (Cicadellidae)
 1773. *Exaeretopus agropyri* (Hadzibejli) (Coccidae)
 1774. *Exaeretopus formiceticola* Newstead (Coccidae)
 1775. *Exaeretopus tritici* Williams (Coccidae)
 1776. *Exeurytoma anatolica* Çam, 1998 (Eurytomidae)
 1777. *Exeurytoma kebanensis* Doganlar, 2005 (Eurytomidae)
 1778. *Exitianus capicola* (Stal, 1855) (Cicadellidae)
 1779. *Exitianus fasciatus* (Melichar, 1911) (Cicadellidae)
 1780. *Exochostoma osellai* Mason, 1995 (Stratiomyidae)
 1781. *Exopholidoptera brevifemora* Ünal, 1998 (Tettigoniidae)
 1782. *Exopristoides dentatus* Boucek (Torymidae)
 1783. *Exopristus trigonomerus* (Masi, 1916) (Torymidae)
 1784. *Exoprosopa baccha* Loew, 1869 (Bombyliidae)
 1785. *Exoprosopa dedecor* Loew, 1871 (Bombyliidae)
 1786. *Exoprosopa grandis* (Wiedemann, 1820) (Bombyliidae)
 1787. *Exoprosopa jacchus* (Fabricius, 1805) (Bombyliidae)
 1788. *Exoprosopa maenas* Loew, 1869 (Bombyliidae)
 1789. *Exoprosopa minois* Loew, 1869 (Bombyliidae)
 1790. *Exoprosopa minois* Loew, 1869 (Bombyliidae)
 1791. *Exoprosopa minos* (Meigen, 1804) (Bombyliidae)
 1792. *Exoprosopa normalis* Loew, 1869 (Bombyliidae)
 1793. *Exoprosopa onusta* (Walker, 1852) (Bombyliidae)
 1794. *Exoprosopa pleskei* Paramonov, 1928 (Bombyliidae)
 1795. *Exoprosopa rutula* (Wiedemann, 1818) (Bombyliidae)
 1796. *Exoprosopa subfasciata* Engel, 1936 (Bombyliidae)
 1797. *Eyprepocnemis plorans* (Charpentier, 1825) (Acrididae)
 1798. *Falcotoma minuscula* (Horvath, 1897) (Delphacidae)
 1799. *Feltiella acarissuga* (Vallot, 1827) (Cecidomyiidae)
 1800. *Festella festae* (Giglio-Tos, 1893) (Tettigoniidae)
 1801. *Festella rammei* Çiplak, 2000 (Tettigoniidae)
 1802. *Fieberiella aschei* Meyer-Arndt, 1988 (Cicadellidae)
 1803. *Fieberiella chioscola* Meyer-Arndt, 1988 (Cicadellidae)
 1804. *Fieberiella florii* (Stal, 1864) (Cicadellidae)
 1805. *Fieberiella gemelina* Dlabola, 1965 (Cicadellidae)
 1806. *Fieberiella lindbergi* Wagner, 1963 (Cicadellidae)
 1807. *Fieberiella macchiai* Linnavuori, 1962 (Cicadellidae)
 1808. *Fieberiella oenderi* Dlabola, 1985 (Cicadellidae)
 1809. *Fieberiella pallida* Melichar, 1896 (Cicadellidae)
 1810. *Fieberiella septentrionalis* Wagner, 1963 (Cicadellidae)
 1811. *Fiorinia fioriniae* (Targioni Tozzetti) (Diaspididae)
 1812. *Flabellotilloidea palaestina* (Pic, 1900) (Cleridae)
 1813. *Florodelphax leptosoma* (Flor, 1861) (Delphacidae)
 1814. *Foersterella seghanensis* Doganlar (Tetracampidae)
 1815. *Forficula aetolica* Brunner von Wattenwyl, 1882 (Forficulidae)
 1816. *Forficula auricularia* Linnaeus, 1758 (Forficulidae)
 1817. *Forficula decipiens* Génér, 1832 (Forficulidae)
 1818. *Forficula lucasi* Dohrn, 1865 (Forficulidae)
 1819. *Forficula lurida* Fischer, 1853 (Forficulidae)
 1820. *Forficula senegalensis* Audinet-Serville, 1839 (Forficulidae)
 1821. *Forficula smyrnensis* Audinet-Serville, 1839 (Forficulidae)
 1822. *Forficula tomis* (Kolenati, 1846) (Forficulidae)
 1823. *Formica cinereofusca* Karawajew, 1919 (Formicidae)
 1824. *Formica cunicularia* Latreille, 1798 (Formicidae)
 1825. *Formica fusca* Linnaeus, 1758 (Formicidae)
 1826. *Formica sanguinea* Latreille, 1798 (Formicidae)
 1827. *Fruticoidia* (s.str.) bisignata (Mulsant & Rey, 1855) (Cicadellidae)
 1828. *Fruticoidia* (s.str.) sanguinosa (Rey, 1891) (Cicadellidae)
 1829. *Furchadaspis zamiae* (Morgan) (Diaspididae)
 1830. *Gampsocleis acutipennis* Karabağ, 1956 (Tettigoniidae)
 1831. *Gampsocleis recticauda* Werner, 1901 (Tettigoniidae)
 1832. *Gampsocleis schelkownikovae* Adelung, 1916 (Tettigoniidae)
 1833. *Gargara genistae* (Fabricius, 1775) (Membracidae)
 1834. *Gastrancistrus glabellus* (Nees) (Pteromalidae)
 1835. *Gastrancistrus hirtulus* Graham (Pteromalidae)
 1836. *Gastrancistrus latifrons* (Thomson) (Pteromalidae)
 1837. *Genistaspis zelihae* Bodenheimer (Diaspididae)
 1838. *Geomantis larvodes* Pantel, 1896 (Mantidae)
 1839. *Geron krymensis* Paramonov, 1929 (Bombyliidae)
 1840. *Geron olivieri* Macquart, 1849 (Bombyliidae)
 1841. *Ginsiana carpetana* (Mercet) (Encyrtidae)
 1842. *Glabellula nobilis* Kertész, 1912 (Mythicomyiidae)
 1843. *Glandulosa harzi* Gorochoff, 1996 (Gryllidae)
 1844. *Glandulosa kinzelbachii* Harz, 1979 (Gryllidae)
 1845. *Glandulosa willemsei* (Uvarov, 1934) (Gryllidae)
 1846. *Glaucops hakkariensis* Schacht, 1983 (Tabanidae)
 1847. *Glyphomerus stigma* (Fabricius) (Torymidae)
 1848. *Glyphomerus tibialis* Förster (Torymidae)
 1849. *Glyphotmethis adaliae* (Uvarov, 1928) (Pamphagidae)
 1850. *Glyphotmethis dimorphus* (Uvarov, 1934) (Pamphagidae)
 1851. *Glyphotmethis efe* Ünal, 2007 (Pamphagidae)
 1852. *Glyphotmethis escherichi* (Krauss, 1896) (Pamphagidae)
 1853. *Glyphotmethis holtzi* (Werner, 1901) (Pamphagidae)
 1854. *Glyphotmethis inermis* (Uvarov, 1934) (Pamphagidae)
 1855. *Glyphotmethis ovipennis* (Uvarov, 1934) (Pamphagidae)
 1856. *Glyphotmethis sevketi* (Ramme, 1951) (Pamphagidae)
 1857. *Glyphotmethis turritus* (Fischer von Waldheim, 1833) (Pamphagidae)
 1858. *Glyptapanteles antione* (Nixon, 1973) (Braconidae)
 1859. *Glyptapanteles callidus* (Haliday, 1834) (Braconidae)
 1860. *Glyptapanteles eugeni* (Papp, 1972) (Braconidae)
 1861. *Glyptapanteles fulvipes* (Haliday, 1834) (Braconidae)
 1862. *Gnaptor prolixus* Fairmaire, 1866 (Tenebrionidae)
 1863. *Goidanichium atrum* Boucek (Pteromalidae)
 1864. *Gonaspidiotus securati* (Marchal) (Diaspididae)
 1865. *Goniagnathus bolivari* (Melichar, 1907) (Cicadellidae)

1866. *Goniagnathus brevis* (Herrich-Schäffer, 1835) (Cicadellidae)
 1867. *Goniagnathus guttulinervis* (Kirschbaum, 1868) (Cicadellidae)
 1868. *Gonocephalum costatum* Brullé, 1832 (Tenebrionidae)
 1869. *Gonocephalum granulatum* (Fabricius, 1791) (Tenebrionidae)
 1870. *Gonocephalum rusticum* (Olivier, 1811) (Tenebrionidae)
 1871. *Gonocephalum setulosum* (Faldermann, 1837) (Tenebrionidae)
 1872. *Grammacephalus pugio* (Noualhier, 1895) (Cicadellidae)
 1873. *Granulodes beieri* Ramme, 1951 (Pamphagidae)
 1874. *Graphosoma semipunctatum* (Fabricius, 1775) (Pentatomidae)
 1875. *Gratidia kurda* Uvarov, 1944 (Phasmidae)
 1876. *Gratidia turca* Karabağ, 1955 (Phasmidae)
 1877. *Grylloides ferdinandi* Bolívar, 1899 (Gryllidae)
 1878. *Gryllomorpha* (Gryllomorpha) *dalmatina* (Ocskay, 1832) (Gryllidae)
 1879. *Gryllomorpha willemsei* Uvarov, 1934 (Gryllidae)
 1880. *Gryllotalpa gryllotalpa* (Linnaeus, 1758) (Gryllotalpidae)
 1881. *Gryllus* (s.str.) *bimaculatus* (De Geer, 1773) (Gryllidae)
 1882. *Gryllus* (s.str.) *campestris* Linnaeus, 1758 (Gryllidae)
 1883. *Gryllus* (s.str.) *urfaensis* Gümüşsuyu, 1978 (Gryllidae)
 1884. *Grypotes puncticollis* (Herrich-Schäffer, 1834) (Cicadellidae)
 1885. *Grypotes staurus* Ivanoff, 1885 (Cicadellidae)
 1886. *Guanchia hincksi* (Burr, 1947) (Forficulidae)
 1887. *Guanchia pubescens* (Géné, 1837) (Forficulidae)
 1888. *Gueriniella serratulae* (Fabricius) (Margarodidae)
 1889. *Gugolzia bademia* Doganlar (Pteromalidae)
 1890. *Gyrinus caspius* Ménétériés, 1832 (Gyrinidae)
 1891. *Gyrinus distinctus* Aubé, 1836 (Gyrinidae)
 1892. *Gyrinus suffriani* Scriba, 1855 (Gyrinidae)
 1893. *Habrolepis dalmanni* (Westwood) (Encyrtidae)
 1894. *Habrolepis italicus* Delucchi (Encyrtidae)
 1895. *Habropogon decipiens* Theodor, 1980 (Asilidae)
 1896. *Habropogon longiventris* Loew, 1847 (Asilidae)
 1897. *Habropogon similimus* Theodor, 1980 (Asilidae)
 1898. *Habropogon verticalis* Becker, 1913 (Asilidae)
 1899. *Haematoloma dorsatum* (Ahrens, 1812) (Cercopidae)
 1900. *Haematopota bigoti* Gobert, 1881 (Tabanidae)
 1901. *Haematopota caenofrons* Kröber, 1922 (Tabanidae)
 1902. *Haematopota coolsi* Leclercq, 1966 (Tabanidae)
 1903. *Haematopota crassicornis* Wahlberg, 1848 (Tabanidae)
 1904. *Haematopota delozi* Leclercq, 1966 (Tabanidae)
 1905. *Haematopota gallica* Szilady, 1923 (Tabanidae)
 1906. *Haematopota grandis* Macquart, 1834 (Tabanidae)
 1907. *Haematopota hennauxi* Leclercq, 1967 (Tabanidae)
 1908. *Haematopota italica* Meigen, 1804 (Tabanidae)
 1909. *Haematopota kemali* Szilady, 1923 (Tabanidae)
 1910. *Haematopota lambi* Willeneuve, 1921 (Tabanidae)
 1911. *Haematopota latebricola* Austen, 1925 (Tabanidae)
 1912. *Haematopota longantennata* Olsufjev, 1937 (Tabanidae)
 1913. *Haematopota nubilis* Hauser, 1960 (Tabanidae)
 1914. *Haematopota ocelligera* Kröber, 1922 (Tabanidae)
 1915. *Haematopota oenderi* Jezek, 1990 (Tabanidae)
 1916. *Haematopota pallens* Loew, 1871 (Tabanidae)
 1917. *Haematopota pandazisi* Kröber, 1936 (Tabanidae)
 1918. *Haematopota pavlovskii* Hauser, 1960 (Tabanidae)
 1919. *Haematopota pluvialis* (Linnaeus, 1761) (Tabanidae)
 1920. *Haematopota scutellata* (Olsufjev, Moucha & Chvala, 1964) (Tabanidae)
 1921. *Haematopota sewelli* Austen, 1920 (Tabanidae)
 1922. *Haematopota sobrina* Kröber, 1922 (Tabanidae)
 1923. *Haematopota subcylindrica* Pandelle, 1883 (Tabanidae)
 1924. *Haematopota sumelae* Timmer, 1984 (Tabanidae)
 1925. *Haliphus variegatus* Sturm, 1834 (Halipidae)
 1926. *Haltichella rufipes* (Olivier) (Chalcididae)
 1927. *Halticoptera adanacus* Doganlar (Pteromalidae)
 1928. *Halticoptera aenea* (Walker) (Pteromalidae)
 1929. *Halticoptera circulus* (Walker) (Pteromalidae)
 1930. *Halticoptera crius* (Walker) (Pteromalidae)
 1931. *Halticoptera dimidiata* (Förster) (Pteromalidae)
 1932. *Halticoptera kemaliensis* Doganlar (Pteromalidae)
 1933. *Halticoptera laevigata* Thomson (Pteromalidae)
 1934. *Halticoptera longipetiolus* Hedqvist (Pteromalidae)
 1935. *Halticoptera patellana* (Dalman) (Pteromalidae)
 1936. *Halticoptera polita* (Walker) (Pteromalidae)
 1937. *Halticoptera poreia* (Walker) (Pteromalidae)
 1938. *Halticoptera sakipagai* Doganlar (Pteromalidae)
 1939. *Halticoptera yoncacus* Doganlar (Pteromalidae)
 1940. *Halticopterina moczari* Erdős (Pteromalidae)
 1941. *Halticopterina triannulata* Erdős (Pteromalidae)
 1942. *Handianus ignoscus* (Melichar, 1896) (Cicadellidae)
 1943. *Handianus procerus* (Herrich-Schäffer, 1835) (Cicadellidae)
 1944. *Hardya alpina* Wagner, 1955 (Cicadellidae)
 1945. *Hardya anatolica* Zachvatkin, 1946 (Cicadellidae)
 1946. *Harmandiola cavernosa* (Rübsaamen, 1899) (Cecidomyiidae)
 1947. *Harmandiola globuli* (Rübsaamen, 1889) (Cecidomyiidae)
 1948. *Hartigiola annulipes* (Hartig, 1839) (Cecidomyiidae)
 1949. *Haterumelater fulvago* (Marseul, 1868) (Elateridae)
 1950. *Haterumelater languidus* (Buysson, 1891) (Elateridae)
 1951. *Hauptidia* (s.str.) *cretacea* (Moravskaja, 1948) (Cicadellidae)
 1952. *Hauptidia* (s.str.) *rivularis* (Linnavuori, 1962) (Cicadellidae)
 1953. *Hecalus glaucescens* (Fieber, 1866) (Cicadellidae)
 1954. *Hedyphanes upioides* (Faldermann, 1837) (Tenebrionidae)
 1955. *Helina atricolor* (Fallén, 1825) (Muscidae)
 1956. *Helina decipiens* Mihalyi, 1974 (Muscidae)
 1957. *Helina latitarsis* Ringdahl, 1924 (Muscidae)
 1958. *Helina obtusipennis* (Fallén, 1823) (Muscidae)
 1959. *Helina pubescens* (Stein, 1893) (Muscidae)
 1960. *Helina setiventris* Ringdahl, 1924 (Muscidae)
 1961. *Heliococcus bohemicus* Sulc (Pseudococcidae)
 1962. *Heliococcus radicola* Goux (Pseudococcidae)
 1963. *Heliococcus saxatilis* Borchsenius (Pseudococcidae)
 1964. *Heliococcus sulcii* Goux (Pseudococcidae)
 1965. *Helionidia himyarita* Zachvatkin, 1946 (Cicadellidae)
 1966. *Heliopteryx humeralis* (Kuthy, 1907) (Acrididae)
 1967. *Hellerina lycia* Galvagni, 2006 (Raphidophoridae)
 1968. *Helophorus aquaticus* (Linnaeus, 1758) (Helophoridae)
 1969. *Helophorus brevipalpis* Bedel, 1881 (Helophoridae)
 1970. *Helophorus longitarsis* Wollaston, 1864 (Helophoridae)
 1971. *Helophorus micans* Falderman, 1835 (Helophoridae)
 1972. *Helops* (Mesohelops) *cyanipes* Allard, 1877 (Tenebrionidae)
 1973. *Helops* (s.str.) *glabriventris* Reitter, 1885 (Tenebrionidae)
 1974. *Helops* (s.str.) *rossii* Germar, 1817 (Tenebrionidae)
 1975. *Hemerobius friedeli* Aspöck & Aspöck, 1966 (Hemerobiidae)
 1976. *Hemiberlesia lataniae* (Signoret) (Diaspididae)
 1977. *Hemiberlesia rapax* (Comstock) (Diaspididae)
 1978. *Hemicrepidius corvinus* (Reitter, 1905) (Elateridae)
 1979. *Hemicrepidius hirtus* (Herbst, 1784) (Elateridae)
 1980. *Hemicrepidius koenigi* Schwarz, 1897 (Elateridae)
 1981. *Hemicrepidius niger* (Linnaeus, 1758) (Elateridae)
 1982. *Hemicrepidius nigrifolius* (Reitter, 1890) (Elateridae)

1983. *Hemicrepidius schneideri* (Kiesenwetter, 1877) (Elateridae)
 1984. *Hemicrepidius vulpeculus* (Reitter, 1890) (Elateridae)
 1985. *Hemipenthes hamiferus* (Loew, 1854) (Bombyliidae)
 1986. *Hemipenthes maurus* (Linnaeus, 1758) (Bombyliidae)
 1987. *Hemipenthes morio* (Linnaeus, 1758) (Bombyliidae)
 1988. *Hemiptarsenus varicornis* (Graul, 1926) (Eulophidae)
 1989. *Hemiptarsenus zilahisebessi* Erdős (Eulophidae)
 1990. *Hephathus freyi* (Fieber, 1868) (Cicadellidae)
 1991. *Hephathus nanus* (Herrich-Schäffer, 1835) (Cicadellidae)
 1992. *Hephathus unicolor* (Lindberg, 1926) (Cicadellidae)
 1993. *Hespericerus brusinae* (Horvath, 1891) (Cicadellidae)
 1994. *Heteracris adpersa* (Redtenbacher, 1889) (Acrididae)
 1995. *Heteracris littoralis* (Rambur, 1838) (Acrididae)
 1996. *Heterococcopsis opertus* Borkhsenius (Pseudococcidae)
 1997. *Heterococcus mudus* (Green) (Pseudococcidae)
 1998. *Heterococcus tritici* (Kiritshenko) (Pseudococcidae)
 1999. *Heterogaster affinis* Herrich-Schäffer, 1835 (Lygaeidae)
 2000. *Heteropogon lehri* Richter, 1968 (Asilidae)
 2001. *Heteropogon manicatus* (Meigen, 1820) (Asilidae)
 2002. *Heteropogon manni* Loew, 1854 (Asilidae)
 2003. *Heteropogon ornatipes* Loew, 1851 (Asilidae)
 2004. *Heteropogon scoparius* Loew, 1847 (Asilidae)
 2005. *Heteropogon succinctus* Loew, 1847 (Asilidae)
 2006. *Heterotropus pyrus* Bowden, 1967 (Bombyliidae)
 2007. *Heterotropus taurus* Bowden, 1967 (Bombyliidae)
 2008. *Hierodula transcaucasica* Brunner von Wattenwyl, 1878 (Mantidae)
 2009. *Hilara bolkaensis* Çiftçi, Parvu & Hasbenli, 2008 (Empididae)
 2010. *Hobbia stenonota* (Ratzeburg) (Pteromalidae)
 2011. *Hockeria apani* Doganlar (Chalcididae)
 2012. *Hockeria bifasciata* Walker (Chalcididae)
 2013. *Hockeria brachygaster* Boucek (Chalcididae)
 2014. *Hockeria karatasensis* Boucek (Chalcididae)
 2015. *Hockeria magna* Boucek (Chalcididae)
 2016. *Hockeria menginillarum* (Silvestri) (Chalcididae)
 2017. *Hockeria unicolor* Walker (Chalcididae)
 2018. *Hockeria urfaensis* (Chalcididae)
 2019. *Holcostethus vernalis* (Wolff, 1804) (Pentatomidae)
 2020. *Holopogon nigropilosus* Theodor, 1980 (Asilidae)
 2021. *Homalotylus flaminus* (Dalman) (Encyrtidae)
 2022. *Homalotylus nigricornis* Mercet (Encyrtidae)
 2023. *Homalotylus quaylei* Timberlake (Encyrtidae)
 2024. *Homodola ismenia* (Gory, 1833) (Carabidae)
 2025. *Homoporus arestor* (Walker) (Pteromalidae)
 2026. *Homoporus fulviventris* (Walker) (Pteromalidae)
 2027. *Homoporus subniger* (Walker) (Pteromalidae)
 2028. *Homorocoryphus nitidulus* (Scopoli, 1786) (Tettigoniidae)
 2029. *Hoplopsis minuta* (Fabricius) (Encyrtidae)
 2030. *Horvathianella palliceps* (Horvath, 1897) (Delphacidae)
 2031. *Hyalesthes askalensis* Hoch, 1985 (Cixiidae)
 2032. *Hyalesthes hani* Hoch, 1985 (Cixiidae)
 2033. *Hyalesthes luteipes* Fieber, 1876 (Cixiidae)
 2034. *Hyalesthes mavromoustakisi* Dlabola, 1959 (Cixiidae)
 2035. *Hyalesthes mlokosiewiczii* Signoret, 1879 (Cixiidae)
 2036. *Hyalesthes obsoletus* Signoret, 1865 (Cixiidae)
 2037. *Hyalesthes philesakis* Hoch & Remane, 1985 (Cixiidae)
 2038. *Hyalesthes ponticorum* Hoch & Remane, 1985 (Cixiidae)
 2039. *Hyalesthes thracicus* Hoch, 1985 (Cixiidae)
 2040. *Hyalesthes veysseli* Hoch, 1985 (Cixiidae)
 2041. *Hyalesthes yozgaticus* Hoch & Remane, 1985 (Cixiidae)
 2042. *Hybomitra acuminata* (Loew, 1858) (Tabanidae)
 2043. *Hybomitra bimaculata* (Macquart, 1826) (Tabanidae)
 2044. *Hybomitra caucasi* (Szilady, 1923) (Tabanidae)
 2045. *Hybomitra ciureai* (Seguy, 1937) (Tabanidae)
 2046. *Hybomitra decora* (Loew, 1858) (Tabanidae)
 2047. *Hybomitra distinguenda* (Verrall, 1909) (Tabanidae)
 2048. *Hybomitra erberi* (Brauer, 1880) (Tabanidae)
 2049. *Hybomitra expollicata* (Pandelle, 1883) (Tabanidae)
 2050. *Hybomitra muehlfeldi* (Brauer, 1880) (Tabanidae)
 2051. *Hybomitra okayi* Leclercq, 1967 (Tabanidae)
 2052. *Hybomitra peculiaris* (Szilady, 1914) (Tabanidae)
 2053. *Hybomitra pilosa* (Loew, 1858) (Tabanidae)
 2054. *Hybomitra tuerkmendagensis* Kılıç & Schacht, 1995 (Tabanidae)
 2055. *Hybomitra ukrainica* Olsufjev, 1952 (Tabanidae)
 2056. *Hycleus polymorphus* (Pallas, 1771) (Meloidae)
 2057. *Hycleus scabiosae* (Olivier, 1811) (Meloidae)
 2058. *Hycleus sexmaculatus* (Olivier, 1811) (Meloidae)
 2059. *Hydrobius rufipes* (Linnaeus, 1758) (Hydrophilidae)
 2060. *Hydrochara caraboides* (Linnaeus, 1758) (Hydrophilidae)
 2061. *Hydrochara dichorama* (Fairmaire, 1892) (Hydrophilidae)
 2062. *Hydrochara flavipes* (Steven, 1808) (Hydrophilidae)
 2063. *Hydrochara flavipes* (Steven, 1808) (Hydrophilidae)
 2064. *Hydroglyphus geminus* (Fabricius, 1792) (Dytiscidae)
 2065. *Hydroglyphus pubescens* Gyllenhal, 1808 (Dytiscidae)
 2066. *Hydrophilus* (s.str.) *atterimus* Eschscholtz, 1822 (Hydrophilidae)
 2067. *Hydrophilus* (s.str.) *piceus* (Linnaeus, 1758) (Hydrophilidae)
 2068. *Hydrotaea meridionalis* Portschesky, 1882 (Muscidae)
 2069. *Hydrotaea penicillata* (Rondani, 1866) (Muscidae)
 2070. *Hygrobia hermanni* (Fabricius, 1775) (Hygrobiidae)
 2071. *Hymenalia brignolii* (Muche, 1974) (Tenebrionidae)
 2072. *Hypera constans* (Boheman, 1834) (Curculionidae)
 2073. *Hypera contaminata* (Herbst, 1795) (Curculionidae)
 2074. *Hypera crinata* (Boheman, 1834) (Curculionidae)
 2075. *Hypera cumanus* Petri, 1901 (Curculionidae)
 2076. *Hypera farinosa* Boheman, 1842 (Curculionidae)
 2077. *Hypera fasciculata* (Herbst, 1795) (Curculionidae)
 2078. *Hypera jucundus* Capiomont, 1868 (Curculionidae)
 2079. *Hypera maculipennis* Fairmaire, 1859 (Curculionidae)
 2080. *Hypera meles* (Fabricius, 1792) (Curculionidae)
 2081. *Hypera orientalis* Capiomont, 1867 (Curculionidae)
 2082. *Hypera pastinacea* (Rossi, 1790) (Curculionidae)
 2083. *Hypera plantaginis* (De Geer, 1775) (Curculionidae)
 2084. *Hypera punctata* (Fabricius, 1775) (Curculionidae)
 2085. *Hypera rumicis* (Linnaeus, 1758) (Curculionidae)
 2086. *Hypera striata* (Boheman, 1834) (Curculionidae)
 2087. *Hypera trilineata* (Marshall, 1802) (Curculionidae)
 2088. *Hypera variabilis* (Herbst, 1795) (Curculionidae)
 2089. *Hypera viciae* (Gyllenhal, 1813) (Curculionidae)
 2090. *Hypnoidus anatolicus* Platia & Gudenzi, 2000 (Elateridae)
 2091. *Hypocassida subferruginea* (Schränk, 1776) (Chrysomelidae)
 2092. *Hypogonus inunctus* (Panzer, 1795) (Elateridae)
 2093. *Hypogonus stepanovi* Denisova, 1948 (Elateridae)
 2094. *Hypolixus nubilosus* (Boheman, 1836) (Curculionidae)
 2095. *Hyssopus geniculatus* (Hartig) (Eulophidae)
 2096. *Hyssopus nigrifolius* (Zetterstedt) (Eulophidae)
 2097. *Hysteropterum assimile* Horvath, 1905 (Issidae)
 2098. *Hysteropterum campestre* Lindberg, 1948 (Issidae)
 2099. *Hysteropterum despectum* Linnavuori, 1965 (Issidae)

- 2100.** *Hysteropterum grylloides* (Fabricius, 1794) (Issidae)
2101. *Hysteropterum placophorum* Horvath, 1905 (Issidae)
2102. *Hysteropterum transcaasicum* Melichar, 1914 (Issidae)
2103. *Hysteropterum trifasciatum* Linnavuori, 1965 (Issidae)
2104. *Iassus pseudocerris* Abdul-Nour, 1998 (Cicadellidae)
2105. *Iassus scutellaris* (Fieber, 1868) (Cicadellidae)
2106. *Iconella albinervis* (Tobias, 1964) (Braconidae)
2107. *Iconella lacteoides* (Nixon, 1965) (Braconidae)
2108. *Iconella laspeyresiella* (Papp, 1972) (Braconidae)
2109. *Iconella vindicia* (Nixon, 1965) (Braconidae)
2110. *Idastrandiella mucoreus* (Waltl, 1838) (Tenebrionidae)
2111. *Idiocerus alkani* Wagner, 1958 (Cicadellidae)
2112. *Idiocerus lituratus* (Fallén, 1806) (Cicadellidae)
2113. *Idiocerus populi* (Linnaeus, 1761) (Cicadellidae)
2114. *Idiocerus stigmatalis* Lewis, 1834 (Cicadellidae)
2115. *Idiocerus vicinus* Melichar, 1898 (Cicadellidae)
2116. *Idiomacromerus pannonicus* (Ruschka) (Torymidae)
2117. *Idiomacromerus papaveri* (Förster) (Torymidae)
2118. *Idolus adrastoides* (Reitter, 1888) (Elateridae)
2119. *Idotarmonides anaticus* (Candeze, 1881) (Elateridae)
2120. *Idotarmonides rydhi* Platia & Schimmel, 1992 (Elateridae)
2121. *Illidops butalidis* (Marshall, 1888) (Braconidae)
2122. *Illidops naso* (Marshall, 1888) (Braconidae)
2123. *Illidops szabo* (Papp, 1974) (Braconidae)
2124. *Illidops urgo* (Nixon, 1965) (Braconidae)
2125. *Illidops vipio* (Reihard, 1880) (Braconidae)
2126. *Iphthimulus truquii* (Marseul, 1869) (Tenebrionidae)
2127. *Iranoidricerus iranensis* (Kimmings, 1938) (Ascalaphidae)
2128. *Iris oratoria* (Linnaeus, 1758) (Tarachodidae)
2129. *Ischnodes kadleci* Mertlik, 2005 (Elateridae)
2130. *Ischnodes sanguinicollis* (Panzer, 1793) (Elateridae)
2131. *Ischnomera auripennis* (Reitter, 1903) (Oedemeridae)
2132. *Ischnomera caerulea* (Linnaeus, 1758) (Oedemeridae)
2133. *Ischnomera cinerascens* (Pandellé, 1867) (Oedemeridae)
2134. *Ischnomera cyanea* (Fabricius, 1792) (Oedemeridae)
2135. *Ischnomera erdemliensis* Svihla, 1998 (Oedemeridae)
2136. *Ischnomera fulvicollis* (Reitter, 1897) (Oedemeridae)
2137. *Ischnomera fuscipennis* Svihla, 1988 (Oedemeridae)
2138. *Ischnomera haemorrhoidalis* (W. Schmidt, 1846) (Oedemeridae)
2139. *Ischnomera lutescens* (Abeille de Perrin, 1892) (Oedemeridae)
2140. *Ischnomera maceki* Svihla, 1988 (Oedemeridae)
2141. *Ischnomera partipennis* (Fairmaire, 1892) (Oedemeridae)
2142. *Ischnomera sanguinicollis* (Fabricius, 1787) (Oedemeridae)
2143. *Ischnomera similis* (Svihla, 1982) (Oedemeridae)
2144. *Ischnomera sveci* (Svihla, 2004) (Oedemeridae)
2145. *Ischyronota desertorum* (Gebler, 1833) (Chrysomelidae)
2146. *Isidus letourneuxi* Pic, 1902 (Elateridae)
2147. *Isidus moreli* Mulsant & Rey, 1874 (Elateridae)
2148. *Isodromus flaviscutum* Hoffer & Trjapitzin (Encyrtidae)
2149. *Isodromus niger* Ashmead (Encyrtidae)
2150. *Isolabella graeca* (Verhoeff, 1901) (Spongiphoridae)
2151. *Isolaboides kosswigi* (Burr, 1947) (Spongiphoridae)
2152. *Isoperla armeniaca* Zhiltzova, 1961 (Perlodidae)
2153. *Isoperla bithynica* (Kempny, 1908) (Perlodidae)
2154. *Isoperla rhododendri* Zhiltzova, 1956 (Perlodidae)
2155. *Isophya acuminata* Brunner von Wattenwyl, 1878 (Tettigoniidae)
2156. *Isophya amplipennis* Brunner von Wattenwyl, 1878 (Tettigoniidae)
2157. *Isophya anatolica* Ramme, 1951 (Tettigoniidae)
2158. *Isophya autumnalis* Karabağ, 1962 (Tettigoniidae)
2159. *Isophya bicarinata* Karabağ, 1957 (Tettigoniidae)
2160. *Isophya cania* Karabağ, 1975 (Tettigoniidae)
2161. *Isophya hakkarica* Karabağ, 1962 (Tettigoniidae)
2162. *Isophya hemiptera* Bei-Bienko, 1954 (Tettigoniidae)
2163. *Isophya hospodar* (Saussure & Pictet, 1898) (Tettigoniidae)
2164. *Isophya ilkazi* Ramme, 1951 (Tettigoniidae)
2165. *Isophya karabagi* Uvarov, 1940 (Tettigoniidae)
2166. *Isophya karadenizensis* Ünal, 2005 (Tettigoniidae)
2167. *Isophya kosswigi* Demirsoy, 1974 (Tettigoniidae)
2168. *Isophya major* Brunner von Wattenwyl, 1878 (Tettigoniidae)
2169. *Isophya mersinensis* Sevgili & Çıplak, 2006 (Tettigoniidae)
2170. *Isophya nervosa* Ramme, 1951 (Tettigoniidae)
2171. *Isophya obenbergeri* Maran, 1958 (Tettigoniidae)
2172. *Isophya obtusidens* Ramme, 1951 (Tettigoniidae)
2173. *Isophya pavlii* Brunner von Wattenwyl, 1878 (Tettigoniidae)
2174. *Isophya pentheri* Ramme, 1951 (Tettigoniidae)
2175. *Isophya rectipennis* Brunner von Wattenwyl, 1878 (Tettigoniidae)
2176. *Isophya redtenbacheri* Adelung, 1907 (Tettigoniidae)
2177. *Isophya reticulata* Ramme, 1951 (Tettigoniidae)
2178. *Isophya rizeensis* Sevgili, 2003 (Tettigoniidae)
2179. *Isophya rodsjankoi* Bolivar, 1899 (Tettigoniidae)
2180. *Isophya salmani* Sevgili & Heller, 2006 (Tettigoniidae)
2181. *Isophya savignyi* Brunner von Wattenwyl, 1878 (Tettigoniidae)
2182. *Isophya schneideri* Brunner von Wattenwyl, 1878 (Tettigoniidae)
2183. *Isophya sikorai* Ramme, 1951 (Tettigoniidae)
2184. *Isophya speciosa* (Frivaldsky, 1867) (Tettigoniidae)
2185. *Isophya splendida* Naskrecki & Ünal, 1995 (Tettigoniidae)
2186. *Isophya staneki* Maran, 1958 (Tettigoniidae)
2187. *Isophya stenocauda* Ramme, 1951 (Tettigoniidae)
2188. *Isophya straubei* (Fieber, 1853) (Tettigoniidae)
2189. *Isophya sureyai* Ramme, 1951 (Tettigoniidae)
2190. *Isophya thracica* Karabağ, 1962 (Tettigoniidae)
2191. *Isophya triangularis* Brunner von Wattenwyl, 1891 (Tettigoniidae)
2192. *Isophya uludaghensis* Sevgili & Heller, 2003 (Tettigoniidae)
2193. *Isophya yaraligozi* Ünal, 2003 (Tettigoniidae)
2194. *Isophya zernovi* Miram, 1938 (Tettigoniidae)
2195. *Issus dilatatus* (Fourcroy, 1785) (Issidae)
2196. *Issus lauri* Ahrens, 1814 (Issidae)
2197. *Iteomyia capreae* (Winnertz, 1853) (Cecidomyiidae)
2198. *Iubsoda stigmatica* (Melichar, 1897) (Delphacidae)
2199. *İcerya purchasi* Hempel (Margarodidae)
2200. *Jaapiella chondrillae* Skuhrava, 2005 (Cecidomyiidae)
2201. *Janetia cecris* (Kollar, 1850) (Cecidomyiidae)
2202. *Janetia szepligetii* Kieffer, 1896 (Cecidomyiidae)
2203. *Janetiella lemcei* (Kieffer, 1904) (Cecidomyiidae)
2204. *Janetiella oenophila* (Haimhoffen, 1875) (Cecidomyiidae)
2205. *Jassargus kurdicus* Remane & Schultz, 1976 (Cicadellidae)
2206. *Jassargus obtusivalvis* (Kirschbaum, 1868) (Cicadellidae)
2207. *Javesella dubia* (Kirschbaum, 1868) (Delphacidae)
2208. *Javesella obscura* (Boheman, 1847) (Delphacidae)
2209. *Javesella pellucida* (Fabricius, 1794) (Delphacidae)
2210. *Javesella salina* (Haupt, 1924) (Delphacidae)
2211. *Joostiella caucasica* Vaillant, 1983 (Psychodidae)

2212. *Jothopogon leucomallus* (Loew, 1871) (Asilidae)
 2213. *Katamenes sichelii* (Saussure, 1852) (Vespidae)
 2214. *Kelisia melanops* Fieber, 1878 (Delphacidae)
 2215. *Kelisia ribauti* Wagner, 1938 (Delphacidae)
 2216. *Kelisia yarkonensis* Linnavuori, 1962 (Delphacidae)
 2217. *Kermes bekiri* Bodenheimer (Kermesidae)
 2218. *Kermes muhlisi* Bodenheimer (Kermesidae)
 2219. *Kermes roboris* (Fourcroy) (Kermesidae)
 2220. *Kermes sadrii* Bodenheimer (Kermesidae)
 2221. *Kermes safinazae* Ozkok (Kermesidae)
 2222. *Kermes vermilio* Planchon (Kermesidae)
 2223. *Kervillea ancyrana* Bergevin, 1918 (Issidae)
 2224. *Kervillea parvissima* (Dlabola, 1957) (Issidae)
 2225. *Kirbunia* (Olivierina) *extensa* (Olivier, 1811) (Nemopteridae)
 2226. *Kirbunia sheppardi* (Kirby, 1904) (Nemopteridae)
 2227. *Koroglus disparalatus* Ünal, 2002 (Tettigoniidae)
 2228. *Kriechbaumerella mansues* (Nikol'skaya) (Chalcididae)
 2229. *Krombeinella aramaca* (Suarez, 1963) (Mutillidae)
 2230. *Krombeinella hebraea* (Suarez, 1963) (Mutillidae)
 2231. *Krombeinella nigriceps* (S. Saunders, 1850) (Mutillidae)
 2232. *Krombeinella wolffi* (Invrea, 1963) (Mutillidae)
 2233. *Kropka unipunctata* (Dlabola, 1957) (Cicadellidae)
 2234. *Ksenoplata quadrata* Boucek (Pteromalidae)
 2235. *Kurdia uvarovi* Karabağ, 1975 (Tettigoniidae)
 2236. *Kuwanaspis pseudoleucaspis* (Kuwana) (Diaspididae)
 2237. *Kybos candelabricus* Dlabola, 1958 (Cicadellidae)
 2238. *Kybos virgator* (Ribaut, 1933) (Cicadellidae)
 2239. *Labia minor* (Linnaeus, 1758) (Spongiphoridae)
 2240. *Labidura riparia* (Pallas, 1773) (Labiduridae)
 2241. *Laburru handlirshi* (Matsumura, 1908) (Cicadellidae)
 2242. *Laburru impictifrons* (Boheman, 1852) (Cicadellidae)
 2243. *Laccobius* (*Compsolaccobius*) *decorus* (Gyllenhal, 1827) (Hydrophilidae)
 2244. *Laccobius* (*Dimorpholaccobius*) *bipunctatus* (Fabricius, 1775) (Hydrophilidae)
 2245. *Laccobius* (*Dimorpholaccobius*) *chiesai* Gentili, 1974 (Hydrophilidae)
 2246. *Laccobius* (*Dimorpholaccobius*) *halophilus* Gentili, 1982 (Hydrophilidae)
 2247. *Laccobius* (*Dimorpholaccobius*) *hauserianus* Kniz, 1914 (Hydrophilidae)
 2248. *Laccobius* (*Dimorpholaccobius*) *hindukuschi* Chiesa, 1966 (Hydrophilidae)
 2249. *Laccobius* (*Dimorpholaccobius*) *lycius* Gentili & Whitehead, 2000 (Hydrophilidae)
 2250. *Laccobius* (*Dimorpholaccobius*) *obscuratus* Rottenberg, 1874 (Hydrophilidae)
 2251. *Laccobius* (*Dimorpholaccobius*) *sculptus* d'Orchymont, 1936 (Hydrophilidae)
 2252. *Laccobius* (*Dimorpholaccobius*) *scutellaris* Motschulsky, 1855 (Hydrophilidae)
 2253. *Laccobius* (*Dimorpholaccobius*) *simulatrix* d'Orchymont, 1932 (Hydrophilidae)
 2254. *Laccobius* (*Dimorpholaccobius*) *sipylus* d'Orchymont, 1939 (Hydrophilidae)
 2255. *Laccobius* (*Dimorpholaccobius*) *striatulus* (Fabricius, 1801) (Hydrophilidae)
 2256. *Laccobius* (*Dimorpholaccobius*) *sulcatulus* Reitter, 1909 (Hydrophilidae)
 2257. *Laccobius* (*Dimorpholaccobius*) *syriacus* Guillebeau, 1896 (Hydrophilidae)
 2258. *Laccobius* (*Microlaccobius*) *alternus* Motschulsky, 1855 (Hydrophilidae)
 2259. *Laccobius* (*Microlaccobius*) *exilis* Gentili, 1974 (Hydrophilidae)
 2260. *Laccobius* (*Microlaccobius*) *gracilis* Motschulsky, 1855 (Hydrophilidae)
 2261. *Laccobius* (*Microlaccobius*) *orientalis* Knisch, 1924 (Hydrophilidae)
 2262. *Laccobius* (*Microlaccobius*) *quaesitus* Gentili, 1988 (Hydrophilidae)
 2263. *Laccobius* (s.str.) *albipes* Kuwert, 1890 (Hydrophilidae)
 2264. *Laccobius* (s.str.) *minutus* (Linnaeus, 1758) (Hydrophilidae)
 2265. *Laccobius simulatrix* d'Orchymont, 1932 (Hydrophilidae)
 2266. *Laccobius syriacus* Guillebeau, 1896 (Hydrophilidae)
 2267. *Laccophilus hyalinus* (De Geer, 1774) (Dytiscidae)
 2268. *Laccophilus minutus* (Linnaeus, 1758) (Dytiscidae)
 2269. *Lacon candezei* Desbrochers, 1875 (Elateridae)
 2270. *Lacon delagrangi* Buysson, 1891 (Elateridae)
 2271. *Lacon gillerforsi* Platia & Schimmel, 1994 (Elateridae)
 2272. *Lacon graecus* Candeze, 1857 (Elateridae)
 2273. *Lacon kapleri* Platia & Schimmel, 1994 (Elateridae)
 2274. *Lacon ladae* Mertlik & Dusanek, 2006 (Elateridae)
 2275. *Lacon lepidopterus* (Panzer, 1801) (Elateridae)
 2276. *Lacon punctatus* (Herbst, 1779) (Elateridae)
 2277. *Lacon solai* Platia & Gudenzi, 2000 (Elateridae)
 2278. *Lacon unicolor* (Candeze, 1874) (Elateridae)
 2279. *Laena appfelbecki* Schuster, 1915 (Tenebrionidae)
 2280. *Laena byzantina* Apfelbeck, 1901 (Tenebrionidae)
 2281. *Laena ganglbaueri* Reitter, 1906 (Tenebrionidae)
 2282. *Laena hopffgarteni* Weise, 1878 (Tenebrionidae)
 2283. *Laena kraatzii* Weise, 1878 (Tenebrionidae)
 2284. *Laena osmanlis* Reitter, 1906 (Tenebrionidae)
 2285. *Laena pulchella* (Fischer, 1824) (Tenebrionidae)
 2286. *Laena syriaca* Baudi, 1876 (Tenebrionidae)
 2287. *Laena theana* Reitter, 1906 (Tenebrionidae)
 2288. *Lamennaisia ambigua* (Nees) (Encyrtidae)
 2289. *Laminacutus libanensis* Abdul-Nour, 2001 (Cicadellidae)
 2290. *Lampoterma viride* (Thomson, 1876) (Pteromalidae)
 2291. *Lamprotatus truncatus* (Fonscolombe) (Pteromalidae)
 2292. *Lampyrus angustula* Fairmaire, 1895 (Lampyridae)
 2293. *Lampyrus nervosa* Olivier, 1883 (Lampyridae)
 2294. *Lanelater judaicus* (Reiche & Saulcy, 1856) (Elateridae)
 2295. *Lanelater persicus* (Candeze, 1874) (Elateridae)
 2296. *Laodelphax striatellus* (Fallén, 1826) (Delphacidae)
 2297. *Laphria dizonias* Loew, 1847 (Asilidae)
 2298. *Laphria varia* Loew, 1865 (Asilidae)
 2299. *Laphystia anatolica* (Hermann, 1920) (Asilidae)
 2300. *Laphystia sabulicola* Loew, 1847 (Asilidae)
 2301. *Larinus aeruginosus* Hochhuth, 1851 (Curculionidae)
 2302. *Larinus brenskei* Faust, 1900 (Curculionidae)
 2303. *Larinus brevis* (Herbst, 1795) (Curculionidae)
 2304. *Larinus carinirostris* Gyllenhal, 1836 (Curculionidae)
 2305. *Larinus centaureae* (Olivier, 1807) (Curculionidae)
 2306. *Larinus curtus* Hochhuth, 1851 (Curculionidae)
 2307. *Larinus cynarae* (Fabricius, 1787) (Curculionidae)
 2308. *Larinus filiformis* Petri, 1907 (Curculionidae)
 2309. *Larinus flavescens* Germar, 1824 (Curculionidae)
 2310. *Larinus griseus* Gyllenhal, 1836 (Curculionidae)
 2311. *Larinus jaceae* (Fabricius, 1775) (Curculionidae)
 2312. *Larinus latus* (Herbst, 1784) (Curculionidae)
 2313. *Larinus minutus* Gyllenhal, 1836 (Curculionidae)
 2314. *Larinus obtusus* Gyllenhal, 1836 (Curculionidae)
 2315. *Larinus onopordi* (Fabricius, 1787) (Curculionidae)
 2316. *Larinus orientalis* Capiomont, 1874 (Curculionidae)
 2317. *Larinus ovaliformis* Capiomont, 1874 (Curculionidae)
 2318. *Larinus planus* (Fabricius, 1792) (Curculionidae)
 2319. *Larinus rudicollis* Petri, 1907 (Curculionidae)
 2320. *Larinus rusticanus* Gyllenhal, 1836 (Curculionidae)
 2321. *Larinus sturnus* (Schaller, 1788) (Curculionidae)
 2322. *Larinus syriacus* Gyllenhal, 1836 (Curculionidae)
 2323. *Larinus turbinatus* Gyllenhal, 1836 (Curculionidae)
 2324. *Larinus ursus* (Fabricius, 1792) (Curculionidae)
 2325. *Lariophagus distinguendus* (Förster) (Pteromalidae)
 2326. *Lasiochalcidia dargelasii* (Latreille) (Chalcididae)
 2327. *Lasiopa balius* (Walker, 1849) (Stratiomyidae)

2328. *Lasiopa caucasica* (Pleske, 1901) (*Stratiomyidae*)
 2329. *Lasiopa mannii* Mik, 1882 (*Stratiomyidae*)
 2330. *Lasiopogon pilosellus* Loew, 1847 (*Asilidae*)
 2331. *Lasiopogon tarsalis* Loew, 1847 (*Asilidae*)
 2332. *Lasioptera berlesiana* Paoli, 1907 (*Cecidomyiidae*)
 2333. *Lasioptera carophila* Loew, 1874 (*Cecidomyiidae*)
 2334. *Lasioptera eryngii* (Vallot, 1829) (*Cecidomyiidae*)
 2335. *Lasioptera populnea* Wachtl, 1883 (*Cecidomyiidae*)
 2336. *Lasioptera rubi* (Schränk, 1803) (*Cecidomyiidae*)
 2337. *Lasioptera turcica* Möhn, 1968 (*Cecidomyiidae*)
 2338. *Lasius alienus* (Förster, 1850) (*Formicidae*)
 2339. *Lasius flavus* (Fabricius, 1781) (*Formicidae*)
 2340. *Latematium cingulatum* Dlabola, 1983 (*Issidae*)
 2341. *Latheticus oryzae* Waterhouse, 1880 (*Tenebrionidae*)
 2342. *Latilica antalyica* (Dlabola, 1986) (*Issidae*)
 2343. *Latilica maculipes* (Melichar, 1906) (*Issidae*)
 2344. *Latilica quercus* (Lindberg, 1948) (*Issidae*)
 2345. *Latilica retamae* (Linnavuori, 1962) (*Issidae*)
 2346. *Lecanodiaspis sardoa* Targioni Tozzetti (*Lecanodiaspididae*)
 2347. *Lecanopsis turcica* (Bodenheimer) (*Coccidae*)
 2348. *Leichenium mucronatum* Küster, 1849 (*Tenebrionidae*)
 2349. *Leopoldius coronatus* (Rondani, 1857) (*Conopidae*)
 2350. *Lepidosaphes beckii* (Newman) (*Diaspididae*)
 2351. *Lepidosaphes conchiformis* (Gmelin) (*Diaspididae*)
 2352. *Lepidosaphes gloverii* (Packard) (*Diaspididae*)
 2353. *Lepidosaphes granati* Koroneos (*Diaspididae*)
 2354. *Lepidosaphes juniperi* Lindinger (*Diaspididae*)
 2355. *Lepidosaphes malicola* Borchsenius (*Diaspididae*)
 2356. *Lepidosaphes newsteadi* (Sulc) (*Diaspididae*)
 2357. *Lepidosaphes pinnaeformis* (Bouche) (*Diaspididae*)
 2358. *Lepidosaphes pistaciae* Archangelskaya (*Diaspididae*)
 2359. *Lepidosaphes serrifrons* (Leonardi) (*Diaspididae*)
 2360. *Lepidosaphes ulmi* (Linnaeus) (*Diaspididae*)
 2361. *Leptochilus regulus* Saussure, 1855 (*Vespidae*)
 2362. *Leptocybe invasa* Fisher & La Salle (*Eulophidae*)
 2363. *Leptodelphax cyclops* Haupt, 1927 (*Delphacidae*)
 2364. *Leptodiplosis polypori* (Loew, 1850) (*Cecidomyiidae*)
 2365. *Leptodusa demirsoyi* (Karabağ, 1975) (*Tettigoniidae*)
 2366. *Leptodusa expugnata* (Uvarov, 1916) (*Tettigoniidae*)
 2367. *Leptodusa harzi* (Karabağ, 1975) (*Tettigoniidae*)
 2368. *Leptogaster calceata* Engel, 1925 (*Asilidae*)
 2369. *Leptogaster gracilis* Loew, 1847 (*Asilidae*)
 2370. *Leptogaster helvola* Loew, 1871 (*Asilidae*)
 2371. *Leptogaster palparis* Loew, 1847 (*Asilidae*)
 2372. *Leptogaster suleymani* Hasbenli, Candan & Alpaya, 2006 (*Asilidae*)
 2373. *Leptomastidea abnormis* (Girault) (*Encyrtidae*)
 2374. *Leptomastix algerica* Trjapitzin (*Encyrtidae*)
 2375. *Leptomastix dactylopii* Howard (*Encyrtidae*)
 2376. *Leptomastix flava* Mercet (*Encyrtidae*)
 2377. *Leptophyes albivittata* (Kollar, 1833) (*Tettigoniidae*)
 2378. *Leptophyes bolivari* (Kirby, 1906) (*Tettigoniidae*)
 2379. *Leptophyes helleri* Sevgili, 2004 (*Tettigoniidae*)
 2380. *Leptophyes karanae* Naskrecki & Ünal, 1995 (*Tettigoniidae*)
 2381. *Leptopternis gracilis* (Eversmann, 1848) (*Acridae*)
 2382. *Leptothorax muscorum* (Nylander, 1846) (*Formicidae*)
 2383. *Lepyronia coleoptrata* (Linnaeus, 1758) (*Cercopidae*)
 2384. *Lertha ledereri* (Selys-Longchamps, 1866) (*Nemopteridae*)
 2385. *Leucaspis knemion* Hoke (*Diaspididae*)
 2386. *Leucaspis lowi* Colvee (*Diaspididae*)
 2387. *Leucaspis pini* (Hartig) (*Diaspididae*)
 2388. *Leucaspis pusilla* Löw (*Diaspididae*)
 2389. *Leucaspis riccae* Targioni Tozzetti (*Diaspididae*)
 2390. *Leucospis bifasciata* Klug (*Leucopsidae*)
 2391. *Leucospis biguetina* Jurine (*Leucopsidae*)
 2392. *Leucospis brevicauda* Fabricius (*Leucopsidae*)
 2393. *Leucospis dorsigera* Fabricius (*Leucopsidae*)
 2394. *Leucospis gigas* Fabricius (*Leucopsidae*)
 2395. *Leucospis intermedia* Illiger (*Leucopsidae*)
 2396. *Leuctra aculeata* Zwick, 1982 (*Leuctridae*)
 2397. *Leuctra anatolica* Kazancı, 1986 (*Leuctridae*)
 2398. *Leuctra antalyana* Vincon & Sivec, 2001 (*Leuctridae*)
 2399. *Leuctra artvinensis* Vincon & Sivec, 2001 (*Leuctridae*)
 2400. *Leuctra boluensis* Kazancı, 1999 (*Leuctridae*)
 2401. *Leuctra bozi* Vincon & Sivec, 2001 (*Leuctridae*)
 2402. *Leuctra brachyptera* Kazancı, 1985 (*Leuctridae*)
 2403. *Leuctra hippopus* Kempny, 1899 (*Leuctridae*)
 2404. *Leuctra karcali* Vincon & Sivec, 2001 (*Leuctridae*)
 2405. *Leuctra kurui* Kazancı, 1983 (*Leuctridae*)
 2406. *Leuctra marilouae* Vincon & Sivec, 2001 (*Leuctridae*)
 2407. *Leuctra minuta* Zhiltzova, 1960 (*Leuctridae*)
 2408. *Leuctra schistocerca* Zwick, 1971 (*Leuctridae*)
 2409. *Leuctra sipahilerae* Vincon & Sivec, 2001 (*Leuctridae*)
 2410. *Leuctra theischingeri* Vincon & Sivec, 2001 (*Leuctridae*)
 2411. *Libanissum talhouki* (Dlabola, 1974) (*Issidae*)
 2412. *Libelloides jungei* Aistleitner, 1982 (*Ascalaphidae*)
 2413. *Libelloides lacteus* (Brullé, 1832) (*Ascalaphidae*)
 2414. *Libelloides macaronius* (Scopoli, 1763) (*Ascalaphidae*)
 2415. *Libelloides ottomanus* (Germar, 1817) (*Ascalaphidae*)
 2416. *Libelloides rhomboideus* (Schneider, 1845) (*Ascalaphidae*)
 2417. *Libelloides syriacus* (McLachan, 1871) (*Ascalaphidae*)
 2418. *Libelloides ustulatus* (Eversmann, 1850) (*Ascalaphidae*)
 2419. *Lichtensia viburni* Signoret (*Coccidae*)
 2420. *Liguroptera juniperi* (Lethierry, 1876) (*Cicadellidae*)
 2421. *Limnophora pulchricaps* (Loew, 1860) (*Muscidae*)
 2422. *Limnoxenus niger* Gmelin, 1790 (*Hydrophilidae*)
 2423. *Limobius borealis* (Paykull, 1792) (*Curculionidae*)
 2424. *Limoniscus elegans* (Byssson, 1891) (*Elateridae*)
 2425. *Limoniscus violaceus* (P. Müller, 1843) (*Elateridae*)
 2426. *Limonius araratensis* Faldermann, 1835 (*Elateridae*)
 2427. *Limonius minutus* (Linnaeus, 1758) (*Elateridae*)
 2428. *Limonius poneli* Leseigneur & Mertlik, 2007 (*Elateridae*)
 2429. *Limotettix striola* (Fallén, 1806) (*Cicadellidae*)
 2430. *Lindbergina tarsalis* (Linnavuori, 1962) (*Cicadellidae*)
 2431. *Lineaspis striata* (Newstead) (*Diaspididae*)
 2432. *Linnavuoriana sexmaculata* (Hardy, 1850) (*Cicadellidae*)
 2433. *Liometopum microcephalum* (Panzer, 1798) (*Formicidae*)
 2434. *Liorhyssus hyalinus* (Fabricius, 1794) (*Rhopalidae*)
 2435. *Lispe apicalis* Mik, 1869 (*Muscidae*)
 2436. *Lispe caesia* Meigen, 1826 (*Muscidae*)
 2437. *Lispe elkantarae* Becker, 1907 (*Muscidae*)
 2438. *Litus cynipseus* Haliday (*Mymaridae*)
 2439. *Livia juncorum* (Latreille) (*Psyllidae*)
 2440. *Livia mediterranea* Loginova, 1974 (*Psyllidae*)
 2441. *Livilla horvathi* (Scott) (*Psyllidae*)
 2442. *Lixus anguinus* (Linnaeus, 1767) (*Curculionidae*)
 2443. *Lixus angustatus* (Fabricius, 1775) (*Curculionidae*)
 2444. *Lixus ascanii* (Linnaeus, 1767) (*Curculionidae*)
 2445. *Lixus bardanae* (Fabricius, 1787) (*Curculionidae*)
 2446. *Lixus cardui* Olivier, 1807 (*Curculionidae*)
 2447. *Lixus circumcinctus* Boheman, 1836 (*Curculionidae*)
 2448. *Lixus cylindrus* (Fabricius, 1781) (*Curculionidae*)
 2449. *Lixus elegantulus* Boheman, 1843 (*Curculionidae*)
 2450. *Lixus furcatus* Olivier, 1807 (*Curculionidae*)
 2451. *Lixus incanescens* Boheman, 1836 (*Curculionidae*)
 2452. *Lixus iridis* Olivier, 1807 (*Curculionidae*)

2453. *Lixus junci* Boheman, 1836 (*Curculionidae*)
 2454. *Lixus myagri* Olivier, 1807 (*Curculionidae*)
 2455. *Lixus obesus* Petri, 1904 (*Curculionidae*)
 2456. *Lixus punctiventris* Boheman, 1836 (*Curculionidae*)
 2457. *Lixus rubicundus* Zoubkoff, 1833 (*Curculionidae*)
 2458. *Lixus scabricollis* Boheman, 1843 (*Curculionidae*)
 2459. *Lixus scolapax* Boheman, 1836 (*Curculionidae*)
 2460. *Lixus speciosus* Miller, 1861 (*Curculionidae*)
 2461. *Lixus subtilis* Boheman, 1836 (*Curculionidae*)
 2462. *Lixus vilis* (Rossi, 1790) (*Curculionidae*)
 2463. *Lobodera* (*Penthomagus*) *iners* Ménétriés, 1832 (*Tenebrionidae*)
 2464. *Loboptera decipiens* (Germar, 1817) (*Blattidae*)
 2465. *Locusta migratoria* (Linnaeus, 1758) (*Acrididae*)
 2466. *Longicoccus affinis* (Ter-Grigorian) (*Pseudococcidae*)
 2467. *Longicoccus clarus* (Borkhsenius) (*Pseudococcidae*)
 2468. *Longicoccus festucae* (Koteja) (*Pseudococcidae*)
 2469. *Longicoccus psammophilus* (Koteja) (*Pseudococcidae*)
 2470. *Longicoccus tongiventris* (Borkhsenius) (*Pseudococcidae*)
 2471. *Lopholeucaspis japonica* (Cockerell) (*Diaspididae*)
 2472. *Lophyridia aphrodisia* (Baudi, 1864) (*Carabidae*)
 2473. *Lophyridia caucasica* (Adams, 1817) (*Carabidae*)
 2474. *Lophyridia concolor* (Dejean, 1822) (*Carabidae*)
 2475. *Lophyridia fischeri* (Adams, 1817) (*Carabidae*)
 2476. *Lophyridia hilariola* (Bates, 1874) (*Carabidae*)
 2477. *Lophyridia littoralis* (Fabricius, 1787) (*Carabidae*)
 2478. *Lydus anatolicus* Muehe, 1962 (*Meloidae*)
 2479. *Lydus europaeus* Escherich, 1897 (*Meloidae*)
 2480. *Lydus gibbifer* Escherich, 1896 (*Meloidae*)
 2481. *Lydus humeralis* Gyllenhal, 1817 (*Meloidae*)
 2482. *Lydus pilicollis* Fairmaire, 1892 (*Meloidae*)
 2483. *Lydus tarsalis* Abeille de Perrin, 1880 (*Meloidae*)
 2484. *Lydus tenuitarsis* Abeille de Perrin, 1880 (*Meloidae*)
 2485. *Lydus trimaculatus* (Fabricius, 1775) (*Meloidae*)
 2486. *Lydus turcicus* Kaszab, 1952 (*Meloidae*)
 2487. *Lydus unicolor* Reitter, 1887 (*Meloidae*)
 2488. *Lygaeosoma reticulatum* (Herrich-Schäffer, 1838) (*Lygaeidae*)
 2489. *Lygaeus equestris* (Linnaeus, 1758) (*Lygaeidae*)
 2490. *Lygus gemellatus* (Herrich-Schäffer, 1835) (*Miridae*)
 2491. *Lyphia tetrphylla* Fairmaire, 1856 (*Tenebrionidae*)
 2492. *Lyristes gemellus* Boulard, 1986 (*Cicadidae*)
 2493. *Lyristes plebejus* (Scopoli, 1763) (*Cicadidae*)
 2494. *Lytta vesicatoria* (Linnaeus, 1758) (*Meloidae*)
 2495. *Maccevethus lutheri* Wagner, 1953 (*Rhopalidae*)
 2496. *Machimus cyanopus* (Loew, 1849) (*Asilidae*)
 2497. *Machimus elegans* (Loew, 1849) (*Asilidae*)
 2498. *Machimus gratus* Loew, 1871 (*Asilidae*)
 2499. *Machimus leucocephalus* Janssens, 1968 (*Asilidae*)
 2500. *Machimus modestus* (Loew, 1849) (*Asilidae*)
 2501. *Machimus mystacinus* Becker, 1923 (*Asilidae*)
 2502. *Machimus rudis* Becker, 1923 (*Asilidae*)
 2503. *Machimus sareptanus* Becker, 1923 (*Asilidae*)
 2504. *Machimus thoracicus* (Loew, 1849) (*Asilidae*)
 2505. *Macrocoma doboszi* Borowiec, 2005 (*Chrysomelidae*)
 2506. *Macrodiplosis pustularis* (Bremer, 1847) (*Cecidomyiidae*)
 2507. *Macrodiplosis roboris* (Hardy, 1854) (*Cecidomyiidae*)
 2508. *Macroglenes varicornis* (Haliday) (*Pteromalidae*)
 2509. *Macrolophus melanotoma* (Costa, 1852) (*Miridae*)
 2510. *Macrolophus nubilus* (Herrich-Schäffer, 1835) (*Miridae*)
 2511. *Macronemurus bilineatus* Brauer, 1868 (*Myrmeleonidae*)
 2512. *Macrophya albicincta* (Schrank, 1776) (*Tenthredinidae*)
 2513. *Macrophya annulata* Geoffroy, 1785 (*Tenthredinidae*)
 2514. *Macrophya blanda* Fabricius, 1775 (*Tenthredinidae*)
 2515. *Macrophya crassula* (Klug, 1817) (*Tenthredinidae*)
 2516. *Macrophya cyrus* Benson, 1954 (*Tenthredinidae*)
 2517. *Macrophya diversipes* (Schrank, 1782) (*Tenthredinidae*)
 2518. *Macrophya duodecimpunctata* (Linnaeus, 1758) (*Tenthredinidae*)
 2519. *Macrophya erythrocnema* A. Costa, 1859 (*Tenthredinidae*)
 2520. *Macrophya militaris* Klug, 1817 (*Tenthredinidae*)
 2521. *Macrophya montana* (Scopoli, 1763) (*Tenthredinidae*)
 2522. *Macrophya postica* Brullé, 1832 (*Tenthredinidae*)
 2523. *Macrophya rufipes* Linnaeus, 1758 (*Tenthredinidae*)
 2524. *Macrophya suberba* Tischbein, 1852 (*Tenthredinidae*)
 2525. *Macrophya teutonia* Panzer, 1799 (*Tenthredinidae*)
 2526. *Macropsidius ioculator* Dlabola, 1963 (*Cicadellidae*)
 2527. *Macropsis albae* Wagner, 1950 (*Cicadellidae*)
 2528. *Macropsis cerea* (Germar, 1837) (*Cicadellidae*)
 2529. *Macropsis graminea* (Fabricius, 1798) (*Cicadellidae*)
 2530. *Macropsis megerlei* (Fieber, 1868) (*Cicadellidae*)
 2531. *Macropsis scutellata* (Boheman, 1845) (*Cicadellidae*)
 2532. *Macrorileya femorata* (Boucek) (*Eurytomidae*)
 2533. *Macrorileya inopinata* (Silvestri) (*Eurytomidae*)
 2534. *Macrosteles fieberi* (Edwards, 1889) (*Cicadellidae*)
 2535. *Macrosteles forficula* (Ribaut, 1927) (*Cicadellidae*)
 2536. *Macrosteles laevis* (Ribaut, 1927) (*Cicadellidae*)
 2537. *Macrosteles quadripunctulatus* (Kirschbaum, 1868) (*Cicadellidae*)
 2538. *Macrosteles sexnotatus* (Fallén, 1806) (*Cicadellidae*)
 2539. *Macrostylus anatolicus* Hoberlandt, 1961 (*Miridae*)
 2540. *Malenia bosnica* (Horvath, 1907) (*Derbidae*)
 2541. *Malenia kilisica* Dlabola, 1986 (*Derbidae*)
 2542. *Manica rubida* (Latreille, 1802) (*Formicidae*)
 2543. *Mantis religiosa* (Linnaeus, 1758) (*Mantidae*)
 2544. *Mantispa adelungi* Navas, 1912 (*Mantispidae*)
 2545. *Mantispa aphavexelte* U. Aspöck & H. Aspöck, 1994 (*Mantispidae*)
 2546. *Mantispa scabricollis* McLachlan, 1875 (*Mantispidae*)
 2547. *Mantispa styriaca* (Poda, 1761) (*Mantispidae*)
 2548. *Marchalina hellenica* (Gennadius) (*Margarodidae*)
 2549. *Marietta leopardina* Motschoulsky, 1863 (*Aphelinidae*)
 2550. *Marietta picta* (André, 1878) (*Aphelinidae*)
 2551. *Marthamea vitripennis* (Burmeister, 1839) (*Perilidae*)
 2552. *Matsucoccus josephi* Bodenheimer & Harpaz (*Margarodidae*)
 2553. *Matsucoccus pini* Green (*Margarodidae*)
 2554. *Mayetiola destructor* (Say, 1817) (*Cecidomyiidae*)
 2555. *Mayetiola hordei* Kieffer, 1909 (*Cecidomyiidae*)
 2556. *Mayridia formusula* Mercet (*Encyrtidae*)
 2557. *Mayridia merceti* Trjapitzin (*Encyrtidae*)
 2558. *Mayridia pulchra* Mercet (*Encyrtidae*)
 2559. *Meconema thalassinum* (De Geer, 1773) (*Tettigoniidae*)
 2560. *Medecticus assimilis* (Fieber, 1853) (*Tettigoniidae*)
 2561. *Meenoplus albosignatus* Fieber, 1866 (*Meenoplidae*)
 2562. *Megacephala euphratica* Dejean, 1822 (*Carabidae*)
 2563. *Megalocoleus dissimilis* (Reuter, 1876) (*Miridae*)
 2564. *Megalocoleus exsanguis* (Herrich-Schäffer, 1835) (*Miridae*)
 2565. *Megalonotus concors* (Hovarth, 1878) (*Lygaeidae*)
 2566. *Megalonotus lynceus* (Fabricius, 1775) (*Lygaeidae*)
 2567. *Megapenthes lugens* (Redtenbacher, 1842) (*Elateridae*)
 2568. *Megapenthes rutilipennis* Candèze, 1859 (*Elateridae*)
 2569. *Megastigmus almusiensis* Doganlar (*Torymidae*)
 2570. *Megastigmus dorsalis* (Fabricius) (*Torymidae*)
 2571. *Megastigmus juniperi* Nikol'skaya (*Torymidae*)
 2572. *Megastigmus pistaciae* Walker (*Torymidae*)
 2573. *Megastigmus rosae* Boucek (*Torymidae*)
 2574. *Megastigmus schimitscheki* Novicky (*Torymidae*)
 2575. *Megastigmus suspectus* Borries (*Torymidae*)

2576. *Megastigmus wachtli* Seitner (Torymidae)
 2577. *Megischina adeliae* (Reitter, 1890) (Tenebrionidae)
 2578. *Megischina armillata* (Brullé, 1832) (Tenebrionidae)
 2579. *Megischina bozdaglariensis* Novak, 2006 (Tenebrionidae)
 2580. *Megistopus flavicornis* (Rossi, 1807) (Myrmeleonidae)
 2581. *Megophthalmus scabripennis* Edwards, 1915 (Cicadellidae)
 2582. *Melanaspis inopinata* (Leonardi) (Diaspididae)
 2583. *Melanimon kiritshenkoi* Reichart, 1936 (Tenebrionidae)
 2584. *Melanogryllus desertus* (Pallas, 1771) (Gryllidae)
 2585. *Melanosoma bicolor* (Meigen, 1824) (Conopidae)
 2586. *Melanotus* (s.str.) *aemulus* (Erichson, 1841) (Elateridae)
 2587. *Melanotus* (s.str.) *armeniacus* Schwarz, 1891 (Elateridae)
 2588. *Melanotus* (s.str.) *atricapillus* Reitter, 1891 (Elateridae)
 2589. *Melanotus* (s.str.) *bajulus* (Erichson, 1841) (Elateridae)
 2590. *Melanotus* (s.str.) *brignolii* Guglielmi & Platia, 1985 (Elateridae)
 2591. *Melanotus* (s.str.) *brunnipes* (Germar, 1824) (Elateridae)
 2592. *Melanotus* (s.str.) *castanipes* (Paykull, 1800) (Elateridae)
 2593. *Melanotus* (s.str.) *crassicolis* (Erichson, 1841) (Elateridae)
 2594. *Melanotus* (s.str.) *dichrous* (Erichson, 1841) (Elateridae)
 2595. *Melanotus* (s.str.) *fraseri* Platia & Schimmel, 1993 (Elateridae)
 2596. *Melanotus* (s.str.) *fulvus* Reitter, 1891 (Elateridae)
 2597. *Melanotus* (s.str.) *fusciceps* (Gyllenhal, 1817) (Elateridae)
 2598. *Melanotus* (s.str.) *monticola* (Ménétriés, 1832) (Elateridae)
 2599. *Melanotus* (s.str.) *mutatus* Harold, 1869 (Elateridae)
 2600. *Melanotus* (s.str.) *osellai* Guglielmi & Platia, 1985 (Elateridae)
 2601. *Melanotus* (s.str.) *punctolineatus* (Pélerin, 1829) (Elateridae)
 2602. *Melanotus* (s.str.) *sobrinus* (Ménétriés, 1832) (Elateridae)
 2603. *Melanotus* (s.str.) *tenebrosus* (Erichson, 1841) (Elateridae)
 2604. *Melanotus* (s.str.) *turcicus* Platia & Gudenzi, 2002 (Elateridae)
 2605. *Melanotus* (s.str.) *villosus* (Fourcroy, 1785) (Elateridae)
 2606. *Melanotus* (Spheniscosomus) *cuneiformis* (Baudi, 1871) (Elateridae)
 2607. *Meligethes ater* Brisout, 1868 (Nitidulidae)
 2608. *Meligethes devillei* Grouvelle, 1912 (Nitidulidae)
 2609. *Meligethes holzschuhi* Jelinek & Spornraft, 1979 (Nitidulidae)
 2610. *Meligethes incanus* Sturm, 1845 (Nitidulidae)
 2611. *Meligethes interjectus* Jelinek & Spornraft, 1979 (Nitidulidae)
 2612. *Meligethes maurus* Sturm, 1845 (Nitidulidae)
 2613. *Meligethes tauricus* Jelinek & Spornraft, 1979 (Nitidulidae)
 2614. *Meligethes umbrosus* Sturm, 1845 (Nitidulidae)
 2615. *Meligethes vomer* Kirejtschuk, 1978 (Nitidulidae)
 2616. *Meloe autumnalis* Olivier, 1792 (Meloidae)
 2617. *Meloe bodemeyeri* Ganglbauer, 1900 (Meloidae)
 2618. *Meloe brevicollis* Panzer, 1793 (Meloidae)
 2619. *Meloe cavensis* Petagna, 1819 (Meloidae)
 2620. *Meloe cicatricosus* Leach, 1815 (Meloidae)
 2621. *Meloe deflexus* Reitter, 1889 (Meloidae)
 2622. *Meloe erythrocnemus* Pallas, 1782 (Meloidae)
 2623. *Meloe ganglbaueri* Apfelbeck, 1907 (Meloidae)
 2624. *Meloe glasunovi* Pliginski, 1910 (Meloidae)
 2625. *Meloe hungarus* Schrank, 1776 (Meloidae)
 2626. *Meloe mediterraneus* Müller, 1925 (Meloidae)
 2627. *Meloe olivieri* Chevrolat, 1833 (Meloidae)
 2628. *Meloe proscarabaeus* Linnaeus, 1758 (Meloidae)
 2629. *Meloe rufiventris* Germar, 1817 (Meloidae)
 2630. *Meloe rugosus* Marsham, 1802 (Meloidae)
 2631. *Meloe scabriusculus* Brandt & Erichson, 1832 (Meloidae)
 2632. *Meloe tuccicus* Rossi, 1792 (Meloidae)
 2633. *Meloe variegatus* Donovan, 1793 (Meloidae)
 2634. *Meloe violaceus* Marsham, 1802 (Meloidae)
 2635. *Melolontha* (s.str.) *melolontha* Linnaeus, 1758 (Scarabaeidae)
 2636. *Menophilus cylindricus* (Herbst, 1784) (Tenebrionidae)
 2637. *Mercetaspis halli* (Green) (Diaspididae)
 2638. *Mercetaspis sureyanus* (Bodenheimer) (Diaspididae)
 2639. *Merisus splendidus* Walker (Pteromalidae)
 2640. *Mesagallia georgii* Zachvatkin, 1946 (Cicadellidae)
 2641. *Mesomorphus longulus* (Reiche, 1847) (Tenebrionidae)
 2642. *Mesonemurus steineri* Hölzel, 1972 (Myrmeleonidae)
 2643. *Mesopolobus diffinis* (Walker) (Pteromalidae)
 2644. *Mesopolobus graminum* (Hardh) (Pteromalidae)
 2645. *Mesopolobus incultus* (Walker) (Pteromalidae)
 2646. *Mesopolobus laticornis* (Walker) (Pteromalidae)
 2647. *Mesopolobus mediterraneus* (Mayr) (Pteromalidae)
 2648. *Mesopolobus morys* (Walker) (Pteromalidae)
 2649. *Mesopolobus nobilis* (Walker) (Pteromalidae)
 2650. *Mesopolobus sericeus* (Forster) (Pteromalidae)
 2651. *Mesopolobus teliformis* (Walker) (Pteromalidae)
 2652. *Mesoptylus impictifrons* (Horvath, 1911) (Cercopidae)
 2653. *Mesostena puncticollis* Solier, 1835 (Tenebrionidae)
 2654. *Messor semirufus* (André, 1881) (Formicidae)
 2655. *Messor structor* (Latreille, 1798) (Formicidae)
 2656. *Metaclisa azurea* (Waltl, 1838) (Tenebrionidae)
 2657. *Metadenopus ankaranus* (Bodenheimer) (Pseudococcidae)
 2658. *Metanotalia maderensis* (Walker) (Encyrtidae)
 2659. *Metaphycus asterolecanii* (Mercet) (Encyrtidae)
 2660. *Metaphycus bellae* Trjapitzin (Encyrtidae)
 2661. *Metaphycus delos* Guerrieri & Noyes (Encyrtidae)
 2662. *Metaphycus dispar* (Mercet) (Encyrtidae)
 2663. *Metaphycus flavus* (Howard) (Encyrtidae)
 2664. *Metaphycus garmon* Guerrieri & Noyes (Encyrtidae)
 2665. *Metaphycus gennaroi* Guerrieri & Noyes (Encyrtidae)
 2666. *Metaphycus helvolus* (Compere) (Encyrtidae)
 2667. *Metaphycus ibericus* (Mercet) (Encyrtidae)
 2668. *Metaphycus insidiosus* (Mercet) (Encyrtidae)
 2669. *Metaphycus melanostomatus* (Timberlake) (Encyrtidae)
 2670. *Metaphycus petitus* (Walker) (Encyrtidae)
 2671. *Metaphycus piceus* Hoffer (Encyrtidae)
 2672. *Metaphycus silvestrii* Sugonjaev (Encyrtidae)
 2673. *Metaphycus stagnarum* Hoffer (Encyrtidae)
 2674. *Metrioptera* (Bicolorana) *bicolor* (Philippi, 1830) (Tettigoniidae)
 2675. *Metrioptera* (Bicolorana) *burri* Uvarov, 1921 (Tettigoniidae)
 2676. *Metrioptera* (Broughtonia) *arnoldi* Ramme, 1933 (Tettigoniidae)
 2677. *Metrioptera* (Roeseliana) *bispina* (Bolivar, 1899) (Tettigoniidae)
 2678. *Metrioptera* (Roeseliana) *fedtschenkoi* (Saussure, 1874) (Tettigoniidae)
 2679. *Metrioptera* (Roeseliana) *pylnovi* Uvarov, 1924 (Tettigoniidae)
 2680. *Metrioptera* (Vichetia) *oblongicollis* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 2681. *Micantulina* (Mulsantina) *stigmatipennis* (Mulsant & Rey, 1855) (Cicadellidae)
 2682. *Micrimon karabagi* Ramme, 1942 (Tettigoniidae)
 2683. *Micrococcopsis elongatus* Borkhsenius (Pseudococcidae)

2684. *Micrococcopsis stipae* Borchsenius (Pseudococcidae)
 2685. *Micrococcus inermis* (Hall) (Pseudococcidae)
 2686. *Micrococcus similis* Leonardi (Micrococcidae)
 2687. *Microdontomerus annulatus* (Spinola) (Torymidae)
 2688. *Microgaster alebion* Nixon, 1968 (Braconidae)
 2689. *Microgaster fischeri* Papp, 1960 (Braconidae)
 2690. *Microgaster fulvicornis* Wesmael, 1837 (Braconidae)
 2691. *Microgaster opheltes* Nixon, 1968 (Braconidae)
 2692. *Microgaster subcompleta* Nees, 1834 (Braconidae)
 2693. *Microhippus turcicus* Ramme, 1939 (Acrididae)
 2694. *Microlarinus lareynii* (Jacquelin du Val, 1852) (Curculionidae)
 2695. *Microlycus erdoesi* Boucek (Eulophidae)
 2696. *Micropodisma koenigi* (Burr, 1913) (Acrididae)
 2697. *Microptilis cebes* Nixon, 1970 (Braconidae)
 2698. *Microptilis deces* Tobias, 1964 (Braconidae)
 2699. *Microptilis decipiens* Prell, 1925 (Braconidae)
 2700. *Microptilis deprimator* (Fabricius, 1798) (Braconidae)
 2701. *Microptilis docilis* (Telenga, 1964) (Braconidae)
 2702. *Microptilis flavipalpis* Brullé, 1832 (Braconidae)
 2703. *Microptilis fordii* Nixon, 1970 (Braconidae)
 2704. *Microptilis heterocera* Ruthe, 1860 (Braconidae)
 2705. *Microptilis idia* Nixon, 1970 (Braconidae)
 2706. *Microptilis mandibularis* Thomson, 1895 (Braconidae)
 2707. *Microptilis marshallii* Kokujev, 1897 (Braconidae)
 2708. *Microptilis mediator* (Haliday, 1834) (Braconidae)
 2709. *Microptilis naenia* Nixon, 1970 (Braconidae)
 2710. *Microptilis scrophulariae* Szepligeti, 1898 (Braconidae)
 2711. *Microptilis sofron* Nixon, 1970 (Braconidae)
 2712. *Microptilis spinolae* Nees, 1834 (Braconidae)
 2713. *Microptilis strenua* Reinhard, 1880 (Braconidae)
 2714. *Microptilis tristis* (Nees, 1834) (Braconidae)
 2715. *Microptilis tuberculifer* (Wesmael, 1837) (Braconidae)
 2716. *Microptilis varipes* Ruthe, 1860 (Braconidae)
 2717. *Microptilis vidua* (Ruthe, 1860) (Braconidae)
 2718. *Micrositus opacus* Reitter, 1904 (Tenebrionidae)
 2719. *Microterys bellae* Trjapitzin (Encyrtidae)
 2720. *Microterys cneus* Trjapitzin & Sugonjaev (Encyrtidae)
 2721. *Microterys darevskii* Trjapitzin (Encyrtidae)
 2722. *Microterys hortulanus* Erdős (Encyrtidae)
 2723. *Microterys lunatus* (Dalman) (Encyrtidae)
 2724. *Microterys masii* Silvestri (Encyrtidae)
 2725. *Microterys nietneri* (Motschulsky) (Encyrtidae)
 2726. *Microterys tricoloricornis* (De Stefani) (Encyrtidae)
 2727. *Mikiola fagi* (Hartig, 1839) (Cecidomyiidae)
 2728. *Mikiola orientalis* Kieffer, 1908 (Cecidomyiidae)
 2729. *Mikomya coryli* (Kieffer, 1901) (Cecidomyiidae)
 2730. *Mioscirtus wagneri* (Kittary, 1849) (Acrididae)
 2731. *Miscogaster elegans* Walker (Pteromalidae)
 2732. *Miscogaster hortensis* Walker (Pteromalidae)
 2733. *Miscogaster rufipes* Walker (Pteromalidae)
 2734. *Mistshenkotetrix brachyptera* (Lucas, 1849) (Tetrigidae)
 2735. *Mocuellus dlabolai* Kalkandelen, 1972 (Cicadellidae)
 2736. *Mocuellus foxi* Kalkandelen, 1972 (Cicadellidae)
 2737. *Mocuellus quadricornis* Dlabola, 1949 (Cicadellidae)
 2738. *Mocydia aegae* Abdul-Nour, 1988 (Cicadellidae)
 2739. *Mocydiopsis monticola* Remane, 1961 (Cicadellidae)
 2740. *Mocydiopsis parvicauda* Ribaut, 1939 (Cicadellidae)
 2741. *Modicogryllus* (Eumodigogryllus) *bordigalensis* (Latreille, 1804) (Gryllidae)
 2742. *Modicogryllus* (Modicogryllus) *algius* (Saussure, 1877) (Gryllidae)
 2743. *Modicogryllus* (Modicogryllus) *frontalis* (Fieber, 1845) (Gryllidae)
 2744. *Modicogryllus* (Modicogryllus) *truncatus* (Tarbinski, 1940) (Gryllidae)
 2745. *Modicogryllus* (Promodigogryllus) *bucharicus* (Bei-Bienko, 1933) (Gryllidae)
 2746. *Mogangella straminea* Dlabola, 1957 (Cicadellidae)
 2747. *Mogoplistes brunneus* Audinet-Serville, 1839 (Mogoplistidae)
 2748. *Mohelnaspis massiliensis* (Goux) (Diaspididae)
 2749. *Monarthropalpus flavus* (Schrank, 1776) (Cecidomyiidae)
 2750. *Monodiscodes dimorphus* (Mercet) (Encyrtidae)
 2751. *Monodontomerus aereus* Walker (Torymidae)
 2752. *Monodontomerus obscurus* Westwood (Torymidae)
 2753. *Monomorium dentigerum* (Roger, 1862) (Formicidae)
 2754. *Monomorium kusnezowi* Santschi, 1928 (Formicidae)
 2755. *Monomorium minitum* Mayr, 1855 (Formicidae)
 2756. *Monorthochaeta adanaensis* Doğanlar, 2002 (Trichogrammatidae)
 2757. *Monorthochaeta galatica* Nowicki (Trichogrammatidae)
 2758. *Monosteira lobulifera* Rt., 1888 (Tingidae)
 2759. *Mormia revisenda* (Eaton, 1896) (Psychodidae)
 2760. *Morphacris fasciata* (Thunberg, 1915) (Acrididae)
 2761. *Muirodelphax aubei* (Perris, 1857) (Delphacidae)
 2762. *Mulsanteus guillebeui* (Mulsant & Godart, 1853) (Elateridae)
 2763. *Mulsanteus manuelae* Platia & Gudenzi, 1998 (Elateridae)
 2764. *Mulsanteus schaumii* (Candeze, 1881) (Elateridae)
 2765. *Musca calleva* Walker, 1849 (Muscidae)
 2766. *Musca domestica* Linnaeus, 1758 (Muscidae)
 2767. *Musca sorbens* Wiedemann, 1830 (Muscidae)
 2768. *Muzimes bitlisensis* (Kaszab, 1958) (Meloidae)
 2769. *Muzimes collaris* (Fabricius, 1787) (Meloidae)
 2770. *Muzimes dersimensis* (Kaszab, 1968) (Meloidae)
 2771. *Muzimes erivanicus* (Maran, 1941) (Meloidae)
 2772. *Muzimes obenbergeri* (Kaszab, 1958) (Meloidae)
 2773. *Muzimes semiobscurus* (Pic, 1898) (Meloidae)
 2774. *Muzimes strebai* (Maran, 1940) (Meloidae)
 2775. *Muzimes tauricus* (Maran, 1940) (Meloidae)
 2776. *Mycterodus* (Comporodus) *spinicordatus* Dlabola, 1983 (Issidae)
 2777. *Mycterodus* (Comporodus) *tekneticus* (Dlabola, 1982) (Issidae)
 2778. *Mycterodus* (s.str.) *bicornutus* Dlabola, 1986 (Issidae)
 2779. *Mycterodus* (s.str.) *confusus* Stal, 1861 (Issidae)
 2780. *Mycterodus* (s.str.) *immaculatus* (Fabricius, 1794) (Issidae)
 2781. *Mycterodus* (s.str.) *intricatus* Stal, 1861 (Issidae)
 2782. *Mycterodus* (s.str.) *iodosicus* Dlabola, 1980 (Issidae)
 2783. *Mycterodus* (s.str.) *muticus* Dlabola, 1986 (Issidae)
 2784. *Mycterodus* (s.str.) *osmanicus* Dlabola, 1971 (Issidae)
 2785. *Mycterodus* (s.str.) *pozanticus* Kartal, 1983 (Issidae)
 2786. *Mycterodus* (s.str.) *rostratulus* Emeljanov, 1964 (Issidae)
 2787. *Mylabris apicenigra* Sumacov, 1924 (Meloidae)
 2788. *Mylabris bimaculata* Klug, 1845 (Meloidae)
 2789. *Mylabris calida* (Pallas, 1784) (Meloidae)
 2790. *Mylabris ciliciensis* Escherich, 1899 (Meloidae)
 2791. *Mylabris cincta* Olivier, 1811 (Meloidae)
 2792. *Mylabris cingulata* Faldermann, 1837 (Meloidae)
 2793. *Mylabris concolor* Marseul, 1870 (Meloidae)
 2794. *Mylabris crocata* (Pallas, 1781) (Meloidae)
 2795. *Mylabris decempunctata* Fabricius, 1781 (Meloidae)
 2796. *Mylabris decore* Fivaldsky, 1835 (Meloidae)
 2797. *Mylabris emiliae* (Escherich, 1899) (Meloidae)
 2798. *Mylabris externepunctata* Faldermann, 1832 (Meloidae)
 2799. *Mylabris fabricii* Sumakov, 1924 (Meloidae)
 2800. *Mylabris festiva* (Pallas, 1773) (Meloidae)
 2801. *Mylabris flavipennis* Motschulsky, 1872 (Meloidae)
 2802. *Mylabris formosa* Welman, 1910 (Meloidae)
 2803. *Mylabris furcimakula* Sumakov, 1915 (Meloidae)

2804. *Mylabris fusca* (Olivier, 1811) (Meloidae)
 2805. *Mylabris geminata* Fabricius, 1798 (Meloidae)
 2806. *Mylabris humerosa* (Escherich, 1899) (Meloidae)
 2807. *Mylabris laevicollis* Marseul, 1870 (Meloidae)
 2808. *Mylabris ledereri* Marseul, 1870 (Meloidae)
 2809. *Mylabris munda* Escherich, 1897 (Meloidae)
 2810. *Mylabris olivieri* Billberg, 1813 (Meloidae)
 2811. *Mylabris pentheri* Ganglbauer, 1905 (Meloidae)
 2812. *Mylabris polymorphus* (Pallas, 1771) (Meloidae)
 2813. *Mylabris pusilla* Olivier, 1811 (Meloidae)
 2814. *Mylabris quadripunctata* (Linnaeus, 1767) (Meloidae)
 2815. *Mylabris serana* (Escherich, 1897) (Meloidae)
 2816. *Mylabris sericea* Pallas, 1782 (Meloidae)
 2817. *Mylabris sinuata* Klug, 1845 (Meloidae)
 2818. *Mylabris steppensis* Dokhtouroff, 1889 (Meloidae)
 2819. *Mylabris suturalis* Pic, 1898 (Meloidae)
 2820. *Mylabris syriaca* Klug, 1845 (Meloidae)
 2821. *Mylabris variabilis* (Pallas, 1782) (Meloidae)
 2822. *Mylabris zebraea* (Marseul, 1870) (Meloidae)
 2823. *Myndus musivus* (Germar, 1825) (Cixiidae)
 2824. *Myopa buccata* (Linnaeus, 1758) (Conopidae)
 2825. *Myopa dorsalis* Fabricius, 1794 (Conopidae)
 2826. *Myopa occulta* Wiedemann, 1824 (Conopidae)
 2827. *Myopa pallida* Kröber, 1916 (Conopidae)
 2828. *Myopa picta* Panzer, 1798 (Conopidae)
 2829. *Myopa variegata* Meigen, 1804 (Conopidae)
 2830. *Myopotta rubripes* (Villeneuve, 1909) (Conopidae)
 2831. *Myriochile* (Monelica) *orientalis* (Dejean, 1825) (Carabidae)
 2832. *Myriochile* (s.str.) *melancholica* (Fabricius, 1798) (Carabidae)
 2833. *Myrmecaelurus acerbus* (Walker, 1853) (Myrmeleonidae)
 2834. *Myrmecaelurus maior* McLachan, 1875 (Myrmeleonidae)
 2835. *Myrmecaelurus major* McLachlan, 1875 (Myrmeleonidae)
 2836. *Myrmecaelurus trigrammus* (Pallas, 1781) (Myrmeleonidae)
 2837. *Myrmecaelurus trigrammus* (Pallas, 1781) (Myrmeleonidae)
 2838. *Myrmecophilus* (s.str.) *acervorum* (Panzer, 1799) (Myrmecophilidae)
 2839. *Myrmecophilus* (s.str.) *ochraceus* Fischer von Waldheim, 1853 (Myrmecophilidae)
 2840. *Myrmecophilus* (s.str.) *termitophilus* Maran, 1959 (Myrmecophilidae)
 2841. *Myrmeleon* (Morter) *inconspicuus* (Rambur, 1842) (Myrmeleonidae)
 2842. *Myrmeleon* (s.str.) *formicarius* Linnaeus, 1767 (Myrmeleonidae)
 2843. *Myrmeleon* (s.str.) *noacki* Ohm, 1965 (Myrmeleonidae)
 2844. *Myrmeleon* (s.str.) *noacki* Ohm, 1965 (Myrmeleonidae)
 2845. *Myrmeleotettix maculatus* (Thunberg, 1815) (Acrididae)
 2846. *Myrmica bergi* Ruzsky, 1902 (Formicidae)
 2847. *Myrmica lobicornis* Nylander, 1846 (Formicidae)
 2848. *Myrmica ruginodis* Nylander, 1846 (Formicidae)
 2849. *Myrmica scabrinodis* Nylander, 1846 (Formicidae)
 2850. *Myrmica sulcinodis* Nylander, 1846 (Formicidae)
 2851. *Myrmilla* (Eurygnathilla) *emiliae* (Dalla Torre, 1897) (Mutillidae)
 2852. *Myrmilla* (s.str.) *calva* (Villers, 1789) (Mutillidae)
 2853. *Myrmilla* (s.str.) *corniculata* (Sichel & Radoszowski, 1869) (Mutillidae)
 2854. *Myrmosa atra* Panzer, 1801 (Mutillidae)
 2855. *Nabis palifer* Seidenstücker, 1954 (Nabidae)
 2856. *Nabis punctatus* Costa, 1847 (Nabidae)
 2857. *Nacerdes* (s.str.) *melanura* (Linnaeus, 1758) (Oedemeridae)
 2858. *Nacerdes* (Xanthochroa) *carniolica* (Gistel, 1832) (Oedemeridae)
 2859. *Nacerdes* (Xanthochroa) *raymondi* (Mulsant & Godart, 1860) (Oedemeridae)
 2860. *Nala lividipes* (Dufour, 1828) (Labiduridae)
 2861. *Nalassus dryadophilus* (Mustant, 1854) (Tenebrionidae)
 2862. *Nalassus plebejus* (Küster, 1850) (Tenebrionidae)
 2863. *Nasonia vitripennis* (Walker) (Pteromalidae)
 2864. *Neatus subaequalis* Reitter, 1920 (Tenebrionidae)
 2865. *Necremnus artynes* (Walker) (Eulophidae)
 2866. *Necremnus croton* (Walker) (Eulophidae)
 2867. *Necremnus leucarthros* (Nees) (Eulophidae)
 2868. *Necremnus tidius* (Walker) (Eulophidae)
 2869. *Nedroledon anaticus* Navas, 1914 (Myrmeleonidae)
 2870. *Negastrius sabulicola* (Boheman, 1851) (Elateridae)
 2871. *Nemognatha chrysomelina* (Fabricius, 1775) (Meloidae)
 2872. *Nemolecanium aptii* (Bodenheimer) (Coccidae)
 2873. *Nemoptera sinuata* Olivier, 1811 (Nemopteridae)
 2874. *Nemorius caucasicus* Olsufjev, 1971 (Tabanidae)
 2875. *Nemorius irritans* (Ricardo, 1901) (Tabanidae)
 2876. *Nemorius vitripennis* (Meigen, 1820) (Tabanidae)
 2877. *Nemotelus* (s.str.) *argenteus* Loew, 1846 (Stratiomyidae)
 2878. *Nemotelus* (s.str.) *armeniacus* Pleske, 1937 (Stratiomyidae)
 2879. *Nemotelus* (s.str.) *bipunctatus* Loew, 1846 (Stratiomyidae)
 2880. *Nemotelus* (s.str.) *brachystomus* Loew, 1846 (Stratiomyidae)
 2881. *Nemotelus* (s.str.) *curdistanus* Szilady, 1941 (Stratiomyidae)
 2882. *Nemotelus* (s.str.) *mersinae* Becker, 1915 (Stratiomyidae)
 2883. *Nemotelus* (s.str.) *obscuripes* Loew, 1871 (Stratiomyidae)
 2884. *Nemotelus* (s.str.) *pantherinus* (Linnaeus, 1758) (Stratiomyidae)
 2885. *Nemoura brevipennis* Martynov, 1928 (Nemouridae)
 2886. *Nemoura cinerea* (Retzius, 1783) (Nemouridae)
 2887. *Nemoura flexuosa* Aubert, 1949 (Nemouridae)
 2888. *Nemoura martynovia* Claassen, 1936 (Nemouridae)
 2889. *Nemoura subtilis* Klapalek, 1895 (Nemouridae)
 2890. *Nemoura taurica* Zhiltzova, 1967 (Nemouridae)
 2891. *Neoaliturus dubiosus* (Matsumura, 1908) (Cicadellidae)
 2892. *Neoaliturus fenestratus* (Herrich-Schäffer, 1834) (Cicadellidae)
 2893. *Neoaliturus guttulatus* (Kirschbaum, 1868) (Cicadellidae)
 2894. *Neoaliturus pulcher* (Haupt, 1927) (Cicadellidae)
 2895. *Neoaliturus transversalis* (Puton, 1881) (Cicadellidae)
 2896. *Neobrachyglossum punctatum* Kröber, 1915 (Conopidae)
 2897. *Neochalcis fertoni* (Kieffer) (Chalcididae)
 2898. *Neochalcis hippotoides* (Masi) (Chalcididae)
 2899. *Neoitamus senectus* Richter, 1963 (Asilidae)
 2900. *Neomargarodes festucae* Archangelskaya (Margarodidae)
 2901. *Neomochtherus albicans* (Loew, 1849) (Asilidae)
 2902. *Neomochtherus auratus* Janssens, 1968 (Asilidae)
 2903. *Neomochtherus leclerqi* Janssens, 1968 (Asilidae)
 2904. *Neophilaenus albipennis* (Fabricius, 1798) (Cercopidae)
 2905. *Neophilaenus campestris* (Fallén, 1805) (Cercopidae)
 2906. *Neophilaenus lineatus* (Linnaeus, 1758) (Cercopidae)
 2907. *Neophilaenus minor* (Kirschbaum, 1868) (Cercopidae)
 2908. *Neopristiphophus insitivus* (Germar, 1824) (Elateridae)
 2909. *Neotournieria szypulai* Bialooki, 2006 (Curculionidae)
 2910. *Neotrichoporoides beyarslani* Doganlar (Eulophidae)

2911. *Neotrichoporoides biogradensis* Graham (Eulophidae)
 2912. *Neotrichoporoides cavigena* Graham (Eulophidae)
 2913. *Neotrichoporoides cynodontis* (Domenichini) (Eulophidae)
 2914. *Neotrichoporoides mediterraneus* Graham (Eulophidae)
 2915. *Neotrichoporoides szelenyii* (Erdős) (Eulophidae)
 2916. *Neotrichoporoides tokatensis* Doganlar (Eulophidae)
 2917. *Neotrichoporoides viridimaculatus* (Fullaway) (Eulophidae)
 2918. *Neotryptonmus monstatus* Borkhsenius (Pseudococcidae)
 2919. *Nesoclutha erythrocephala* (Ferrari, 1882) (Cicadellidae)
 2920. *Neuroleon assimilis* (Navas, 1914) (Myrmeleionidae)
 2921. *Neuroleon egenus* (Navas, 1914) (Myrmeleionidae)
 2922. *Neuroleon occultus* (Navas, 1914) (Myrmeleionidae)
 2923. *Nicticoris wagneri* Hoberlandt, 1961 (Miridae)
 2924. *Nidularia balachowskii* Bodenheimer (Kermesidae)
 2925. *Nidularia pulvinata* (Planchon) (Kermesidae)
 2926. *Nipacoccus filamentosus* (Cockerell) (Pseudococcidae)
 2927. *Nipacoccus nipae* (Maskell) (Pseudococcidae)
 2928. *Nisia nervosa* (Motschulsky, 1863) (Meenoplidae)
 2929. *Nocaracris cyanipes* (Fischer von Waldheim, 1846) (Pamphagidae)
 2930. *Nocaracris tecticollis* Rammme, 1951 (Pamphagidae)
 2931. *Nocarodes aserbus* Mistshenko, 1951 (Pamphagidae)
 2932. *Nocarodes bicoloripes* Uvarov, 1949 (Pamphagidae)
 2933. *Nohoveus atrifrons* Hölzel, 1970 (Myrmeleionidae)
 2934. *Nohoveus atrifrons* Hölzel, 1970 (Myrmeleionidae)
 2935. *Norbanus calabrus* (Masi) (Pteromalidae)
 2936. *Norbanus cerasiops* (Masi) (Pteromalidae)
 2937. *Norbanus opscurus* (Masi) (Pteromalidae)
 2938. *Noterus clavicornis* (De Geer, 1774) (Noteridae)
 2939. *Nothodes parvulus* (Panzer, 1799) (Elateridae)
 2940. *Novadrymadusa karabagi* Demirsoy, Salman & Sevgili, 2002 (Tettigoniidae)
 2941. *Nycteribia* (Acrocholidia) *vexata* Westwood, 1835 (Nycteribiidae)
 2942. *Nycteribia* (s.str.) *kolenatii* Theodor & Moscona, 1954 (Nycteribiidae)
 2943. *Nycteribia* (s.str.) *latreillii* (Leach, 1817) (Nycteribiidae)
 2944. *Nycteribia* (s.str.) *pedicularia* Latreille, 1805 (Nycteribiidae)
 2945. *Nycteribia* (s.str.) *schmidlii* Schiner, 1853 (Nycteribiidae)
 2946. *Nymphorgerius curticeps* (Linnavuori, 1965) (Dictyopharidae)
 2947. *Nysius cymoides* (Spinola, 1834) (Lygaeidae)
 2948. *Nysius ericae* (Schilling, 1829) (Lygaeidae)
 2949. *Oceanaspidotus spinosus* (Comstock) (Diaspididae)
 2950. *Ochrilidia acuta* (Bolivar, 1905) (Acrididae)
 2951. *Ochrilidia obtusa* (Salfi, 1931) (Acrididae)
 2952. *Ochrilidia pruinosa* Brunner von Wattenwyl, 1882 (Acrididae)
 2953. *Ochrilidia tibialis* (Fieber, 1853) (Acrididae)
 2954. *Odeles armilabris* (Nyholm, 1974) (Scirtidae)
 2955. *Odinadiplosis amygdali* (Anagnostopoulos, 1929) (Cecidomyiidae)
 2956. *Odontomyia angulata* (Panzer, [1798]) (Stratiomyidae)
 2957. *Odontomyia cephalonica* Strobl, 1898 (Stratiomyidae)
 2958. *Odontomyia discolor* Loew, 1846 (Stratiomyidae)
 2959. *Odontomyia flavissima* (Rossi, 1790) (Stratiomyidae)
 2960. *Odontomyia hydroleon* (Linnaeus, 1758) (Stratiomyidae)
 2961. *Odontomyia ornata* (Meigen, 1822) (Stratiomyidae)
 2962. *Odontotarsus plicatulus* Hovarth, 1906 (Scutellaridae)
 2963. *Oecanthus pellucens* (Scopoli, 1763) (Gryllidae)
 2964. *Oecanthus pellucens* (Scopoli, 1763) (Gryllidae)
 2965. *Oedaleus decorus* (Germar, 1826) (Acrididae)
 2966. *Oedemera* (Oncomera) *femoralis* (Fabricius, 1792) (Oedemeridae)
 2967. *Oedemera* (Oncomera) *flavicans* (Fairmaire, 1860) (Oedemeridae)
 2968. *Oedemera* (Oncomera) *natolica* (Reiche, 1862) (Oedemeridae)
 2969. *Oedemera* (s.str.) *artvinensis* Svihla, 1999 (Oedemeridae)
 2970. *Oedemera* (s.str.) *atrata* W. Schmidt, 1846 (Oedemeridae)
 2971. *Oedemera* (s.str.) *barbara* (Fabricius, 1792) (Oedemeridae)
 2972. *Oedemera* (s.str.) *brevipennis* Ganglbauer, 1881 (Oedemeridae)
 2973. *Oedemera* (s.str.) *crassipes* Ganglbauer, 1881 (Oedemeridae)
 2974. *Oedemera* (s.str.) *femorata* (Scopoli, 1763) (Oedemeridae)
 2975. *Oedemera* (s.str.) *flavipennis* W. Schmidt, 1846 (Oedemeridae)
 2976. *Oedemera* (s.str.) *flavipes* (Fabricius, 1792) (Oedemeridae)
 2977. *Oedemera* (s.str.) *lurida* (Marsham, 1802) (Oedemeridae)
 2978. *Oedemera* (s.str.) *merkli* Seidlitz, 1899 (Oedemeridae)
 2979. *Oedemera* (s.str.) *penicillata* W. Schmidt, 1846 (Oedemeridae)
 2980. *Oedemera* (s.str.) *podagrariae* (Linnaeus, 1767) (Oedemeridae)
 2981. *Oedemera* (s.str.) *pthysica* (Scopoli, 1763) (Oedemeridae)
 2982. *Oedemera* (s.str.) *rufofemorata* Germar, 1824 (Oedemeridae)
 2983. *Oedemera* (s.str.) *subrobusta* (Nakane, 1954) (Oedemeridae)
 2984. *Oedemera* (s.str.) *vilis* Roubal, 1917 (Oedemeridae)
 2985. *Oedemera* (s.str.) *virescens* (Linnaeus, 1767) (Oedemeridae)
 2986. *Oedipoda aurea* Uvarov, 1923 (Acrididae)
 2987. *Oedipoda caerulea* (Linnaeus, 1758) (Acrididae)
 2988. *Oedipoda germanica* (Latreille, 1804) (Acrididae)
 2989. *Oedipoda miniata* (Pallas, 1771) (Acrididae)
 2990. *Oedipoda schochi* Saussure, 1884 (Acrididae)
 2991. *Oenas afer* (Linnaeus, 1767) (Meloidae)
 2992. *Oenas armeniacus* Kaszab, 1951 (Meloidae)
 2993. *Oenas crassicornis* (Illiger, 1800) (Meloidae)
 2994. *Oenas tarsensis* Abeille de Perrin, 1880 (Meloidae)
 2995. *Oenas tenuicornis* Abeille de Perrin, 1880 (Meloidae)
 2996. *Oliarus cuspidatus* Fieber, 1876 (Cixiidae)
 2997. *Oliarus pallens* (Germar, 1821) (Cixiidae)
 2998. *Oliarus roridus* Fieber, 1876 (Cixiidae)
 2999. *Oligodranes fumipennis* Loew, 1844 (Bombyliidae)
 3000. *Oligodranes obscuripennis* Loew, 1844 (Bombyliidae)
 3001. *Oligopogon anatolicus* Geller-Grimm & Hradski, 2003 (Asilidae)
 3002. *Oligopogon londti* Geller-Grimm & Hradski, 2003 (Asilidae)
 3003. *Oligopogon rufus* Geller-Grimm & Hradski, 2003 (Asilidae)
 3004. *Oligosita collina* Walker (Trichogrammatidae)
 3005. *Oligosita foersteri* Girault (Trichogrammatidae)
 3006. *Oligosita pallida* Kryger (Trichogrammatidae)
 3007. *Oligotrophus juniperinus* (Linnaeus, 1758) (Cecidomyiidae)
 3008. *Oligotrophus panteli* Kieffer, 1898 (Cecidomyiidae)
 3009. *Ommatidiotus iranicus* Horvath, 1905 (Caliscelidae)
 3010. *Ommatidiotus longiceps* Puton, 1896 (Caliscelidae)
 3011. *Ommatius stackelbergi* (Richter, 1960) (Asilidae)
 3012. *Omocestus* (Dirshius) *haemorrhoidalis* (Charpentier, 1825) (Acrididae)

3013. *Omocestus* (Dirshius) *minutus* (Brullé, 1832) (Acrididae)
 3014. *Omocestus* (Dirshius) *petraeus* (Brisout, 1855) (Acrididae)
 3015. *Omocestus* (s.str.) *nanus* Uvarov, 1934 (Acrididae)
 3016. *Omocestus* (s.str.) *rufipes* (Zetterstedt, 1821) (Acrididae)
 3017. *Omocestus* (s.str.) *ventralis* (Zetterstedt, 1821) (Acrididae)
 3018. *Omocestus* (s.str.) *viridulus* (Linnaeus, 1758) (Acrididae)
 3019. *Omophlus* (Odontomophlus) *lepturoides* (Fabricius, 1787) (Tenebrionidae)
 3020. *Omophlus* (Odontomophlus) *syriacus* Mulsant, 1856 (Tenebrionidae)
 3021. *Omophlus* (s.str.) *caucasicus* Kirsch, 1869 (Tenebrionidae)
 3022. *Omophlus* (s.str.) *turcicus* Kirsch, 1869 (Tenebrionidae)
 3023. *Oncopsis* *flavicollis* (Linnaeus, 1761) (Cicadellidae)
 3024. *Oncopsis* *tristis* (Zetterstedt, 1840) (Cicadellidae)
 3025. *Oncotylus* *setulosus* (Herrich-Schäffer, 1837) (Miridae)
 3026. *Oncotylus* *viridiflavus* (Miridae)
 3027. *Oochrotus* *glaber* Demaison, 1904 (Tenebrionidae)
 3028. *Ooencyrtus* *fecundus* Ferrière & Voegelé (Encyrtidae)
 3029. *Ooencyrtus* *kuvanae* (Howard) (Encyrtidae)
 3030. *Ooencyrtus* *masii* (Mercet) (Encyrtidae)
 3031. *Ooencyrtus* *pityocampae* (Mercet) (Encyrtidae)
 3032. *Ooencyrtus* *tardus* (Ratzeburg) (Encyrtidae)
 3033. *Ooencyrtus* *telenomicida* (Vassiliev) (Encyrtidae)
 3034. *Oomyzus* *scaposus* (Thomson) (Eulophidae)
 3035. *Oomyzus* *sempronius* (Erdös) (Eulophidae)
 3036. *Opatroides* *curtulus* Fairmaire, 1892 (Tenebrionidae)
 3037. *Opatroides* *punctulatus* Brullé, 1832 (Tenebrionidae)
 3038. *Opatrum* *alternatum* Küster, 1849 (Tenebrionidae)
 3039. *Opatrum* *geminatum* Brullé, 1832 (Tenebrionidae)
 3040. *Opatrum* *obesum* Olivier, 1811 (Tenebrionidae)
 3041. *Opatrum* *sabulosum* (Linnaeus, 1761) (Tenebrionidae)
 3042. *Opatrum* *verrucosum* Germar, 1817 (Tenebrionidae)
 3043. *Opilo* *taeniatus* (Klug, 1842) (Cleridae)
 3044. *Oplodontha* *viridula* (Fabricius, 1775) (Stratiomyidae)
 3045. *Opsimea* *ventralis* Miller, 1880 (Oedemeridae)
 3046. *Opsius* *cypricus* Lindberg, 1958 (Cicadellidae)
 3047. *Opsius* *jucundus* (Lethierry, 1871) (Cicadellidae)
 3048. *Opsius* *lethierryi* Wagner, 1942 (Cicadellidae)
 3049. *Opsius* *smaragdinus* Emeljanov, 1964 (Cicadellidae)
 3050. *Opsius* *stactogalus* Fieber, 1866 (Cicadellidae)
 3051. *Orchamus* *davisi* (Uvarov, 1949) (Pamphagidae)
 3052. *Orchamus* *yersini* (Brunner von Wattenwyl, 1882) (Pamphagidae)
 3053. *Orellia* *falcata* (Scopoli, 1763) (Tephritidae)
 3054. *Orellia* *sticta* (Gmelin, 1790) (Tephritidae)
 3055. *Oreodytes* *septentrionalis* (Gyllenhal, 1826) (Dytiscidae)
 3056. *Ormyrus* *ardahanensis* (Doganlar) (Ormyridae)
 3057. *Ormyrus* *bingoeliensis* Doganlar (Ormyridae)
 3058. *Ormyrus* *diffinis* (Fonscolombe) (Ormyridae)
 3059. *Ormyrus* *gratiosus* (Förster) (Ormyridae)
 3060. *Ormyrus* *kazovaensis* (Doganlar) (Ormyridae)
 3061. *Ormyrus* *nitidulus* (Fabricius) (Ormyridae)
 3062. *Ormyrus* *orientalis* Walker (Ormyridae)
 3063. *Ormyrus* *tschami* (Doganlar) (Ormyridae)
 3064. *Ormyrus* *wachtli* Mayr (Ormyridae)
 3065. *Ormyrus* *yeschilirmaka* (Doganlar) (Ormyridae)
 3066. *Oronothotes* *furvus* Mistshenko, 1951 (Pamphagidae)
 3067. *Orosius* *orientalis* (Matsumura, 1914) (Cicadellidae)
 3068. *Orthezia* *urticae* (Linnaeus) (Ortheziidae)
 3069. *Orthops* *basalis* (Costa, 1852) (Miridae)
 3070. *Orthotylus* *minutus* Jakovlev, 1877 (Miridae)
 3071. *Orthotylus* *nassatus* (Fabricius, 1787) (Miridae)
 3072. *Orthotylus* *virescens* (Douglas & Scott, 1865) (Miridae)
 3073. *Oryctes* (Oryctes) *nasicornis* (Linnaeus, 1758) (Scarabaeidae)
 3074. *Osbornellus* *macchiai* (Lindberg, 1948) (Cicadellidae)
 3075. *Osmia* (Exosmia) *difficilis* Morawitz, 1875 (Megachilidae)
 3076. *Osmia* (Tergosmia) *avosetta* Warncke, 1988 (Megachilidae)
 3077. *Osmia* (Tergosmia) *glareola* Warncke, 1988 (Megachilidae)
 3078. *Osmia* (Tergosmia) *pratincola* Warncke, 1988 (Megachilidae)
 3079. *Osmia* (Tergosmia) *rhodoensis* (Zanden, 1983) (Megachilidae)
 3080. *Osmia* (Tergosmia) *tergestensis* DUCKE, 1897 (Megachilidae)
 3081. *Osmylus* *cilicicus* Krüger, 1913 (Osmylidae)
 3082. *Osmylus* *elegantissimus* Kozhantshikov, 1951 (Osmylidae)
 3083. *Osmylus* *fulvicephalus* (Scopoli, 1763) (Osmylidae)
 3084. *Osmylus* *multiguttatus* McLachlan, 1870 (Osmylidae)
 3085. *Oxycarenus* *pallens* (Herrich-Schäffer, 1850) (Lygaeidae)
 3086. *Oxycera* *limbata* Loew, 1862 (Stratiomyidae)
 3087. *Oxycera* *pygmaea* (Fallén, 1817) (Stratiomyidae)
 3088. *Oxycera* *trilineata* (Linnaeus, 1767) (Stratiomyidae)
 3089. *Oxyglypta* *rugosa* Ruschka (Pteromalidae)
 3090. *Oxyna* *flavipennis* (Loew, 1844) (Tephritidae)
 3091. *Oxyrhachis* *egyptiana* Distant, 1915 (Membracidae)
 3092. *Oxythyrea* *funesta* (Poda, 1761) (Scarabaeidae)
 3093. *Ozirhincus* *anthemidis* Rübsaamen, 1915 (Cecidomyiidae)
 3094. *Ozirhincus* *longicollis* Rondani, 1840 (Cecidomyiidae)
 3095. *Ozirhincus* *millefolii* (Wachtl, 1884) (Cecidomyiidae)
 3096. *Pachycerus* *cordiger* (Germar, 1819) (Curculionidae)
 3097. *Pachycerpoideus* *vindemmiae* (Rondani) (Pteromalidae)
 3098. *Pachygaster* *atra* (Panzer, [1798]) (Stratiomyidae)
 3099. *Pachyneuron* *ahlaense* Mani & Saraswat (Pteromalidae)
 3100. *Pachyneuron* *aphidis* (Bouché) (Pteromalidae)
 3101. *Pachyneuron* *erzurimicum* Doganlar (Pteromalidae)
 3102. *Pachyneuron* *formosum* Walker (Pteromalidae)
 3103. *Pachyneuron* *gibbiscuta* Thomson (Pteromalidae)
 3104. *Pachyneuron* *groenlandicum* (Holmgren) (Pteromalidae)
 3105. *Pachyneuron* *leucopiscida* Mani (Pteromalidae)
 3106. *Pachyneuron* *muscarum* (Linnaeus) (Pteromalidae)
 3107. *Pachyneuron* *nelsoni* Girault (Pteromalidae)
 3108. *Pachyprotasis* *rapae* Linne, 1767 (Tenthredinidae)
 3109. *Pachyscelis* *musiva* (Ménétriés, 1832) (Tenebrionidae)
 3110. *Pachyscelis* *quadricollis* Brullé, 1832 (Tenebrionidae)
 3111. *Pachyscelis* *villosa* (Drapiez, 1820) (Tenebrionidae)
 3112. *Pachytrachis* *gracilis* (Brunner von Wattenwyl, 1861) (Tettigoniidae)
 3113. *Pagiphora* *annulata* (Brullé, 1832) (Cicadidae)
 3114. *Pagiphora* *aschei* Kartal, 1978 (Cicadidae)
 3115. *Palaeococcus* *fuscipennis* (Burmeister) (Margarodidae)
 3116. *Palaeolecanium* *bituberculatum* (Signoret) (Coccidae)
 3117. *Palaeolecanium* *kosswigi* Bodenheimer (Coccidae)
 3118. *Palorus* *depressus* (Fabricius, 1790) (Tenebrionidae)
 3119. *Palpares* *libelluloides* (Linnaeus, 1764) (Myrmeleonidae)

3120. *Palpares solidus* Gerstaecker, 1893 (*Myrmeleonidae*)
3121. *Palpares turcicus* Koçak, 1976 (*Myrmeleonidae*)
3122. *Paluda vitripennis* (Flor, 1861) (*Cicadellidae*)
3123. *Pangonius* (*Melanopangonius*) *funebri* Macquart, 1845 (*Tabanidae*)
3124. *Pangonius* (*Melanopangonius*) *haustellatus* (Fabricius, 1781) (*Tabanidae*)
3125. *Pangonius* (s. str.) *obscuratus* Loew, 1859 (*Tabanidae*)
3126. *Pangonius* (s.str.) *argentatus* Szilady, 1923 (*Tabanidae*)
3127. *Pangonius* (s.str.) *flavocinctus* Szilady, 1923 (*Tabanidae*)
3128. *Pangonius* (s.str.) *fulvipes* Loew, 1859 (*Tabanidae*)
3129. *Pangonius* (s.str.) *lucidus* Szilady, 1923 (*Tabanidae*)
3130. *Paracaloptenus caloptenoides* (Brunner von Wattenwyl, 1861) (*Acrididae*)
3131. *Paracardiophorus musculus* (Erichson, 1840) (*Elateridae*)
3132. *Paracinema tricolor* (Thunberg, 1815) (*Acrididae*)
3133. *Paracymus aeneus* Germar, 1824 (*Hydrophilidae*)
3134. *Paradorydium mustafai* Demir, 2005 (*Cicadellidae*)
3135. *Paradorydium occidentale* Lindberg, 1954 (*Cicadellidae*)
3136. *Paradorydium paradoxum* (Herrich-Schäffer, 1837) (*Cicadellidae*)
3137. *Paradrymadusa aksirayi* Karabağ, 1952 (*Tettigoniidae*)
3138. *Paradrymadusa brevicerca* Karabağ, 1956 (*Tettigoniidae*)
3139. *Paradrymadusa sordida* Herman, 1874 (*Tettigoniidae*)
3140. *Parageron punctipennis* (Loew, 1846) (*Bombyliidae*)
3141. *Paragnetina transoxanica* (Klapalek, 1921) (*Perlidae*)
3142. *Paralimnellus cingulatus* (Dlabola, 1960) (*Cicadellidae*)
3143. *Paralimnus phragmitis* (Boheman, 1847) (*Cicadellidae*)
3144. *Paralimnus picturatus* Haupt, 1930 (*Cicadellidae*)
3145. *Paramesodes lineaticollis* (Distant, 1908) (*Cicadellidae*)
3146. *Paramesius obtusifrons* (Stal, 1853) (*Cicadellidae*)
3147. *Paramyrmosa brunnipes* (Lepeletier, 1845) (*Mutillidae*)
3148. *Paramyrmosa radoszkowskyi* (Saussure, 1880) (*Mutillidae*)
3149. *Paramyrmosa* Saussure, 1880 (*Mutillidae*)
3150. *Paranocaracris bulgaricus* (Ebner & Drenowsky, 1930) (*Pamphagidae*)
3151. *Paranocaracris citripes* (Uvarov, 1949) (*Pamphagidae*)
3152. *Paranocaracris elegans* Mistshenko, 1951 (*Pamphagidae*)
3153. *Paranocaracris rimansonae* (Uvarov, 1918) (*Pamphagidae*)
3154. *Paranocaracris rubripes* (Fischer von Waldheim, 1846) (*Pamphagidae*)
3155. *Paranocarodes atympanicus* Ramme, 1951 (*Pamphagidae*)
3156. *Paranocarodes beieri* (Ramme, 1951) (*Pamphagidae*)
3157. *Paranocarodes fieberi* (Brunner von Wattenwyl, 1882) (*Pamphagidae*)
3158. *Paranocarodes lubricus* Mistshenko, 1951 (*Pamphagidae*)
3159. *Paranocarodes straubei* (Fieber, 1853) (*Pamphagidae*)
3160. *Paranocarodes sulcatus* (Bolivar, 1912) (*Pamphagidae*)
3161. *Paranothrotres asulcatus* Demirsoy, 1973 (*Pamphagidae*)
3162. *Paranothrotres eximius* Mistshenko, 1951 (*Pamphagidae*)
3163. *Paranothrotres gotvendicus* (Bolivar, 1912) (*Pamphagidae*)
3164. *Paranothrotres kosswigi* Demirsoy, 1973 (*Pamphagidae*)
3165. *Paranothrotres levis* Mistshenko, 1951 (*Pamphagidae*)
3166. *Paranothrotres opacus* (Brunner von Wattenwyl, 1882) (*Pamphagidae*)
3167. *Parapholidoptera antaliae* Nadig, 1991 (*Tettigoniidae*)
3168. *Parapholidoptera belen* Ünal, 2006 (*Tettigoniidae*)
3169. *Parapholidoptera bolkaensis* Çıplak, 2000 (*Tettigoniidae*)
3170. *Parapholidoptera castaneoviridis* (Brunner von Wattenwyl, 1882) (*Tettigoniidae*)
3171. *Parapholidoptera distincta* (Uvarov, 1921) (*Tettigoniidae*)
3172. *Parapholidoptera flexuosa* Karabağ, 1961 (*Tettigoniidae*)
3173. *Parapholidoptera grandis* (Karabağ, 1952) (*Tettigoniidae*)
3174. *Parapholidoptera intermixta* Karabağ, 1961 (*Tettigoniidae*)
3175. *Parapholidoptera karabagi* Demirsoy, 1974 (*Tettigoniidae*)
3176. *Parapholidoptera kosswigi* (Karabağ, 1950) (*Tettigoniidae*)
3177. *Parapholidoptera noxia* (Ramme, 1930) (*Tettigoniidae*)
3178. *Parapholidoptera punctifrons* (Burmeister, 1839) (*Tettigoniidae*)
3179. *Parapholidoptera salmani* Çıplak, 2000 (*Tettigoniidae*)
3180. *Parapholidoptera signata* (Brunner von Wattenwyl, 1861) (*Tettigoniidae*)
3181. *Parapholidoptera spinulosa* Karabağ, 1956 (*Tettigoniidae*)
3182. *Parapholidoptera syriaca* (Ramme, 1930) (*Tettigoniidae*)
3183. *Parapholidoptera yoruka* Çıplak, 2000 (*Tettigoniidae*)
3184. *Parapholidoptera ziganensis* Karabağ, 1964 (*Tettigoniidae*)
3185. *Parapleurus alliaceus* (Germar, 1817) (*Acrididae*)
3186. *Parapoecilimon antalyaensis* Karabağ, 1975 (*Tettigoniidae*)
3187. *Parasaissetia nigra* (Nietner) (*Coccidae*)
3188. *Parasauleia trjapitzini* Hoffer (*Encyrtidae*)
3189. *Paratettix iranica* Uvarov, 1952 (*Tetrigidae*)
3190. *Paratettix meridionalis* (Rambur, 1838) (*Tetrigidae*)
3191. *Parameenes laminatus* (Kriechbaumer, 1879) (*Vespidae*)
3192. *Parlatoreopsis longispina* (Newstead) (*Diaspididae*)
3193. *Parlatoria crotonis* Douglas (*Diaspididae*)
3194. *Parlatoria oleae* (Colvee) (*Diaspididae*)
3195. *Parlatoria parlitoriae* (Sulc) (*Diaspididae*)
3196. *Parlatoria pergandii* Comstock (*Diaspididae*)
3197. *Parlatoria ziziphi* (Lucas) (*Diaspididae*)
3198. *Parthenolecanium tamaricis* (Bodenheimer) (*Coccidae*)
3199. *Parthenolecanium corni* (Bouche) (*Coccidae*)
3200. *Parthenolecanium persicae* (Fabricius) (*Coccidae*)
3201. *Parthenolecanium pomeranicum* (Kawecki) (*Coccidae*)
3202. *Parthenolecanium pruinsum* (Coquillett) (*Coccidae*)
3203. *Parthenolecanium rufulum* (Cockerell) (*Coccidae*)
3204. *Pedinus* (s.str.) *bodemeyeri* Reitter, 1904 (*Tenebrionidae*)
3205. *Pedinus* (s.str.) *curvipes* Mulsant & Rey, 1853 (*Tenebrionidae*)
3206. *Pedinus* (s.str.) *kiesenwetteri* Seidlitz, 1893 (*Tenebrionidae*)
3207. *Pedinus* (s.str.) *marani* Kaszab, 1960 (*Tenebrionidae*)

3208. *Pedinus* (s.str.) *quadratus* Brullé, 1832 (*Tenebrionidae*)
 3209. *Pedinus* (s.str.) *reitteri* Seidlitz, 1893 (*Tenebrionidae*)
 3210. *Pedinus* (s.str.) *strabonis* Seidlitz, 1893 (*Tenebrionidae*)
 3211. *Pedinus* (s.str.) *tauricus* Mulsant & Rey, 1853 (*Tenebrionidae*)
 3212. *Pedinus* (Vadulus) *punctulatus* Mulsant & Rey, 1853 (*Tenebrionidae*)
 3213. *Pediobius bruchicida* (Rondani) (*Eulophidae*)
 3214. *Pediobius cassidae* Erdös (*Eulophidae*)
 3215. *Pediobius epigonus* (Walker) (*Eulophidae*)
 3216. *Pediobius metallicus* (Nees) (*Eulophidae*)
 3217. *Pediobius nigratarsis* (Thomson) (*Eulophidae*)
 3218. *Pediobius pyrgo* (Walker) (*Eulophidae*)
 3219. *Pediobius saulius* (Walker) (*Eulophidae*)
 3220. *Peliococcopsis priesneri* (Laing) (*Pseudococcidae*)
 3221. *Peliococcus chersonensis* (Kiritshenko) (*Pseudococcidae*)
 3222. *Peliococcus kimmericus* (Kiritshenko) (*Pseudococcidae*)
 3223. *Peliococcus manifestus* Borchsenius (*Pseudococcidae*)
 3224. *Peliococcus salviae* Hadzibejli (*Pseudococcidae*)
 3225. *Peliococcus tritubulatus* (Kiritshenko) (*Pseudococcidae*)
 3226. *Peliococcus turanicus* (Kiritshenko) (*Pseudococcidae*)
 3227. *Peltodytes caesus* (Duftschmid, 1805) (*Halipidae*)
 3228. *Peltonotellus punctifrons* Horvath, 1895 (*Caliscelidae*)
 3229. *Penicillidia conspicua* Speiser, 1901 (*Nycteribiidae*)
 3230. *Penicillidia dufourii* (Westwood, 1835) (*Nycteribiidae*)
 3231. *Pentacladia hatayensis* Doganlar (*Eupelmidae*)
 3232. *Pentacladocerus araraticus* (Trjapitzin) (*Encyrtidae*)
 3233. *Pentaphyllus chrysomeloides* (Rossi, 1792) (*Tenebrionidae*)
 3234. *Pentastira major* (Kirschbaum, 1868) (*Cixiidae*)
 3235. *Pentastira megista* Emeljanov, 1978 (*Cixiidae*)
 3236. *Pentastira torossica* (Dlabola, 1957) (*Cixiidae*)
 3237. *Pentastiridius leporinus* (Linnaeus, 1761) (*Cixiidae*)
 3238. *Pentastiridius nanus* (Ivanoff, 1885) (*Cixiidae*)
 3239. *Penthimia nigra* (Goeze, 1778) (*Cicadellidae*)
 3240. *Pentodon algerinum* Herbst, 1789 (*Scarabaeidae*)
 3241. *Pentodon bidens* (Pallas, 1771) (*Scarabaeidae*)
 3242. *Pentodon caminarium* Faldermann, 1835 (*Scarabaeidae*)
 3243. *Pentodon idiota* (Herbst, 1789) (*Scarabaeidae*)
 3244. *Pentodon quadridens* (Gebler, 1845) (*Scarabaeidae*)
 3245. *Pericoma blandula* Eaton, 1893 (*Psychodidae*)
 3246. *Pericoma hakkariae* R. Wagner, 1986 (*Psychodidae*)
 3247. *Pericoma kariana* Vaillant, 1978 (*Psychodidae*)
 3248. *Pericoma orientalis* R. Wagner, 1986 (*Psychodidae*)
 3249. *Pericoma platystyla* R. Wagner, 1986 (*Psychodidae*)
 3250. *Pericoma tenuistylis* Vaillant, 1978 (*Psychodidae*)
 3251. *Perilampus aeneus* (Rossius) (*Perilampidae*)
 3252. *Perilampus catilus* (Argaman) (*Perilampidae*)
 3253. *Periplaneta americana* (Linnaeus, 1758) (*Blattidae*)
 3254. *Peripontius concolor* (Desbrochers, 1875) (*Elateridae*)
 3255. *Peripontius crassus* (Buysson, 1906) (*Elateridae*)
 3256. *Peripontius dentatus* Platia & Schimmel, 1991 (*Elateridae*)
 3257. *Peripontius elegantulus* Platia, 2003 (*Elateridae*)
 3258. *Peripontius jagemanni* Platia & Gudenzi, 2000 (*Elateridae*)
 3259. *Peripontius oertzeni* Schwarz, 1897 (*Elateridae*)
 3260. *Peripontius omissus* (Buysson, 1889) (*Elateridae*)
 3261. *Peripontius saroveci* Platia, 2003 (*Elateridae*)
 3262. *Peripontius terminatus* (Erichson, 1842) (*Elateridae*)
 3263. *Peripontius turcicus* Platia & Tarnawski, 1998 (*Elateridae*)
 3264. *Perkinsiella dorsata* Melichar, 1905 (*Delphacidae*)
 3265. *Perla illiesi* Braasch & Joost, 1971 (*Perlidae*)
 3266. *Perla kiritshenkoi* Zhiltzova, 1961 (*Perlidae*)
 3267. *Perla marginata* (Panzer, 1799) (*Perlidae*)
 3268. *Perla pallida* Guérin, 1838 (*Perlidae*)
 3269. *Perlamantispa perla* (Pallas, 1772) (*Mantispidae*)
 3270. *Perlodes microcephala* (Pictet, 1833) (*Perlodidae*)
 3271. *Pezodrymadusa affinis* (Bolivar, 1899) (*Tettigoniidae*)
 3272. *Pezodrymadusa angorensis* (Uvarov, 1930) (*Tettigoniidae*)
 3273. *Pezodrymadusa diffusa* (Ramme, 1951) (*Tettigoniidae*)
 3274. *Pezodrymadusa indivisa* Karabağ, 1961 (*Tettigoniidae*)
 3275. *Pezodrymadusa konovi* (Bolivar, 1899) (*Tettigoniidae*)
 3276. *Pezodrymadusa kurmana* (Ramme, 1939) (*Tettigoniidae*)
 3277. *Pezodrymadusa lata* Karabağ, 1961 (*Tettigoniidae*)
 3278. *Pezodrymadusa magnifica* (Werner, 1901) (*Tettigoniidae*)
 3279. *Pezodrymadusa sinuata* (Ramme, 1951) (*Tettigoniidae*)
 3280. *Pezodrymadusa striolata* (Ramme, 1951) (*Tettigoniidae*)
 3281. *Pezodrymadusa subinermis* Karabağ, 1961 (*Tettigoniidae*)
 3282. *Pezodrymadusa uvarovi* Karabağ, 1961 (*Tettigoniidae*)
 3283. *Pezotettix anatolica* Uvarov, 1934 (*Acrididae*)
 3284. *Pezotettix giornae* (Rossi, 1794) (*Acrididae*)
 3285. *Pezotettix platycerca* Stal, 1876 (*Acrididae*)
 3286. *Phaleria acuminata* Küster, 1852 (*Tenebrionidae*)
 3287. *Phaleria bimaculata* (Linnaeus, 1767) (*Tenebrionidae*)
 3288. *Phaneroptera falcata* (Poda, 1761) (*Tettigoniidae*)
 3289. *Phaneroptera hackeri* Harz, 1988 (*Tettigoniidae*)
 3290. *Phaneroptera nana* Fieber, 1853 (*Tettigoniidae*)
 3291. *Phantia subquadrata* (Herrich-Schäffer, 1838) (*Flatidae*)
 3292. *Phaonia cincta* (Zetterstedt, 1846) (*Muscidae*)
 3293. *Phaonia tersa* Villeneuve, 1936 (*Muscidae*)
 3294. *Pheidole pallidula* (Nylander, 1848) (*Formicidae*)
 3295. *Phenacoccus aceris* (Signoret) (*Pseudococcidae*)
 3296. *Phenacoccus asphodeli* Goux (*Pseudococcidae*)
 3297. *Phenacoccus avenae* Borchsenius (*Pseudococcidae*)
 3298. *Phenacoccus bicerarius* Borchsenius (*Pseudococcidae*)
 3299. *Phenacoccus evelinae* (Tereznikova) (*Pseudococcidae*)
 3300. *Phenacoccus ferulae* Borchsenius (*Pseudococcidae*)
 3301. *Phenacoccus graminicola* Leonardi (*Pseudococcidae*)
 3302. *Phenacoccus hordei* (Lindeman) (*Pseudococcidae*)
 3303. *Phenacoccus interruptus* Green (*Pseudococcidae*)
 3304. *Phenacoccus karaberdi* Borchsenius & Ter-Grigorian (*Pseudococcidae*)
 3305. *Phenacoccus loiki* Danzig (*Pseudococcidae*)
 3306. *Phenacoccus phenacocoides* (Kiritshenko) (*Pseudococcidae*)
 3307. *Phenacoccus pumilus* Kiritshenko (*Pseudococcidae*)
 3308. *Phenacoccus tergrigorianae* Borchsenius (*Pseudococcidae*)
 3309. *Phenacoccus transcaasicus* Hadzibejli (*Pseudococcidae*)
 3310. *Phenacoccus yerushalmi* Ben-Dov (*Pseudococcidae*)
 3311. *Philaenus signatus* Melichar, 1896 (*Cercopidae*)
 3312. *Philaenus spumarius* (Linnaeus, 1758) (*Cercopidae*)
 3313. *Philipomyia aprica* (Meigen, 1820) (*Tabanidae*)
 3314. *Philipomyia graeca* (Fabricius, 1794) (*Tabanidae*)
 3315. *Philipomyia rohdendorfi* (Olsufjev, 1937) (*Tabanidae*)
 3316. *Philipomyia zizaniae* (Leclercq, 1966) (*Tabanidae*)
 3317. *Philippia follicularis* (Targioni Tozzetti) (*Coccidae*)
 3318. *Philosepedon symmetricus* R. Wagner, 1986 (*Psychodidae*)

3319. *Phlepsius intricatus* (Herrich-Schäffer, 1838) (Cicadellidae)
 3320. *Phlepsius ornatus* (Perris, 1857) (Cicadellidae)
 3321. *Phloiocopus basalis* (Klug, 1842) (Cleridae)
 3322. *Pholidoptera aptera* (Fabricius, 1793) (Tettigoniidae)
 3323. *Pholidoptera brevipes* Ramme, 1939 (Tettigoniidae)
 3324. *Pholidoptera fallax* (Fischer, 1853) (Tettigoniidae)
 3325. *Pholidoptera femorata* (Fieber, 1853) (Tettigoniidae)
 3326. *Pholidoptera grandis* Karabağ, 1952 (Tettigoniidae)
 3327. *Pholidoptera griseoptera* (De Geer, 1773) (Tettigoniidae)
 3328. *Pholidoptera guichardi* Karabağ, 1961 (Tettigoniidae)
 3329. *Pholidoptera kosswigi* Karabağ, 1950 (Tettigoniidae)
 3330. *Phonochorion artvinensis* Bei-Bienko, 1954 (Tettigoniidae)
 3331. *Phonochorion satunini* Uvarov, 1916 (Tettigoniidae)
 3332. *Phonochorion uvarovi* Karabağ, 1956 (Tettigoniidae)
 3333. *Phradonoma alium* Hava, 2006 (Dermestidae)
 3334. *Phradonoma nigrum* Hava, 2006 (Dermestidae)
 3335. *Phthiria conspicua* Loew, 1846 (Bombyliidae)
 3336. *Phthiria gaedei* Wiedemann, 1820 (Bombyliidae)
 3337. *Phthiria pulicaria* (Mikan, 1796) (Bombyliidae)
 3338. *Phthiria subnitens* Loew, 1846 (Bombyliidae)
 3339. *Phthiria vagans* Loew, 1846 (Bombyliidae)
 3340. *Phthiridium biarticulatum* Hermann, 1804 (Nycteribiidae)
 3341. *Phycus insignis* (Loew, 1874) (Therevidae)
 3342. *Phyllobrotica binotata* Ogloblin, 1936 (Chrysomelidae)
 3343. *Phyllodromica beybienkoi* Maran, 1957 (Blattidae)
 3344. *Phyllodromica brevipennis* (Fischer, 1853) (Blattidae)
 3345. *Phyllodromica graeca* (Brunner von Wattenwyl, 1882) (Blattidae)
 3346. *Phyllodromica larrinuai* (Bolivar, 1881) (Blattidae)
 3347. *Phyllodromica marginata* (Schreber, 1781) (Blattidae)
 3348. *Phyllodromica pallida* (Brunner von Wattenwyl, 1882) (Blattidae)
 3349. *Phyllodromica polita* (Krauss, 1888) (Blattidae)
 3350. *Phyllodromica znoikoi* Bei-Bienko, 1938 (Blattidae)
 3351. *Physemocercus hartigi* (Liebel, 1892) (Cecidomyiidae)
 3352. *Physocephala chrysorrhoea* (Meigen, 1824) (Conopidae)
 3353. *Physocephala laticincta* (Brullé, 1832) (Conopidae)
 3354. *Physocephala nigra* (De Geer, 1776) (Conopidae)
 3355. *Physocephala rufipes* (Fabricius, 1781) (Conopidae)
 3356. *Physocephala vaginalis* (Rondani, 1865) (Conopidae)
 3357. *Physocephala zaitsevi* Zimina, 1979 (Conopidae)
 3358. *Physokermes piceae* (Schränk) (Coccidae)
 3359. *Phytodrymadusa armeniaca* Ramme, 1939 (Tettigoniidae)
 3360. *Phytodrymadusa expugnata* (Uvarov, 1916) (Tettigoniidae)
 3361. *Phytodrymadusa hakkarica* Karabağ, 1956 (Tettigoniidae)
 3362. *Phytodrymadusa longipes* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 3363. *Phytodrymadusa miramae* (Uvarov, 1929) (Tettigoniidae)
 3364. *Piesma* (Parapiesma) *kolenatii* (Fieber, 1861) (Piesmatidae)
 3365. *Piesma* (Parapiesma) *quadratum* (Fieber, 1844) (Piesmatidae)
 3366. *Piesma* (Parapiesma) *salsolae* (Becker, 1867) (Piesmatidae)
 3367. *Piesma* (s.str.) *capitatum* (Wolff, 1804) (Piesmatidae)
 3368. *Piesma* (s.str.) *maculatum* (Laporte, 1833) (Piesmatidae)
 3369. *Pignatellus friedeli* Hölzel, 1972 (Myrmeleontidae)
 3370. *Pignatellus irroratus* (Olivier, 1811) (Myrmeleontidae)
 3371. *Pimelia* (Camphonota) *repleta* Reitter, 1915 (Tenebrionidae)
 3372. *Pimelia* (Eurypimelia) *akbesiana* Fairmaire, 1884 (Tenebrionidae)
 3373. *Pimelia* (Eurypimelia) *lendli* Kaszab, 1938 (Tenebrionidae)
 3374. *Pimelia* (Eurypimelia) *subglobosa* (Pallas, 1781) (Tenebrionidae)
 3375. *Pimelia* (Eurypimelia) *subglobosa polita* Solier, 1836 (Tenebrionidae)
 3376. *Pimelia* (Eurypimelia) *subglobosa salaria* Reitter, 1915 (Tenebrionidae)
 3377. *Pimelia* (Eurypimelia) *subglobosa verruculifera* Solier, 1836 (Tenebrionidae)
 3378. *Pimelia* (Eurypimelia) *testudo* Kraatz, 1865 (Tenebrionidae)
 3379. *Pimelia* (Eurypimelia) *timarchoides* Ménétériés, 1836 (Tenebrionidae)
 3380. *Pimelia* (Gedeon) *wernerii* Ganglbauer, 1905 (Tenebrionidae)
 3381. *Pimelia* (Melanostola) *bajula* Klug, 1830 (Tenebrionidae)
 3382. *Pimelia* (s.str.) *robusta* Kraatz, 1865 (Tenebrionidae)
 3383. *Pinnaspis pentagona* (Targioni-Tozzetti) (Diaspididae)
 3384. *Piocoris erythrocephalus* (P. & S., 1825) (Lygaeidae)
 3385. *Pionosomus engizekicus* Kıyak, 1995 (Lygaeidae)
 3386. *Pittonotus simoni* (Stierlin, 1879) (Elateridae)
 3387. *Pittonotus theseus* (Germar, 1817) (Elateridae)
 3388. *Plagirolepis pallescens* Forel, 1888 (Formicidae)
 3389. *Plagirolepis pygmaea* (Latreille, 1798) (Formicidae)
 3390. *Planaphrodes trifasciatus* (Fourcroy, 1785) (Cicadellidae)
 3391. *Planchonia arabidis* Signoret (Asterolecaniidae)
 3392. *Planchonia zanthenes* (Russel) (Asterolecaniidae)
 3393. *Planococcus citri* (Risso) (Pseudococcidae)
 3394. *Planococcus ficus* (Signoret) (Pseudococcidae)
 3395. *Planococcus vovae* (Nasonov) (Pseudococcidae)
 3396. *Plastocercus angulosus* (Germar, 1845) (Elateridae)
 3397. *Platneptis laeta* (Walker) (Pteromalidae)
 3398. *Platycleis* (Incertana) *incerta* Brunner von Wattenwyl, 1882 (Tettigoniidae)
 3399. *Platycleis* (Incertana) *persica* Uvarov, 1917 (Tettigoniidae)
 3400. *Platycleis* (Montana) *armeniaca* (Ramme, 1930) (Tettigoniidae)
 3401. *Platycleis* (Montana) *bifoveolata* (Karabağ, 1950) (Tettigoniidae)
 3402. *Platycleis* (Montana) *elegans* (Uvarov, 1934) (Tettigoniidae)
 3403. *Platycleis* (Montana) *helleri* Çıplak & Taylan, 2006 (Tettigoniidae)
 3404. *Platycleis* (Montana) *kure* Ünal, 2006 (Tettigoniidae)
 3405. *Platycleis* (Montana) *schereri* Werner, 1901 (Tettigoniidae)
 3406. *Platycleis* (Montana) *taurica* Bolivar, 1899 (Tettigoniidae)
 3407. *Platycleis* (Montana) *uvarovi* (Karabağ, 1950) (Tettigoniidae)
 3408. *Platycleis* (s.str.) *affinis* Fieber, 1853 (Tettigoniidae)
 3409. *Platycleis* (s.str.) *albopunctata* (Goeze, 1778) (Tettigoniidae)
 3410. *Platycleis* (s.str.) *ehrmanni* Harz, 1991 (Tettigoniidae)
 3411. *Platycleis* (s.str.) *escalerae* Bolivar, 1899 (Tettigoniidae)
 3412. *Platycleis* (s.str.) *grisea* (Fabricius, 1781) (Tettigoniidae)
 3413. *Platycleis* (s.str.) *intermedia* (Audinet-Serville, 1839) (Tettigoniidae)
 3414. *Platycleis* (s.str.) *sinuata* Ramme, 1951 (Tettigoniidae)

3415. *Platycleis (Sepiana) sepium* (Yersin, 1854) (*Tettigoniidae*)
 3416. *Platycleis (Sporadiana) sporadarum* Werner, 1933 (*Tettigoniidae*)
 3417. *Platycleis (Squamiana) ankarensis* (Karabağ, 1950) (*Tettigoniidae*)
 3418. *Platycleis (Squamiana) irritans* Ramme, 1951 (*Tettigoniidae*)
 3419. *Platycleis (Squamiana) kurmana* (Ramme, 1951) (*Tettigoniidae*)
 3420. *Platycleis (Squamiana) melendisensis* Çıplak, 2002 (*Tettigoniidae*)
 3421. *Platycleis (Squamiana) salmani* Çıplak, 2002 (*Tettigoniidae*)
 3422. *Platycleis (Squamiana) sinuata* Ramme, 1951 (*Tettigoniidae*)
 3423. *Platycleis (Squamiana) weidneri* Demirsoy, 1974 (*Tettigoniidae*)
 3424. *Platycleis (Tessellana) nigrosignata* (Costa, 1863) (*Tettigoniidae*)
 3425. *Platycleis (Tessellana) nigrosignata* (Costa, 1863) (*Tettigoniidae*)
 3426. *Platycleis (Tessellana) tessellata* (Charpentier, 1825) (*Tettigoniidae*)
 3427. *Platycleis (Tessellana) veysseli* Koçak, 1984 (*Tettigoniidae*)
 3428. *Platycleis (Tessellana) vittata* (Charpentier, 1825) (*Tettigoniidae*)
 3429. *Platycleis (Yalvaciana) yalvacii* (Demirsoy, 1974) (*Tettigoniidae*)
 3430. *Platydemia europaea* Laporte & Brullé, 1831 (*Tenebrionidae*)
 3431. *Platymetopius (Quernus) curvatus* Dlabola, 1974 (*Cicadellidae*)
 3432. *Platymetopius* (s.str.) *enatus* Dlabola, 1974 (?) (*Cicadellidae*)
 3433. *Platymetopius* (s.str.) *filigranus* (Scott, 1876) (*Cicadellidae*)
 3434. *Platymetopius* (s.str.) *guttatus* Fieber, 1869 (*Cicadellidae*)
 3435. *Platymetopius* (s.str.) *henribauti* Dlabola, 1961 (*Cicadellidae*)
 3436. *Platymetopius* (s.str.) *obsoletus* (Signoret, 1880) (*Cicadellidae*)
 3437. *Platymetopius* (s.str.) *undatus* (De Geer, 1773) (*Cicadellidae*)
 3438. *Platymetopius cruentatus* Haupt, 1927 (*Cicadellidae*)
 3439. *Platymetopius major* (Kirschbaum, 1868) (*Cicadellidae*)
 3440. *Platymetopius quercinus* Dlabola, 1974 (*Cicadellidae*)
 3441. *Platynocheilus cuprifrons* (Nees) (*Tetracampidae*)
 3442. *Platynocheilus karsensis* Doganlar (*Tetracampidae*)
 3443. *Platyplectrus bouceki* (Erdős) (*Eulophidae*)
 3444. *Platypygus bellus* Loew, 1869 (*Mythicomysiidae*)
 3445. *Platypygus chrysanthemi* Loew, 1844 (*Mythicomysiidae*)
 3446. *Platypygus kurdorum* Paramonov, 1929 (*Mythicomysiidae*)
 3447. *Platypygus ridibundus* (A. Costa, 1863) (*Mythicomysiidae*)
 3448. *Pnigalio agraulis* (Walker) (*Eulophidae*)
 3449. *Pnigalio longulus* (Zetterstedt) (*Eulophidae*)
 3450. *Pnigalio pectinicornis* (Linnaeus) (*Eulophidae*)
 3451. *Pnigalio soemius* (Walker) (*Eulophidae*)
 3452. *Podagrion splendens* Spinola (*Torymidae*)
 3453. *Podeonius acuticornis* (Germar, 1824) (*Elateridae*)
 3454. *Podisma pedestris* (Linnaeus, 1758) (*Acrididae*)
 3455. *Poecilimon adentatus* Ramme, 1933 (*Tettigoniidae*)
 3456. *Poecilimon amissus* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
 3457. *Poecilimon anatolicus* Ramme, 1933 (*Tettigoniidae*)
 3458. *Poecilimon angulatus* Uvarov, 1939 (*Tettigoniidae*)
 3459. *Poecilimon ataturki* Ünal, 1999 (*Tettigoniidae*)
 3460. *Poecilimon azdavayi* Ünal, 2003 (*Tettigoniidae*)
 3461. *Poecilimon bidens* Retowski, 1889 (*Tettigoniidae*)
 3462. *Poecilimon bilgeri* Karabağ, 1953 (*Tettigoniidae*)
 3463. *Poecilimon birandi* Karabağ, 1950 (*Tettigoniidae*)
 3464. *Poecilimon bischoffi* Ramme, 1933 (*Tettigoniidae*)
 3465. *Poecilimon bosporicus* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
 3466. *Poecilimon brunneri* (Fivaldsky, 1867) (*Tettigoniidae*)
 3467. *Poecilimon celebi* Karabağ, 1953 (*Tettigoniidae*)
 3468. *Poecilimon cervoides* Karabağ, 1964 (*Tettigoniidae*)
 3469. *Poecilimon cervus* Karabağ, 1950 (*Tettigoniidae*)
 3470. *Poecilimon concinnus* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
 3471. *Poecilimon davisii* Karabağ, 1953 (*Tettigoniidae*)
 3472. *Poecilimon demirsoyi* Sevgili, 2001 (*Tettigoniidae*)
 3473. *Poecilimon djakonovi* Miram, 1938 (*Tettigoniidae*)
 3474. *Poecilimon doga* Ünal, 2004 (*Tettigoniidae*)
 3475. *Poecilimon ege* Ünal, 2005 (*Tettigoniidae*)
 3476. *Poecilimon ersisi* Salman, 1978 (*Tettigoniidae*)
 3477. *Poecilimon eskishehrensensis* Ünal, 2003 (*Tettigoniidae*)
 3478. *Poecilimon excisus* Karabağ, 1950 (*Tettigoniidae*)
 3479. *Poecilimon glandifer* Karabağ, 1950 (*Tettigoniidae*)
 3480. *Poecilimon guichardi* Karabağ, 1964 (*Tettigoniidae*)
 3481. *Poecilimon hamatus* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
 3482. *Poecilimon harveyi* Karabağ, 1964 (*Tettigoniidae*)
 3483. *Poecilimon hatti* Ünal, 2004 (*Tettigoniidae*)
 3484. *Poecilimon haydari* Ramme, 1951 (*Tettigoniidae*)
 3485. *Poecilimon heinrichi* Ramme, 1951 (*Tettigoniidae*)
 3486. *Poecilimon inflatus* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
 3487. *Poecilimon iucundus* Ünal, 2003 (*Tettigoniidae*)
 3488. *Poecilimon izmirnensis* Ramme, 1933 (*Tettigoniidae*)
 3489. *Poecilimon karabagi* (Ramme, 1942) (*Tettigoniidae*)
 3490. *Poecilimon karabukensis* Ünal, 2003 (*Tettigoniidae*)
 3491. *Poecilimon karakushi* Ünal, 2003 (*Tettigoniidae*)
 3492. *Poecilimon kocaki* Ünal, 1999 (*Tettigoniidae*)
 3493. *Poecilimon kutahiyensis* Werner, 1901 (*Tettigoniidae*)
 3494. *Poecilimon ledereri* Ramme, 1933 (*Tettigoniidae*)
 3495. *Poecilimon lodosi* Harz, 1975 (*Tettigoniidae*)
 3496. *Poecilimon luschanii* Ramme, 1933 (*Tettigoniidae*)
 3497. *Poecilimon marmaraensis* Naskrecki, 1992 (*Tettigoniidae*)
 3498. *Poecilimon martinae* Heller, 2004 (*Tettigoniidae*)
 3499. *Poecilimon minutus* Karabağ, 1975 (*Tettigoniidae*)
 3500. *Poecilimon miramae* Ramme, 1933 (*Tettigoniidae*)
 3501. *Poecilimon mytilenensis* (*Tettigoniidae*)
 3502. *Poecilimon naskrecki* Ünal, 2001 (*Tettigoniidae*)
 3503. *Poecilimon neglectus* Ramme, 1931 (*Tettigoniidae*)
 3504. *Poecilimon pergamicus* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
 3505. *Poecilimon pulcher* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
 3506. *Poecilimon rammeanus* Karabağ, 1953 (*Tettigoniidae*)
 3507. *Poecilimon rammei* Miram, 1938 (*Tettigoniidae*)
 3508. *Poecilimon sanctipauli* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
 3509. *Poecilimon schmidtii* (Fieber, 1853) (*Tettigoniidae*)
 3510. *Poecilimon serratus* Karabağ, 1962 (*Tettigoniidae*)
 3511. *Poecilimon similis* Retowski, 1889 (*Tettigoniidae*)
 3512. *Poecilimon sureyanus* Uvarov, 1930 (*Tettigoniidae*)
 3513. *Poecilimon syriacus* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
 3514. *Poecilimon tauricola* Ramme, 1951 (*Tettigoniidae*)
 3515. *Poecilimon tevfikarabagi* Ünal, 2005 (*Tettigoniidae*)
 3516. *Poecilimon thoracicus* (Fieber, 1853) (*Tettigoniidae*)
 3517. *Poecilimon toros* Ünal, 2003 (*Tettigoniidae*)
 3518. *Poecilimon tricuspis* Miram, 1926 (*Tettigoniidae*)
 3519. *Poecilimon tschorochensis* Adelung, 1907 (*Tettigoniidae*)
 3520. *Poecilimon tuncayi* Karabağ, 1953 (*Tettigoniidae*)
 3521. *Poecilimon turciae* (Ramme, 1951) (*Tettigoniidae*)
 3522. *Poecilimon turcicus* Karabağ, 1950 (*Tettigoniidae*)

3523. *Poecilimon unispinosus* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
3524. *Poecilimon uvarovi* Ramme, 1933 (*Tettigoniidae*)
3525. *Poecilimon variicercis* Miram, 1938 (*Tettigoniidae*)
3526. *Poecilimon xenocercus* Karabağ, 1956 (*Tettigoniidae*)
3527. *Poecilimon zimmeri* Ramme, 1933 (*Tettigoniidae*)
3528. *Poecilimon zonatus* Bolivar, 1899 (*Tettigoniidae*)
3529. *Poecilimonella armeniaca* Uvarov, 1921 (*Tettigoniidae*)
3530. *Polistes associus* (Kohl, 1898) (*Vespidae*)
3531. *Polistes biglumis* (Linnaeus, 1758) (*Vespidae*)
3532. *Polistes dominulus* (Christ, 1791) (*Vespidae*)
3533. *Polistes gallicus* (Linnaeus, 1767) (*Vespidae*)
3534. *Polistes nimpha* (Christ, 1791) (*Vespidae*)
3535. *Polistes sulcifer* Zimmermann, 1930 (*Vespidae*)
3536. *Pollinia pollini* (A. Costa) (*Asterolecaniidae*)
3537. *Polymerus cognatus* (Fieber, 1858) (*Miridae*)
3538. *Polymerus vulneratus* (Wolff, 1801) (*Miridae*)
3539. *Polyphaga aegyptiaca* (Linnaeus, 1758) (*Polyphagidae*)
3540. *Polyphonius laevigatus* Loew, 1848 (*Asilidae*)
3541. *Polyphylla* (s.str.) *fullo* (Linnaeus, 1758) (*Scarabaeidae*)
3542. *Polysarca violacea* Schiner, 1867 (*Asilidae*)
3543. *Polysarcus denticaudus* (Charpentier, 1825) (*Tettigoniidae*)
3544. *Polysarcus zacharovi* (Stschelkanovcev, 1909) (*Tettigoniidae*)
3545. *Pongonius* (s.str.) *pyritosus* Loew, 1859 (*Tabanidae*)
3546. *Pongonius* (s.str.) *rhynchocephalus* Kröber, 1921 (*Tabanidae*)
3547. *Pongonius* (s.str.) *variegatus* (Fabricius, 1850) (*Tabanidae*)
3548. *Pontoperla teberdinica* (Balinsky, 1950) (*Chloroperlidae*)
3549. *Porphyrophora hamelii* Brandt (*Margarodidae*)
3550. *Porphyrophora minuta* Borchsenius (*Margarodidae*)
3551. *Porphyrophora polonica* (Linnaeus) (*Margarodidae*)
3552. *Porphyrophora tritici* (Bodenheimer) (*Margarodidae*)
3553. *Porthmidius austriacus* (Schrank, 1781) (*Elateridae*)
3554. *Prionosthenus* (s.str.) *gueleni* Karabağ, 1956 (*Pamphagidae*)
3555. *Prionotropis maculinervis* (Stål, 1878) (*Pamphagidae*)
3556. *Pristaulacus gloriator* (Fabricius, 1804) (*Aulacidae*)
3557. *Pristaulacus obscuripennis* (Westwood, 1841) (*Aulacidae*)
3558. *Probaticus* (Pelorinus) *adimonius* (Allard, 1876) (*Tenebrionidae*)
3559. *Probaticus* (Pelorinus) *bodemeyeri* Reitter, 1900 (*Tenebrionidae*)
3560. *Probaticus* (Pelorinus) *corrugatus* Seidlitz, 1893 (*Tenebrionidae*)
3561. *Probaticus* (Pelorinus) *dorsalis* (Allard, 1877) (*Tenebrionidae*)
3562. *Probaticus* (Pelorinus) *granipennis* (Allard, 1876) (*Tenebrionidae*)
3563. *Probaticus* (Pelorinus) *maurus* (Waltl, 1838) (*Tenebrionidae*)
3564. *Probaticus* (Pelorinus) *pentheri* Reitter, 1905 (*Tenebrionidae*)
3565. *Probaticus* (Pelorinus) *tarsatus* (Küster, 1850) (*Tenebrionidae*)
3566. *Probaticus* (Pelorinus) *tenebricosus* (Brullé, 1832) (*Tenebrionidae*)
3567. *Probaticus* (s.str.) *tentyrioides* (Küster, 1851) (*Tenebrionidae*)
3568. *Probruggmanniella phillyrae* (Tavares, 1907) (*Cecidomyiidae*)
3569. *Proceps acicularis* Mulsant & Rey, 1855 (*Cicadellidae*)
3570. *Proconura nigripes* (Fonscolombe) (*Chalcididae*)
3571. *Procræus bicolor* Platia & Gudenzi, 2002 (*Elateridae*)
3572. *Procræus carinifrons* (Desbrochers, 1875) (*Elateridae*)
3573. *Procræus levantinus* Platia & Gudenzi, 2007 (*Elateridae*)
3574. *Procræus tibialis* (Lacordaire, 1835) (*Elateridae*)
3575. *Prodiaspis tamaricicola* (Malenotti) (*Diaspididae*)
3576. *Proformica kobachidzei* Arnoldi, 1968 (*Formicidae*)
3577. *Promachus canus* (Wiedemann, 1818) (*Asilidae*)
3578. *Promachus leoninus* Loew, 1848 (*Asilidae*)
3579. *Promachus microlabis* Loew, 1857 (*Asilidae*)
3580. *Promachus mustela* Loew, 1854 (*Asilidae*)
3581. *Pronotalia carlinarum* (Szélnyi & Erdős) (*Eulophidae*)
3582. *Pronotalia erzurimica* Doganlar (*Eulophidae*)
3583. *Pronotalia fiorii* (Domenichini) (*Eulophidae*)
3584. *Pronotalia hungarica* (Erdős) (*Eulophidae*)
3585. *Pronotalia tortumensis* Doganlar (*Eulophidae*)
3586. *Prosternon syriacum* (Buysson, 1891) (*Elateridae*)
3587. *Prosternon tessellatum* (Linnaeus, 1758) (*Elateridae*)
3588. *Protaetia* (Cetonischema) *speciosa* (Adams, 1817) (*Scarabaeidae*)
3589. *Protaetia* (Foveopotosia) *judith* (Reiche, 1871) (*Scarabaeidae*)
3590. *Protaetia* (Netocia) *funebis* (Gory & Percheron, 1833) (*Scarabaeidae*)
3591. *Protaetia* (Potosia) *angustata* (Germar, 1817) (*Scarabaeidae*)
3592. *Protaetia* (Potosia) *besucheti* Alexis & Delpont, 1996 (*Scarabaeidae*)
3593. *Protaetia* (Potosia) *cuprina* (Motschulsky, 1849) (*Scarabaeidae*)
3594. *Protaetia* (Potosia) *lambilliona* Delpont, 2000 (*Scarabaeidae*)
3595. *Protapanteles anchiades* (Nixon, 1973) (*Braconidae*)
3596. *Protonemura bacurianica* Zhiltzova, 1957 (*Nemouridae*)
3597. *Protonemura Besucheti* Zwick, 1971 (*Nemouridae*)
3598. *Protonemura bithynica* Aubert, 1964 (*Nemouridae*)
3599. *Protonemura capitata* Martynov, 1928 (*Nemouridae*)
3600. *Protonemura eumontana* Zhiltzova, 1957 (*Nemouridae*)
3601. *Protonemura mattheyi* (Aubert, 1956) (*Nemouridae*)
3602. *Protonemura microstyla* Martynov, 1928 (*Nemouridae*)
3603. *Protonemura resslis* Zwick, 1971 (*Nemouridae*)
3604. *Protonemura teberdensis* Zhiltzova, 1958 (*Nemouridae*)
3605. *Psacasta marmottani* Puton, 1887 (*Scutellaridae*)
3606. *Psallus atomosus* Reuter, 1878 (*Miridae*)
3607. *Psallus carduelus* Horvath, 1888 (*Miridae*)
3608. *Psallus pumilus* (Jakovlev, 1876) (*Miridae*)
3609. *Psammotettix alienus* (Dahlbom, 1850) (*Cicadellidae*)
3610. *Psammotettix cephalotes* (Herrich-Schäffer, 1834) (*Cicadellidae*)
3611. *Psammotettix cerinus* (Lindberg, 1948) (*Cicadellidae*)
3612. *Psammotettix confinis* (Dahlbom, 1850) (*Cicadellidae*)
3613. *Psammotettix helvolus* (Kirschbaum, 1868) (*Cicadellidae*)
3614. *Psammotettix majusculus* Linnavuori, 1951 (*Cicadellidae*)
3615. *Psammotettix nodosus* (Ribaut, 1925) (*Cicadellidae*)
3616. *Psammotettix pictipennis* (Kirschbaum, 1868) (*Cicadellidae*)
3617. *Psammotettix provincialis* (Ribaut, 1925) (*Cicadellidae*)
3618. *Psammotettix striatus* (Linnaeus, 1758) (*Cicadellidae*)

3619. *Pseudagriotes holtzi* Schwarz, 1896 (Elateridae)
 3620. *Pseudanostirus jasoni* Dolin & Chantladze, 1987 (Elateridae)
 3621. *Pseudaraeopus lethierryi* (Mulsant & Rey, 1879) (Delphacidae)
 3622. *Pseudocatolaccus nitescens* (Walker) (Pteromalidae)
 3623. *Pseudoceles karadagi* Demirsoy, 1977 (Acrididae)
 3624. *Pseudoceles ledereri* (Saussure, 1884) (Acrididae)
 3625. *Pseudoceles obscurus* (Acrididae)
 3626. *Pseudoceles oedipoides* Bolivar, 1899 (Acrididae)
 3627. *Pseudochermes fraxini* (Kaltenbach) (Eriococcidae)
 3628. *Pseudococcobius obenbergeri* (Novickii) (Encyrtidae)
 3629. *Pseudococcus laingi* Bodenheimer (Pseudococcidae)
 3630. *Pseudococcus longispinus* (Targioni Tozzetti) (Pseudococcidae)
 3631. *Pseudococcus viburni* (Signoret) (Pseudococcidae)
 3632. *Pseudocrepidophorus concavifrons* Wurst, 1994 (Elateridae)
 3633. *Pseudocrepidophorus flavescens* (Eschscholtz, 1818) (Elateridae)
 3634. *Pseudoliarus palaestinensis* Linnavuori, 1962 (Cixiidae)
 3635. *Pseudoligosita gracilior* (Nowicki) (Trichogrammatidae)
 3636. *Pseudoligosita paphlagonica* (Nowicki) (Trichogrammatidae)
 3637. *Pseudomogoplistes squamiger* (Fischer von Waldheim, 1853) (Mogoplistidae)
 3638. *Pseudomogoplistes turcicus* Gorochov, 1995 (Mogoplistidae)
 3639. *Pseudophotopsis caspica* (Radoszkowski, 1885) (Mutillidae)
 3640. *Pseudophotopsis caucasica* (Radoszkowski, 1885) (Mutillidae)
 3641. *Pseudosavalania karabagi* Demirsoy, 1973 (Pamphagidae)
 3642. *Pseudotorymus militaris* (Boheman) (Torymidae)
 3643. *Pseudotorymus pannonicus* (Mayr) (Torymidae)
 3644. *Pseudotorymus sapphyrinus* (Fonscolombe) (Torymidae)
 3645. *Psilocera obscura* Walker (Pteromalidae)
 3646. *Psilochalcis benoisti* (Steffan) (Chalcididae)
 3647. *Psilochalcis mirabilis* (Boucek) (Chalcididae)
 3648. *Psilochalcis nigerrima* (Masi) (Chalcididae)
 3649. *Psilochalcis nitida* (Boucek) (Chalcididae)
 3650. *Psilochalcis rufitarsis* (Lliger) (Chalcididae)
 3651. *Psilochalcis subaenea* (Masi) (Chalcididae)
 3652. *Psilochalcis subarmata* (Förster) (Chalcididae)
 3653. *Psilonotus achaeus* Walker (Pteromalidae)
 3654. *Psilonotus adamas* Walker (Pteromalidae)
 3655. *Psilonotus hortensia* Walker (Pteromalidae)
 3656. *Psilophrys bella* Japoshvili & Noyes (Encyrtidae)
 3657. *Psilophrys ghilarovi* Japoshvili (Encyrtidae)
 3658. *Psilophrys tenuicornis* Graham (Encyrtidae)
 3659. *Psophus stridulus* (Linnaeus, 1758) (Acrididae)
 3660. *Psorodonotus anaticus* Karabağ, 1952 (Tettigoniidae)
 3661. *Psorodonotus caucasicus* (Fischer von Waldheim, 1846) (Tettigoniidae)
 3662. *Psorodonotus davisi* Karabağ, 1956 (Tettigoniidae)
 3663. *Psorodonotus ebneri* Karabağ, 1952 (Tettigoniidae)
 3664. *Psorodonotus rugulosus* Karabağ, 1952 (Tettigoniidae)
 3665. *Psorodonotus specularis* (Fischer von Waldheim, 1846) (Tettigoniidae)
 3666. *Psorodonotus venosus* (Fischer von Waldheim, 1839) (Tettigoniidae)
 3667. *Psychoda cinerea* Banks, 1834 (Psychodidae)
 3668. *Psychophagus omnivorus* (Walker) (Pteromalidae)
 3669. *Psyllaephus caillardi* Sugonjaev (Encyrtidae)
 3670. *Psyllaephus elaeagni* Trjapitzin (Encyrtidae)
 3671. *Psyllaephus euphyllurae* (Masi) (Encyrtidae)
 3672. *Psyllaephus pistaciae* Ferrière (Encyrtidae)
 3673. *Psyllaephus procerus* (Mercet) (Encyrtidae)
 3674. *Psyllaephus pulchellus* (Mercet) (Encyrtidae)
 3675. *Psyllaephus tokgaevi* Myartseva (Encyrtidae)
 3676. *Psyllopsis fraxinicola* (Förster) (Psyllidae)
 3677. *Pterandrophysalis levantina* Nowicki (Trichogrammatidae)
 3678. *Pteromalus albipennis* Walker (Pteromalidae)
 3679. *Pteromalus apum* (Retzius) (Pteromalidae)
 3680. *Pteromalus bedeguaris* (Thomson) (Pteromalidae)
 3681. *Pteromalus bifoveolatus* Förster (Pteromalidae)
 3682. *Pteromalus chrysos* Walker (Pteromalidae)
 3683. *Pteromalus cionobius* (Erdős) (Pteromalidae)
 3684. *Pteromalus elevatus* (Walker) (Pteromalidae)
 3685. *Pteromalus intermedius* (Walker) (Pteromalidae)
 3686. *Pteromalus platyphilus* Walker (Pteromalidae)
 3687. *Pteromalus puparum* (Linnaeus) (Pteromalidae)
 3688. *Pteromalus semotus* (Walker) (Pteromalidae)
 3689. *Pteromalus sequester* Walker (Pteromalidae)
 3690. *Pteronemobius* (s.str.) heydeni (Fischer, 1853) (Gryllidae)
 3691. *Pteronemobius gracilis* Jakovleff, 1871 (Gryllidae)
 3692. *Pteroptrix bicolor* (Howard, 1898) (Aphelinidae)
 3693. *Pteroptrix lauri* (Mercet, 1911) (Aphelinidae)
 3694. *Ptygippus brachypterus* Mistshenko, 1951 (Acrididae)
 3695. *Ptyngidricerus albardanus* (McLachan, 1891) (Ascalaphidae)
 3696. *Ptyngidricerus albardanus albardanus* (McLachan, 1891) (Ascalaphidae)
 3697. *Puklina gelincika* Doganlar (Eulophidae)
 3698. *Pulvinaria floccifera* (Westwood) (Coccidae)
 3699. *Pulvinaria terrestris* Borchsenius (Coccidae)
 3700. *Pulvinariella mesembryanthemi* (Vallot) (Coccidae)
 3701. *Puto palinuri* Marotta & Tranfaglia (Pseudococcidae)
 3702. *Puto pilosellae* (Sulc) (Pseudococcidae)
 3703. *Puto superbus* (Leonardi) (Pseudococcidae)
 3704. *Pynopogon leucostomus* Engel, 1930 (Asilidae)
 3705. *Pygoderma armata* (Fischer von Waldheim, 1820) (Acrididae)
 3706. *Pyrgomorpha cognata* Krauss, 1877 (Pyrgomorphidae)
 3707. *Pyrgomorpha conica* (Olivier, 1791) (Pyrgomorphidae)
 3708. *Pyrgomorpha guentheri* Burr, 1899 (Pyrgomorphidae)
 3709. *Pyrgomorpha ozekei* Karabağ, 1953 (Pyrgomorphidae)
 3710. *Pyrrhocoris apterus* (Linnaeus, 1758) (Pyrrhocoridae)
 3711. *Quadrastylum jahjai* Dlabola, 1983 (Issidae)
 3712. *Quadrastylum tarsusanum* Dlabola, 1989 (Issidae)
 3713. *Quasimus minutissimus* (Germar, 1817) (Elateridae)
 3714. *Raiboscelis coelestinus* (Waltl, 1838) (Tenebrionidae)
 3715. *Raiboscelis syriacus* (Reiche, 1861) (Tenebrionidae)
 3716. *Ramburiella bolivari* (Kuthy, 1910) (Acrididae)
 3717. *Ramburiella turcomana* (Fischer von Waldheim, 1833) (Acrididae)
 3718. *Rammehippus turcicus* (Ramme, 1939) (Acrididae)
 3719. *Rammeola anatolica* Uvarov, 1934 (Tettigoniidae)
 3720. *Rammepodisma natoliae* (Ramme, 1939) (Acrididae)
 3721. *Ranissus leptopus* Fieber, 1866 (Dictyopharidae)
 3722. *Ranissus punctiger* (Horvath, 1905) (Dictyopharidae)
 3723. *Rantus suturalis* (Macleay, 1825) (Dytiscidae)
 3724. *Raphidia* (Magnoraphidia) robusta Aspöck & Aspöck, 1966 (Raphidiidae)
 3725. *Ratzburgiola cristatus* (Ratzeburg) (Eulophidae)
 3726. *Ratzburgiola incompleta* Boucek (Eulophidae)
 3727. *Recilia coronifera* (Marshall, 1866) (Cicadellidae)
 3728. *Recilia schmidtgeni* (Wagner, 1939) (Cicadellidae)
 3729. *Reduvius pallipes* (Klug, 1839) (Reduviidae)
 3730. *Reitterelater dubius* Platia & Cate, 1990 (Elateridae)

3731. *Reptalus* (s.str.) *horridus* (Linnavuori,1962) (*Cixiidae*)
3732. *Reptalus* (s.str.) *melanochaetus* (Fieber,1876) (*Cixiidae*)
3733. *Reptalus* (s.str.) *oleae* Dlabola,1987 (*Cixiidae*)
3734. *Reptalus* (s.str.) *panzeri* (Loew,1883) (*Cixiidae*)
3735. *Reptalus* (s.str.) *quinquecostatus* (Dufour,1833) (*Cixiidae*)
3736. *Reptalus* (*Trepalus*) *rufocarinatus* (Kusnezov,1937) (*Cixiidae*)
3737. *Resseliella* *oleisuga* (Targioni-Tozzetti,1886) (*Cecidomyiidae*)
3738. *Resseliella* *piceae* Seitner,1906 (*Cecidomyiidae*)
3739. *Resseliella* *theobaldi* (Barnes,1927) (*Cecidomyiidae*)
3740. *Rhabdophaga* *heterobia* (Loew,1850) (*Cecidomyiidae*)
3741. *Rhabdophaga* *rosaria* (Loew,1850) (*Cecidomyiidae*)
3742. *Rhabdophaga* *saliciperda* (Dufour,1841) (*Cecidomyiidae*)
3743. *Rhabdophaga* *salicis* (Schrank,1803) (*Cecidomyiidae*)
3744. *Rhabdophaga* *terminalis* (Loew,1850) (*Cecidomyiidae*)
3745. *Rhacocleis* *acutangula* Karabağ,1957 (*Tettigoniidae*)
3746. *Rhacocleis* *anatolica* Werner,1933 (*Tettigoniidae*)
3747. *Rhacocleis* *germanica* (Herrich-Schäffer,1840) (*Tettigoniidae*)
3748. *Rhacocleis* *tuberculata* Karabağ,1978 (*Tettigoniidae*)
3749. *Rhacocleis* *turcica* (Uvarov,1930) (*Tettigoniidae*)
3750. *Rhagio* *albipilosus* Becker,1821 (*Rhagionidae*)
3751. *Rhagio* *maculipennis* (Loew,1854) (*Rhagionidae*)
3752. *Rhagio* *sordidus* (Loew,1862) (*Rhagionidae*)
3753. *Rhagio* *turcicus* Lindler,1930 (*Rhagionidae*)
3754. *Rhagoletis* *berberidis* Jermy,1961 (*Tephritidae*)
3755. *Rhaphitelus* *maculatus* Walker (*Pteromalidae*)
3756. *Rhinopelte* *crassicornis* (Nees) (*Eulophidae*)
3757. *Rhinocyllus* *conicus* (Frölich,1792) (*Curculionidae*)
3758. *Rhizaspidiotus* *canariensis* (Lindinger) (*Diaspididae*)
3759. *Rhizaspidiotus* *donacis* (Leonardi) (*Diaspididae*)
3760. *Rhizopulvinaria* *artemisiae* (Signoret) (*Coccidae*)
3761. *Rhizopulvinaria* *halli* Borchsenius (*Coccidae*)
3762. *Rhizopulvinaria* *pyrethri* Borchsenius (*Coccidae*)
3763. *Rhizopulvinaria* *spinifera* Borchsenius (*Coccidae*)
3764. *Rhizopulvinaria* *turkestanica* (Archangelskaya) (*Coccidae*)
3765. *Rhizopulvinaria* *viridis* Borchsenius (*Coccidae*)
3766. *Rhoananus* *hypochlorus* (Fieber,1869) (*Cicadellidae*)
3767. *Rhodococcus* *perornatus* (Cockerell & Parrott) (*Coccidae*)
3768. *Rhogogaster* *chlorosoma* Benson,1943 (*Tenthredinidae*)
3769. *Rhopalicus* *guttatus* (Ratzeburg) (*Pteromalidae*)
3770. *Rhopalicus* *tutella* (Walker) (*Pteromalidae*)
3771. *Rhopalomyia* *artemisiae* (Bouche,1834) (*Cecidomyiidae*)
3772. *Rhopalomyia* *baccarum* (Wachtl,1883) (*Cecidomyiidae*)
3773. *Rhopalomyia* *saissanica* Fedotova,1999 (*Cecidomyiidae*)
3774. *Rhopalus* *rufus* Schilling,1829 (*Rhopalidae*)
3775. *Rhopus* *flavidus* (Mercet) (*Encyrtidae*)
3776. *Rhynchium* *oculatum* (Fabricius,1781) (*Vespididae*)
3777. *Rhynocoris* *punctiventris* Herrich-Schäffer,1846 (*Reduviidae*)
3778. *Rhytidodus* *boluicus* Dlabola,1970 (*Cicadellidae*)
3779. *Rhytidodus* *wagneri* Dlabola,1965 (*Cicadellidae*)
3780. *Ribautiana* *alces* (Ribaut,1931) (*Cicadellidae*)
3781. *Ribautiana* *cruciata* (Ribaut,1931) (*Cicadellidae*)
3782. *Ribautiana* *ognevi* (Zachvatkin,1948) (*Cicadellidae*)
3783. *Ricania* *aylae* Dlabola,1983 (*Ricaniidae*)
3784. *Ricania* *hedenborgi* Stal,1865 (*Ricaniidae*)
3785. *Ricania* *japonica* Melichar,1898 (*Ricaniidae*)
3786. *Rileyia* *doganlari* Çam,2003 (*Eurytomidae*)
3787. *Ripersiella* *Kaydani* Konczne Benedicty & Kozar (*Pseudococcidae*)
3788. *Ripersiella* *periolana* Goux (*Pseudococcidae*)
3789. *Rivetina* *asiatica* Mistchenko,1967 (*Mantidae*)
3790. *Rivetina* *baetica* (Rambur,1838) (*Mantidae*)
3791. *Rivetina* *balcanica* Kaltenbach,1963 (*Mantidae*)
3792. *Rivetina* *hyblica* La Greca & Lombardo,1982 (*Mantidae*)
3793. *Rivetina* *caucasica* (Saussure,1871) (*Mantidae*)
3794. *Rivetina* *syriaca* (Saussure,1869) (*Mantidae*)
3795. *Roptrocerus* *xylophagorum* (Ratzeburg) (*Pteromalidae*)
3796. *Ruspolia* *nitidula* (Scopoli,1796) (*Tettigoniidae*)
3797. *Rutpela* *maculata* (Poda,1761) (*Cerambycidae*)
3798. *Ryukyucardiophorus* *meritliki* Platia & Gudenzi,1999 (*Elateridae*)
3799. *Saga* *beieri* Kaltenbach,1967 (*Tettigoniidae*)
3800. *Saga* *campbelli* Uvarov,1921 (*Tettigoniidae*)
3801. *Saga* *cappadocica* Werner,1903 (*Tettigoniidae*)
3802. *Saga* *ephippiger* Fischer de Waldheim,1846 (*Tettigoniidae*)
3803. *Saga* *ledereri* Saussure,1888 (*Tettigoniidae*)
3804. *Saga* *longicaudata* Krauss,1879 (*Tettigoniidae*)
3805. *Saga* *lucasi* Saussure,1888 (*Tettigoniidae*)
3806. *Saga* *natoliae* Serville,1839 (*Tettigoniidae*)
3807. *Saga* *puella* Werner,1901 (*Tettigoniidae*)
3808. *Saga* *rhodiensis* Salfi,1929 (*Tettigoniidae*)
3809. *Saga* *uvarovi* Rammme,1951 (*Tettigoniidae*)
3810. *Saissetia* *coffae* (Walker) (*Coccidae*)
3811. *Saissetia* *oleae* (Olivier) (*Coccidae*)
3812. *Salentia* *fuscipennis* A.Costa,1857 (*Therevidae*)
3813. *Salentia* *nigripes* (Kröber,1912) (*Therevidae*)
3814. *Salicicola* *archangelskyae* (Lindinger) (*Diaspididae*)
3815. *Salicicola* *kermanensis* (Lindinger) (*Diaspididae*)
3816. *Salicicola* *pistaciae* (Lindinger) (*Diaspididae*)
3817. *Sargus* *cuprarius* (Linnaeus,1758) (*Stratiomyidae*)
3818. *Saropogon* *dasynotus* Loew,1871 (*Asilidae*)
3819. *Saropogon* *ehrenbergii* Loew,1851 (*Asilidae*)
3820. *Saropogon* *eucerus* (Loew,1847) (*Asilidae*)
3821. *Saropogon* *platynotus* (Loew,1847) (*Asilidae*)
3822. *Saropogon* *pollinosus* Loew,1869 (*Asilidae*)
3823. *Satchelliella* *canescens* (Meigen,1804) (*Psychodidae*)
3824. *Satchelliella* *malickyi* Vaillant,1981 (*Psychodidae*)
3825. *Satchelliella* *schachti* R.Wagner,1986 (*Psychodidae*)
3826. *Sathon* *falcatus* (Nees,1834) (*Braconidae*)
3827. *Scarodytes* *halensis* (Fabricius,1787) (*Dytiscidae*)
3828. *Schistocerca* *gregaria* (Forsk.,1775) (*Acrididae*)
3829. *Schizodactylus* *inexpectatus* (Werner,1901) (*Schizodactylidae*)
3830. *Schizonotus* *sieboldi* (Ratzeburg) (*Pteromalidae*)
3831. *Schizoprymnus* *brevicornis* (Herrich-Schäffer,1838) (*Braconidae*)
3832. *Schizoprymnus* *obscurus* (Nees,1813) (*Braconidae*)
3833. *Schoutedenomyia* *superba* (Kröber,1912) (*Therevidae*)
3834. *Schulmeisteri* *schulmeisteri* Harz,1992 (*Tettigoniidae*)
3835. *Sciapteryx* *circassica* Dovnar-Zapolski,1930 (*Tenthredinidae*)
3836. *Sciapteryx* *laeta* Konow,1891 (*Tenthredinidae*)
3837. *Scintharista* *notabilis* (Walker,1870) (*Acrididae*)
3838. *Sciocoris* *luteolus* Fieber,1861 (*Pentatomidae*)
3839. *Scoliophthalmus* *civeleki* Deeming,2006 (*Chloropidae*)
3840. *Scorlupella* *discolor* (Germar,1821) (*Issidae*)
3841. *Scorlupella* *montana* (Becker,1865) (*Issidae*)
3842. *Scotodrymadusa* *amani* Ramme,1951 (*Tettigoniidae*)
3843. *Scotodrymadusa* *anatolica* (Werner,1901) (*Tettigoniidae*)
3844. *Scotodrymadusa* *kozana* Ramme,1951 (*Tettigoniidae*)
3845. *Scotodrymadusa* *maculata* (Ebner,1912) (*Tettigoniidae*)

3846. *Scotodrymadusa ozkani* Erman & Salman, 1990 (*Tettigoniidae*)
 3847. *Scotodrymadusa rammei* (Uvarov, 1929) (*Tettigoniidae*)
 3848. *Scotodrymadusa syriaca* (Pictet, 1888) (*Tettigoniidae*)
 3849. *Scutellista caerulea* (Fonscolombe) (*Pteromalidae*)
 3850. *Scythia craniumequinum* Kiritchenko (*Coccidae*)
 3851. *Scytomedes haemorrhoidalis* (Fabricius, 1794) (*Asilidae*)
 3852. *Selatosomus* (*Pristilophus*) *melancholicus* (*Elateridae*)
 3853. *Selatosomus* (s.str.) *aeneus* (Linnaeus, 1758) (*Elateridae*)
 3854. *Selatosomus* (s.str.) *amplicollis* (Germar, 1843) (*Elateridae*)
 3855. *Selatosomus* (s.str.) *armeniacus* Dolin, 1982 (*Elateridae*)
 3856. *Selatosomus* (s.str.) *atratus* (Ballion, 1878) (*Elateridae*)
 3857. *Selatosomus* (s.str.) *beyschiricus* Mertlik, 2000 (*Elateridae*)
 3858. *Selatosomus* (s.str.) *caucasicus* (Ménétriés, 1879) (*Elateridae*)
 3859. *Selatosomus* (s.str.) *latissimus* Reitter, 1910 (*Elateridae*)
 3860. *Selatosomus* (s.str.) *latus* (Fabricius, 1801) (*Elateridae*)
 3861. *Selatosomus* (s.str.) *pecirkanus* Reitter, 1910 (*Elateridae*)
 3862. *Selatosomus* (s.str.) *punctipennis* Reitter, 1910 (*Elateridae*)
 3863. *Selatosomus* (s.str.) *sameki* Mertlik, 2000 (*Elateridae*)
 3864. *Selatosomus* (*Warchalowskianus*) *ampliformis* Reitter, 1910 (*Elateridae*)
 3865. *Selatosomus* (*Warchalowskianus*) *barlaensis* Mertlik, 2000 (*Elateridae*)
 3866. *Selenocephalus anatolicus* Dlabola, 1957 (*Cicadellidae*)
 3867. *Selenocephalus ankarae* Dlabola, 1957 (*Cicadellidae*)
 3868. *Selenocephalus obsoletus* (Germar, 1817) (*Cicadellidae*)
 3869. *Selenocephalus pallens* Lindberg, 1948 (*Cicadellidae*)
 3870. *Selenocephalus pallidus* Kirschbaum, 1868 (*Cicadellidae*)
 3871. *Selenocephalus sirvadi* Dlabola, 1965 (*Cicadellidae*)
 3872. *Selenocephalus stenopterus* Signoret, 1880 (*Cicadellidae*)
 3873. *Selenocephalus tapan* Dlabola, 1981 (*Cicadellidae*)
 3874. *Selenocephalus uvarovi* Zachvatkin, 1946 (*Cicadellidae*)
 3875. *Semiachar petiolata* (Grault) (*Eulophidae*)
 3876. *Sepiana sepia* (Yersin, 1854) (*Tettigoniidae*)
 3877. *Setapius barajus* (Dlabola, 1957) (*Cixiidae*)
 3878. *Setapius klapperichianus* Dlabola, 1988 (*Cixiidae*)
 3879. *Setapius lindbergi* (Dlabola, 1957) (*Cixiidae*)
 3880. *Shelfordella tartara* (Saussure, 1874) (*Blattidae*)
 3881. *Sicus caucasicus* Zimina, 1963 (*Conopidae*)
 3882. *Sicus ferrugineus* (Linnaeus, 1761) (*Conopidae*)
 3883. *Sicus nigratarsis* Zimina, 1975 (*Conopidae*)
 3884. *Sigalphus irrorator* (Fabricius, 1775) (*Braconidae*)
 3885. *Sigmophora brevicornis* (Panzer) (*Eulophidae*)
 3886. *Silvius* (*Heterosilvius*) *peculiaris* Olsuljev, 1971 (*Tabanidae*)
 3887. *Silvius* (s.str.) *alpinus* (Fabricius, 1805) (*Tabanidae*)
 3888. *Silvius* (s.str.) *inflaticornis* Austen, 1925 (*Tabanidae*)
 3889. *Silvius* (s.str.) *latifrons* Olsuljev, 1937 (*Tabanidae*)
 3890. *Silvius* (s.str.) *ochraceus* Loew, 1858 (*Tabanidae*)
 3891. *Silvius* (s.str.) *variegatus* (Fabricius, 1805) (*Tabanidae*)
 3892. *Silvius algirus* Meigen, 1930 (*Tabanidae*)
 3893. *Siphonoperla burmeisteri* (Pictet, 1841) (*Chloroperlidae*)
 3894. *Siphonoperla hajastanica* (Zhiltzova, 1961) (*Chloroperlidae*)
 3895. *Siphonoperla taurica* (Pictet, 1841) (*Chloroperlidae*)
 3896. *Sisyphus schaefferi* (Linnaeus, 1758) (*Scarabaeidae*)
 3897. *Sitophagus hololeptoides* Laporte, 1840 (*Tenebrionidae*)
 3898. *Sogatella vibix* (Haupt, 1927) (*Delphacidae*)
 3899. *Solskyana villiger* (Solsky, 1881) (*Elateridae*)
 3900. *Solva marginata* (Meigen, 1820) (*Xylomyidae*)
 3901. *Spalangia fuscipes* Nees (*Pteromalidae*)
 3902. *Spalangia subpunctata* Förster (*Pteromalidae*)
 3903. *Sparedrus testaceus* (Andersch, 1797) (*Oedemeridae*)
 3904. *Sphaerolecanium prunastri* (Boyer de Fonscolombe) (*Coccidae*)
 3905. *Sphegigaster brevicornis* (Walker) (*Pteromalidae*)
 3906. *Sphegigaster pallicornis* (Spinola) (*Pteromalidae*)
 3907. *Sphegigaster pedunculiventris* (Spinola) (*Pteromalidae*)
 3908. *Sphenella marginata* (Fallén, 1814) (*Tephritidae*)
 3909. *Sphenophyma rugulosa* (Stål, 1876) (*Acrididae*)
 3910. *Sphingonotus* (s.str.) *coerulipes* Uvarov, 1922 (*Acrididae*)
 3911. *Sphingonotus* (s.str.) *nebulosus* (Fischer von Waldheim, 1846) (*Acrididae*)
 3912. *Sphingonotus* (s.str.) *octofasciata* Audinet-Serville, 1839 (*Acrididae*)
 3913. *Sphingonotus* (s.str.) *pilosus* Saussure, 1884 (*Acrididae*)
 3914. *Sphingonotus* (s.str.) *rubescens* (Walker, 1870) (*Acrididae*)
 3915. *Sphingonotus* (s.str.) *theodori* Uvarov, 1923 (*Acrididae*)
 3916. *Sphingonotus* (s.str.) *turcicus* Uvarov, 1930 (*Acrididae*)
 3917. *Sphingonotus* (*Sphingoderus*) *carinatus* (Saussure, 1888) (*Acrididae*)
 3918. *Sphingonotus* (*Sphingonotus*) *coerulans* (*Acrididae*)
 3919. *Sphingonotus caerulans* (Linnaeus, 1767) (*Acrididae*)
 3920. *Sphingonotus coerulipes* Uvarov, 1922 (*Acrididae*)
 3921. *Sphingonotus pilosus* Saussure, 1884 (*Acrididae*)
 3922. *Sphingonotus rubescens* (Walker, 1870) (*Acrididae*)
 3923. *Spilococcus mamillariae* (Bouche) (*Pseudococcidae*)
 3924. *Spilogona biseriata* (Stein, 1916) (*Muscidae*)
 3925. *Spilogona carbonella* (Zetterstedt, 1845) (*Muscidae*)
 3926. *Spilogona dispar* (Fallén, 1823) (*Muscidae*)
 3927. *Spilostethus saxatilis* (Scopoli, 1763) (*Lygaeidae*)
 3928. *Spinococcus morrisoni* (Kiritschenko) (*Pseudococcidae*)
 3929. *Spintherus dubius* (Nees) (*Pteromalidae*)
 3930. *Sporadiana brevipes* (Uvarov, 1934) (*Tettigoniidae*)
 3931. *Squamiana kurmana* Ramme, 1951 (*Tettigoniidae*)
 3932. *Stryphophagus aphidivorus* (Mayr) (*Encyrtidae*)
 3933. *Stauroderus scalaris* (Fischer von Waldheim, 1846) (*Acrididae*)
 3934. *Stegelytra putoni* Mulsant & Rey, 1855 (*Cicadellidae*)
 3935. *Stenagostus rhombeus* (Olivier, 1790) (*Elateridae*)
 3936. *Stenagostus rosti* (Schwarz, 1897) (*Elateridae*)
 3937. *Stenagostus zuercheri* Reitter, 1909 (*Elateridae*)
 3938. *Stenobothrus* (*Crotalacris*) *bozcuki* Çıplak, 1994 (*Acrididae*)
 3939. *Stenobothrus* (*Crotalacris*) *selmae* Ünal, 1999 (*Acrididae*)
 3940. *Stenobothrus* (s.str.) *burri* Karabağ, 1953 (*Acrididae*)
 3941. *Stenobothrus* (s.str.) *derrai* Harz, 1988 (*Acrididae*)
 3942. *Stenobothrus* (s.str.) *fischeri* (Eversmann, 1848) (*Acrididae*)
 3943. *Stenobothrus* (s.str.) *graecus* (*Acrididae*)

3944. *Stenobothrus* (s.str.) *lineatus* (Panzer, 1796) (*Acrididae*)
3945. *Stenobothrus* (s.str.) *miramae* Dirsh, 1931 (*Acrididae*)
3946. *Stenobothrus* (s.str.) *nigrogeniculatus* Krauss, 1878 (*Acrididae*)
3947. *Stenobothrus* (s.str.) *nigromaculatus* (Herrich-Schäffer, 1840) (*Acrididae*)
3948. *Stenobothrus* (s.str.) *stigmaticus* (Rambur, 1839) (*Acrididae*)
3949. *Stenobothrus* (s.str.) *zubovskii* Bolivar, 1899 (*Acrididae*)
3950. *Stenobothrus* (*Stenobothrodes*) *sviridenkoi* Ramme, 1930 (*Acrididae*)
3951. *Stenobothrus* (*Stenobothrodes*) *wernerii* Adelung, 1907 (*Acrididae*)
3952. *Stenocranus* *minutus* (Fabricius, 1787) (*Delphacidae*)
3953. *Stenodema* *trispinosum* Reuter, 1904 (*Miridae*)
3954. *Stenodera* *anatolica* Frivaldsky, 1884 (*Meloidae*)
3955. *Stenodera* *caucasica* (Pallas, 1781) (*Meloidae*)
3956. *Stenodera* *coeruleiceps* Fairmaire, 1892 (*Meloidae*)
3957. *Stenodera* *oculifera* Abeille de Perrin, 1880 (*Meloidae*)
3958. *Stenodera* *puncticollis* (Chevrolat, 1829) (*Meloidae*)
3959. *Stenomalina* *communis* (Nees) (*Pteromalidae*)
3960. *Stenomalina* *favorinus* (Walker) (*Pteromalidae*)
3961. *Stenomalina* *laticeps* (Walker) (*Pteromalidae*)
3962. *Stenomotopiellus* *angorensis* Zachvatkin, 1946 (*Cicadellidae*)
3963. *Stenonemobius* (s.str.) *gracilis* (Jakovleff, 1871) (*Gryllidae*)
3964. *Stenopogon* *coracinus* (Loew, 1847) (*Asilidae*)
3965. *Stenopogon* *flavibarbis* Enderlein, 1934 (*Asilidae*)
3966. *Stenopogon* *laevigatus* (Loew, 1851) (*Asilidae*)
3967. *Stenopogon* *milvus* (Loew, 1847) (*Asilidae*)
3968. *Stenopogon* *mollis* Loew, 1868 (*Asilidae*)
3969. *Stenopogon* *nataliae* Richter, 1963 (*Asilidae*)
3970. *Stenopogon* *nigriventris* Loew, 1868 (*Asilidae*)
3971. *Stenopogon* *roederii* Bezzi, 1895 (*Asilidae*)
3972. *Stenopogon* *rufescens* Theodor, 1980 (*Asilidae*)
3973. *Stenopogon* *sabaudus* (Fabricius, 1794) (*Asilidae*)
3974. *Stenopogon* *strataegus* Gerstaecker, 1862 (*Asilidae*)
3975. *Stenoria* *analis* Schaum, 1859 (*Meloidae*)
3976. *Stenosis* *dilutipes* Reitter, 1887 (*Tenebrionidae*)
3977. *Stenosis* *intermedia* (Solier, 1838) (*Tenebrionidae*)
3978. *Stenosis* *orientalis* Brullé, 1832 (*Tenebrionidae*)
3979. *Stenosis* *sardoa* (Küster, 1848) (*Tenebrionidae*)
3980. *Stenosis* *sulcata* Miller, 1861 (*Tenebrionidae*)
3981. *Stephanodes* *similis* (Förster) (*Mymaridae*)
3982. *Stethophyma* *grossum* (Linnaeus, 1758) (*Acrididae*)
3983. *Stibula* *cyniformis* (Rossi) (*Eucharitidae*)
3984. *Stibula* *vitripennis* Masi (*Eucharitidae*)
3985. *Stichopogon* *inaequalis* Loew, 1847 (*Asilidae*)
3986. *Stichopogon* *scaliger* Loew, 1847 (*Asilidae*)
3987. *Stictocoris* *picturatus* (Sahlberg, 1842) (*Cicadellidae*)
3988. *Stictopleurus* *pictus* (Fieber, 1861) (*Rhopalidae*)
3989. *Stonemyia* *caucasica* (Kröber, 1921) (*Tabanidae*)
3990. *Stonemyia* *tigris* (Bigot, 1880) (*Tabanidae*)
3991. *Stratiomys* *armeniaca* Bigot, 1879 (*Stratiomyidae*)
3992. *Stratiomys* *cenisia* Meigen, 1822 (*Stratiomyidae*)
3993. *Stratiomys* *chamaeleon* (Linnaeus, 1758) (*Stratiomyidae*)
3994. *Stratiomys* *longicornis* (Scopoli, 1763) (*Stratiomyidae*)
3995. *Stratiomys* *nigerrima* (Szilady, 1941) (*Stratiomyidae*)
3996. *Stratiomys* *ruficornis* (Macquart, 1838) (*Stratiomyidae*)
3997. *Streptanus* *albanicus* (Horvath, 1916) (*Cicadellidae*)
3998. *Stylascalaphus* *fabiani* Meszaros & Abraham, 2005 (*Ascalaphidae*)
3999. *Stymphalus* *rubrolineatus* (Stal, 1855) (*Cicadellidae*)
4000. *Sulamicerus* *ancorarius* (Dlabola, 1964) (*Cicadellidae*)
4001. *Sulamicerus* *stali* (Fieber, 1868) (*Cicadellidae*)
4002. *Sureyaella* *bella* Uvarov, 1934 (*Tettigoniidae*)
4003. *Sycophila* *biguttata* (Swederus) (*Eurytomidae*)
4004. *Sycophila* *submutica* (Thomson) (*Eurytomidae*)
4005. *Sycophila* *variegata* (Curtis) (*Eurytomidae*)
4006. *Sympiesis* *acalle* (Walker) (*Eulophidae*)
4007. *Sympiesis* *albiflava* Fahringer (*Eulophidae*)
4008. *Sympiesis* *euspilapterygis* (Erdös) (*Eulophidae*)
4009. *Sympiesis* *sericeicornis* (Nees) (*Eulophidae*)
4010. *Sympiesis* *turcica* Fahringer (*Eulophidae*)
4011. *Synaptus* *filiformis* (Fabricius, 1781) (*Elateridae*)
4012. *Synophropsis* *lauri* (Horvath, 1897) (*Cicadellidae*)
4013. *Syntomopus* *incisus* Thomson (*Pteromalidae*)
4014. *Syntomopus* *incurvus* Walker (*Pteromalidae*)
4015. *Syriolytta* *vulneratus* (Fairmaire, 1892) (*Meloidae*)
4016. *Syromastus* *rhombus* (Linnaeus, 1758) (*Coreidae*)
4017. *Systasis* *encyrtoides* Walker (*Pteromalidae*)
4018. *Systoechus* *gradatus* (Wiedemann, 1820) (*Bombyliidae*)
4019. *Systole* *brunnicornis* Zerova & Çam, 2003 (*Eurytomidae*)
4020. *Systole* *minima* Zerova & Çam, 2003 (*Eurytomidae*)
4021. *Systole* *plana* Zerova & Çam, 2004 (*Eurytomidae*)
4022. *Systole* *tokata* Zerova & Çam, 2004 (*Eurytomidae*)
4023. *Tabanus* *accensus* Austen, 1927 (*Tabanidae*)
4024. *Tabanus* *aidini* Kröber, 1928 (*Tabanidae*)
4025. *Tabanus* *alvarengia* Schacht, 1987 (*Tabanidae*)
4026. *Tabanus* *anatolicus* Osufjev, Moucha & Chvala, 1967 (*Tabanidae*)
4027. *Tabanus* *anthrax* Olsufjev, 1937 (*Tabanidae*)
4028. *Tabanus* *arabicus* Macquart, 1839 (*Tabanidae*)
4029. *Tabanus* *armeniacus* Kröber, 1928 (*Tabanidae*)
4030. *Tabanus* *atropathenicus* Olsufjev, 1937 (*Tabanidae*)
4031. *Tabanus* *autumnalis* Linnaeus, 1761 (*Tabanidae*)
4032. *Tabanus* *bifarius* Loew, 1858 (*Tabanidae*)
4033. *Tabanus* *bovinus* Linnaeus, 1758 (*Tabanidae*)
4034. *Tabanus* *briani* Leclercq, 1962 (*Tabanidae*)
4035. *Tabanus* *bromiolus* Szilady, 1923 (*Tabanidae*)
4036. *Tabanus* *bromius* Linnaeus, 1761 (*Tabanidae*)
4037. *Tabanus* *brunnescens* Szilady, 1917 (*Tabanidae*)
4038. *Tabanus* *canipalpis* Bigot, 1892 (*Tabanidae*)
4039. *Tabanus* *cordiger* Meigen, 1820 (*Tabanidae*)
4040. *Tabanus* *cuculus* Szilady, 1923 (*Tabanidae*)
4041. *Tabanus* *darimonti* Leclercq, 1964 (*Tabanidae*)
4042. *Tabanus* *decipiens* Kröber, 1928 (*Tabanidae*)
4043. *Tabanus* *eggeri* Schiner, 1868 (*Tabanidae*)
4044. *Tabanus* *exlusus* Pandella, 1883 (*Tabanidae*)
4045. *Tabanus* *fraseri* Austen, 1925 (*Tabanidae*)
4046. *Tabanus* *glaucoptis* Meigen, 1820 (*Tabanidae*)
4047. *Tabanus* *golovi* Olsufjev, 1936 (*Tabanidae*)
4048. *Tabanus* *grandis* Szilady, 1923 (*Tabanidae*)
4049. *Tabanus* *ilchanii* Jezek, 1981 (*Tabanidae*)
4050. *Tabanus* *indrae* Hauser, 1939 (*Tabanidae*)
4051. *Tabanus* *karaosus* Timmer, 1984 (*Tabanidae*)
4052. *Tabanus* *laetinctus* Becker, 1912 (*Tabanidae*)
4053. *Tabanus* *lunatus* Fabricius, 1794 (*Tabanidae*)
4054. *Tabanus* *maculicornis* Zetterstedt, 1842 (*Tabanidae*)
4055. *Tabanus* *martinii* Kröber, 1928 (*Tabanidae*)
4056. *Tabanus* *mianjangalensis* Jezek, 1981 (*Tabanidae*)
4057. *Tabanus* *miki* Brauer, 1880 (*Tabanidae*)
4058. *Tabanus* *nemoralis* Meigen, 1820 (*Tabanidae*)
4059. *Tabanus* *obsolescens* Pandelle, 1883 (*Tabanidae*)
4060. *Tabanus* *olsufjevi* Hauser, 1960 (*Tabanidae*)
4061. *Tabanus* *oppugnator* Austen, 1925 (*Tabanidae*)
4062. *Tabanus* *paradoxus* Jaennicke, 1866 (*Tabanidae*)
4063. *Tabanus* *portschinskii* Olsufjev, 1937 (*Tabanidae*)
4064. *Tabanus* *prometheus* Szilady, 1923 (*Tabanidae*)
4065. *Tabanus* *quatuornatus* Meigen, 1820 (*Tabanidae*)

4066. *Tabanus rectus* Loew, 1858 (*Tabanidae*)
 4067. *Tabanus regularis* Jaennicke, 1866 (*Tabanidae*)
 4068. *Tabanus rupium* Brauer, 1880 (*Tabanidae*)
 4069. *Tabanus semiargenteus* Olsufjev, 1937 (*Tabanidae*)
 4070. *Tabanus shannonellus* Kröber, 1936 (*Tabanidae*)
 4071. *Tabanus shekovnikovi* Paramanov, 1934 (*Tabanidae*)
 4072. *Tabanus spectabilis* Loew, 1858 (*Tabanidae*)
 4073. *Tabanus spodopterus* Meigen, 1820 (*Tabanidae*)
 4074. *Tabanus subparadoxus* Olsufjev, 1937 (*Tabanidae*)
 4075. *Tabanus sudeticus* Zeller, 1847 (*Tabanidae*)
 4076. *Tabanus swiridowi* Portsichinsky, 1882 (*Tabanidae*)
 4077. *Tabanus tergestinus* Egger, 1859 (*Tabanidae*)
 4078. *Tabanus tinctus* Walker, 1850 (*Tabanidae*)
 4079. *Tabanus unifasciatus* Loew, 1858 (*Tabanidae*)
 4080. *Tabanus yasujensis* Bogatshev & Samedov, 1949 (*Tabanidae*)
 4081. *Tachycixius bidentifer* Dlabola, 1971 (*Cixiidae*)
 4082. *Tachycixius creticus* Dlabola, 1974 (*Cixiidae*)
 4083. *Tachycixius desertorum* (Fieber, 1876) (*Cixiidae*)
 4084. *Tachycixius pilosus* (Olivier, 1791) (*Cixiidae*)
 4085. *Tamaricella cypria* (Ribaut, 1948) (*Cicadellidae*)
 4086. *Tamaricella remanei* Dworakowska, 1971 (*Cicadellidae*)
 4087. *Tamaricella tamaricis* (Puton, 1872) (*Cicadellidae*)
 4088. *Tapinoma erraticum* (Latreille, 1798) (*Formicidae*)
 4089. *Targionia nigra* Signoret (*Diaspididae*)
 4090. *Targionia vitis* (Signoret) (*Diaspididae*)
 4091. *Tartarogryllus tartarus* (Saussure, 1877) (*Gryllidae*)
 4092. *Taxomyia taxi* (Inchbald, 1861) (*Cecidomyiidae*)
 4093. *Tenebrio obscurus* Fabricius, 1792 (*Tenebrionidae*)
 4094. *Tenebrio syriacus* Zoufal, 1892 (*Tenebrionidae*)
 4095. *Tenthredo accrima* Benson, 1952 (*Tenthredinidae*)
 4096. *Tenthredo albiventris* Moscardi, 1880 (*Tenthredinidae*)
 4097. *Tenthredo albopicta* Puls, 1870 (*Tenthredinidae*)
 4098. *Tenthredo arcuata* Forster, 1771 (*Tenthredinidae*)
 4099. *Tenthredo caligator* Eversmann, 1847 (*Tenthredinidae*)
 4100. *Tenthredo caucasica* Eversmann, 1847 (*Tenthredinidae*)
 4101. *Tenthredo colon* Klug, 1817 (*Tenthredinidae*)
 4102. *Tenthredo costata* Klug, 1817 (*Tenthredinidae*)
 4103. *Tenthredo discophora* Konow, 1896 (*Tenthredinidae*)
 4104. *Tenthredo excellens* Konow, 1886 (*Tenthredinidae*)
 4105. *Tenthredo flavipennis* (Brullé, 1832) (*Tenthredinidae*)
 4106. *Tenthredo frauenfeldii* Giraud, 1857 (*Tenthredinidae*)
 4107. *Tenthredo hyrcana* Benson, 1968 (*Tenthredinidae*)
 4108. *Tenthredo liturata* (Mocsary, 1886) (*Tenthredinidae*)
 4109. *Tenthredo livida* Linnaeus, 1758 (*Tenthredinidae*)
 4110. *Tenthredo luteipennis* Eversmann, 1847 (*Tenthredinidae*)
 4111. *Tenthredo maculata* Geoffroy, 1785 (*Tenthredinidae*)
 4112. *Tenthredo mesomelas* Linnaeus, 1758 (*Tenthredinidae*)
 4113. *Tenthredo notha* Klug, 1817 (*Tenthredinidae*)
 4114. *Tenthredo omissa* Förster, 1844 (*Tenthredinidae*)
 4115. *Tenthredo propinqua* Klug, 1817 (*Tenthredinidae*)
 4116. *Tenthredo scrophulariae* Linnaeus, 1758 (*Tenthredinidae*)
 4117. *Tenthredo thompsoni* Curtis, 1839 (*Tenthredinidae*)
 4118. *Tenthredo vespa* Retzius, 1783 (*Tenthredinidae*)
 4119. *Tenthredo vespiformis* Schrank, 1781 (*Tenthredinidae*)
 4120. *Tenthredo zonula* Klug, 1817 (*Tenthredinidae*)
 4121. *Tenthredopsis albonotata* (Brullé, 1832) (*Tenthredinidae*)
 4122. *Tenthredopsis festiva* Konow, 1890 (*Tenthredinidae*)
 4123. *Tenthredopsis harveyi* Benson, 1968 (*Tenthredinidae*)
 4124. *Tenthredopsis nassata* Linnaeus, 1767 (*Tenthredinidae*)
 4125. *Tenthredopsis nigella* Konow, 1891 (*Tenthredinidae*)
 4126. *Tenthredopsis sordida* Klug, 1817 (*Tenthredinidae*)
 4127. *Tenthredopsis tessellata* Klug, 1817 (*Tenthredinidae*)
 4128. *Tentyria cylindrica* Solier, 1835 (*Tenebrionidae*)
 4129. *Tentyria cypria* Kraatz, 1865 (*Tenebrionidae*)
 4130. *Tentyria rotundata* Brullé, 1832 (*Tenebrionidae*)
 4131. *Tentyria tessulata* Tauscher, 1812 (*Tenebrionidae*)
 4132. *Tentyria wiedemanni* Ménétriés, 1838 (*Tenebrionidae*)
 4133. *Tephritis acanthiophilopsis* Hering, 1938 (*Tephritidae*)
 4134. *Tephritis carmen* Hering, 1937 (*Tephritidae*)
 4135. *Tephritis cometa* (Loew, 1856) (*Tephritidae*)
 4136. *Tephritis dioscurea* (Loew, 1856) (*Tephritidae*)
 4137. *Tephritis divisa* Rondani, 1871 (*Tephritidae*)
 4138. *Tephritis fallax* (Loew, 1844) (*Tephritidae*)
 4139. *Tephritis formosa* (Loew, 1844) (*Tephritidae*)
 4140. *Tephritis frauenfeldi* Hendel, 1927 (*Tephritidae*)
 4141. *Tephritis hurvitzii* Freidberg, 1981 (*Tephritidae*)
 4142. *Tephritis hyoseyami* (Linnaeus, 1758) (*Tephritidae*)
 4143. *Tephritis mariannae* Merz, 1992 (*Tephritidae*)
 4144. *Tephritis matricariae* (Loew, 1844) (*Tephritidae*)
 4145. *Tephritis merzi* Freidberg & Küttük, 2002 (*Tephritidae*)
 4146. *Tephritis nigricauda* (Loew, 1856) (*Tephritidae*)
 4147. *Tephritis postica* (Loew, 1844) (*Tephritidae*)
 4148. *Tephritis praecox* (Loew, 1844) (*Tephritidae*)
 4149. *Tephritis pulchra* (Loew, 1844) (*Tephritidae*)
 4150. *Tephritis recurrens* Loew, 1869 (*Tephritidae*)
 4151. *Tephritis sauteri* Merz, 1992 (*Tephritidae*)
 4152. *Tephritis separata* Rondani, 1871 (*Tephritidae*)
 4153. *Tephritis simplex* (Loew, 1844) (*Tephritidae*)
 4154. *Tephritis vespertina* (Loew, 1844) (*Tephritidae*)
 4155. *Tephritomyia lauta* (Loew, 1869) (*Tephritidae*)
 4156. *Teratolytta carlae* Bologna, 2006 (*Meloidae*)
 4157. *Teratolytta dives* (Brullé, 1832) (*Meloidae*)
 4158. *Teratolytta dvoraki* Bologna, 2006 (*Meloidae*)
 4159. *Teratolytta flavipes* (Mulsant & Rey, 1858) (*Meloidae*)
 4160. *Teratolytta gentilis* (Frivaldsky, 1877) (*Meloidae*)
 4161. *Teratolytta kulzeri* Kaszab, 1958 (*Meloidae*)
 4162. *Teratolytta monticola* Bologna, 2006 (*Meloidae*)
 4163. *Teratolytta senilis* (Abeille de Perrin, 1895) (*Meloidae*)
 4164. *Teratolytta taurica* Bologna, 2006 (*Meloidae*)
 4165. *Teratolytta vanensis* Kaszab, 1968 (*Meloidae*)
 4166. *Terellia ceratocera* Hendel, 1913 (*Tephritidae*)
 4167. *Terellia fuscicornis* (Loew, 1844) (*Tephritidae*)
 4168. *Terellia gynaeochroma* (M. Hering, 1936) (*Tephritidae*)
 4169. *Terellia luteola* (Wiedemann, 1830) (*Tephritidae*)
 4170. *Terellia nigripalpis* Hendel, 1927 (*Tephritidae*)
 4171. *Terellia quadratula* (Loew, 1869) (*Tephritidae*)
 4172. *Terellia ruficauda* (Fabricius, 1794) (*Tephritidae*)
 4173. *Terellia serratulae* (Linnaeus, 1758) (*Tephritidae*)
 4174. *Terellia virens* (Loew, 1846) (*Tephritidae*)
 4175. *Terellia zerovae* Korneyev, 1985 (*Tephritidae*)
 4176. *Tetartostylus illyricus* (Kirschbaum, 1868) (*Cicadellidae*)
 4177. *Tetracnemus heydeni* (Mayr) (*Encyrtidae*)
 4178. *Tetracnemus terminassianae* Herthveztian (*Encyrtidae*)
 4179. *Tetramesa anatolica* Zerova & Çam (*Eurytomidae*)
 4180. *Tetramesa maderae* (Walker) (*Eurytomidae*)
 4181. *Tetramorium caespitum* (Linnaeus, 1758) (*Formicidae*)
 4182. *Tetramorium lucidula* Emery, 1909 (*Formicidae*)
 4183. *Tetramorium schmidtii* Forel, 1904 (*Formicidae*)
 4184. *Tetramorium sculptum* Poldi, 1975 (*Formicidae*)
 4185. *Tetramorium semilaeve* André, 1883 (*Formicidae*)
 4186. *Tetrastichus coelarchus* Graham (*Eulophidae*)
 4187. *Tetrastichus decrescens* Graham (*Eulophidae*)
 4188. *Tetrastichus melasomae* Graham (*Eulophidae*)
 4189. *Tetrastichus sinope* (Walker) (*Eulophidae*)

4190. *Tetratetrix nutans* (Hagenbach, 1822) (Tetrigidae)
 4191. *Tetrigus cyprius* Baudi, 1871 (Elateridae)
 4192. *Tetrix bolivari* (Saulcy, 1901) (Tetrigidae)
 4193. *Tetrix ceperoi* (Bolivar, 1887) (Tetrigidae)
 4194. *Tetrix depressa* (Brisout, 1848) (Tetrigidae)
 4195. *Tetrix subulata* (Linnaeus, 1758) (Tetrigidae)
 4196. *Tetrix tenuicornis* Sahlberg, 1893 (Tetrigidae)
 4197. *Tetrix tuerki* (Krauss, 1876) (Tetrigidae)
 4198. *Tettigometra* (Hystriagonia) *hexaspina* Kolenati, 1857 (Tettigometridae)
 4199. *Tettigometra* (Metroplaca) *baranii* Signoret, 1866 (Tettigometridae)
 4200. *Tettigometra* (Metroplaca) *longicornis* (Signoret, 1866) (Tettigometridae)
 4201. *Tettigometra* (Mitricephalus) *eremi* Lindberg, 1948 (Tettigometridae)
 4202. *Tettigometra* (Mitricephalus) *leucophaea* (Preyssl, 1792) (Tettigometridae)
 4203. *Tettigometra* (Mitricephalus) *macrocephalus* (Fieber, 1865) (Tettigometridae)
 4204. *Tettigometra* (s.str.) *impressopunctata* Dufour, 1846 (Tettigometridae)
 4205. *Tettigometra* (s.str.) *sulphurea* Mulsant-Rey, 1855 (Tettigometridae)
 4206. *Tettigometra* (s.str.) *virescens* (Panzer, 1799) (Tettigometridae)
 4207. *Tettigometra* (Stirometra) *costulata* Fieber, 1865 (Tettigometridae)
 4208. *Tettigometra* *angulata* Lindberg, 1948 (Tettigometridae)
 4209. *Tettigometra* *atra* Hagenbach, 1825 (Tettigometridae)
 4210. *Tettigometra* *atrata* Fieber, 1872 (Tettigometridae)
 4211. *Tettigometra* *beckeri* Horvath, 1909 (Tettigometridae)
 4212. *Tettigometra* *lyncea* Horvath, 1903 (Tettigometridae)
 4213. *Tettigometra* *sordida* Fieber, 1865 (Tettigometridae)
 4214. *Tettigometra* *vittellina* Fieber, 1865 (Tettigometridae)
 4215. *Tettigonia* *acutipennis* Ebner, 1946 (Tettigoniidae)
 4216. *Tettigonia* *caudata* (Charpentier, 1845) (Tettigoniidae)
 4217. *Tettigonia* *turcica* Ramme, 1951 (Tettigoniidae)
 4218. *Tettigonia* *viridissima* Linnaeus, 1758 (Tettigoniidae)
 4219. *Thamnotettix* (Loepotettix) *exemtus* Melichar, 1896 (Cicadellidae)
 4220. *Thamnotettix* (s.str.) *confinis* Zetterstedt, 1828 (Cicadellidae)
 4221. *Thamnotettix* (s.str.) *creticus* Dlabola, 1974 (Cicadellidae)
 4222. *Thamnotettix* (s.str.) *klapperichi* Dlabola, 1965 (Cicadellidae)
 4223. *Thamnotettix* (s.str.) *zelleri* (Kirschbaum, 1868) (Cicadellidae)
 4224. *Thamnotettix* *wittmeri* Dlabola, 1971 (Cicadellidae)
 4225. *Thecodiplosis* sp. (Cecidomyiidae)
 4226. *Thecophora* *atra* (Fabricius, 1775) (Conopidae)
 4227. *Thecophora* *distincta* (Wiedemann, 1824) (Conopidae)
 4228. *Thecophora* *fulvipes* (Robineau-Desvoidy, 1830) (Conopidae)
 4229. *Thecophora* *pusilla* (Meigen, 1824) (Conopidae)
 4230. *Theocolax* *elegans* (Westwood, 1874) (Pteromalidae)
 4231. *Thereva* *affinis* Kröber, 1913 (Therevidae)
 4232. *Thereva* *albohirta* Kröber, 1912 (Therevidae)
 4233. *Thereva* *apicalis* Wiedemann, 1821 (Therevidae)
 4234. *Thereva* *aurata* (Loew, 1854) (Therevidae)
 4235. *Thereva* *binotata* (Loew, 1847) (Therevidae)
 4236. *Thereva* *cincta* Meigen, 1820 (Therevidae)
 4237. *Thereva* *cinifera* Meigen, 1830 (Therevidae)
 4238. *Thereva* *claripennis* (Loew, 1847) (Therevidae)
 4239. *Thereva* *flavescens* (Loew, 1847) (Therevidae)
 4240. *Thereva* *fulva* (Meigen, 1804) (Therevidae)
 4241. *Thereva* *fulvibarba* Kröber, 1912 (Therevidae)
 4242. *Thereva* *glaucescens* Kröber, 1912 (Therevidae)
 4243. *Thereva* *handlirschi* Kröber, 1912 (Therevidae)
 4244. *Thereva* *hirta* Kröber, 1913 (Therevidae)
 4245. *Thereva* *lanata* Zetterstedt, 1838 (Therevidae)
 4246. *Thereva* *neglecta* Kröber, 1912 (Therevidae)
 4247. *Thereva* *nitidifrons* Kröber, 1913 (Therevidae)
 4248. *Thereva* *pilifrons* Kröber, 1912 (Therevidae)
 4249. *Thereva* *plebeja* (Linnaeus, 1758) (Therevidae)
 4250. *Thereva* *strigata* (Fabricius, 1794) (Therevidae)
 4251. *Thereva* *tristis* (Loew, 1847) (Therevidae)
 4252. *Thereva* *tuberculata* (Loew, 1847) (Therevidae)
 4253. *Thereva* *unica* (Harris, 1780) (Therevidae)
 4254. *Thereva* *valida* (Loew, 1847) (Therevidae)
 4255. *Theriopectes* *carabaghensis* (Potschinsky, 1877) (Tabanidae)
 4256. *Theriopectes* *tricolor* Zeller, 1842 (Tabanidae)
 4257. *Theriopectes* *tunicatus* (Szilady, 1927) (Tabanidae)
 4258. *Thinodytes* *cyzicus* (Walker) (Pteromalidae)
 4259. *Thisoicetrinus* *pterostichus* (Fischer von Waldheim, 1833) (Acrididae)
 4260. *Thornburghiella* *quezeli* (Vaillant, 1956) (Psychodidae)
 4261. *Thricops* *aculeipes* (Zetterstedt, 1838) (Muscidae)
 4262. *Thricops* *diaphanus* (Wiedemann, 1817) (Muscidae)
 4263. *Thricops* *nigritellus* (Zetterstedt, 1838) (Muscidae)
 4264. *Thricops* *sudeticus* (Schnabl, 1888) (Muscidae)
 4265. *Thyridanthrax* *incanus* (Klug, 1832) (Bombyliidae)
 4266. *Thyridanthrax* *lotus* (Loew, 1869) (Bombyliidae)
 4267. *Thyridanthrax* *mutillus* (Loew, 1869) (Bombyliidae)
 4268. *Thyridanthrax* *perspicillaris* (Loew, 1869) (Bombyliidae)
 4269. *Thyridanthrax* *polyphemus* (Wiedemann, 1820) (Bombyliidae)
 4270. *Thysanus* *ater* Walker (Signiphoridae)
 4271. *Tibicina* *haematodes* (Scopoli, 1763) (Cicadidae)
 4272. *Tilloidea* *transversalis* (Charpentier, 1825) (Cleridae)
 4273. *Tillus* *holtzi* Hintz, 1902 (Cleridae)
 4274. *Tillus* *pallidipennis* Bielz (Cleridae)
 4275. *Tillus* *pectinicornis* Abeille de Perrin, 1892 (Cleridae)
 4276. *Tmethis* *pulchripennis* Audinet-Serville, 1839 (Pamphagidae)
 4277. *Tolmerus* *angustifrons* (Loew, 1849) (Asilidae)
 4278. *Tolmerus* *paganus* Becker, 1923 (Asilidae)
 4279. *Tolmerus* *senex* (Wiedemann, 1820) (Asilidae)
 4280. *Tolmerus* *tesselatus* (Loew, 1849) (Asilidae)
 4281. *Tolmerus* *tivonensis* Theodor, 1980 (Asilidae)
 4282. *Tolphorea* *kurdistanicus* Platia & Gudenzi, 1996 (Elateridae)
 4283. *Tolphorea* *pallida* Platia, 2004 (Elateridae)
 4284. *Tolphorea* *turcica* Platia & Gudenzi, 2000 (Elateridae)
 4285. *Tomicobia* *promulus* (Walker) (Pteromalidae)
 4286. *Tonnoiriella* *turcica* R. Wagner, 1986 (Psychodidae)
 4287. *Torymoides* *dispar* (Masi) (Torymidae)
 4288. *Torymoides* *kiesenwetteri* (Mayr) (Torymidae)
 4289. *Torymoides* *yumurtalikiensis* (Doganlar) (Torymidae)
 4290. *Torymus* *arcella* Graham & Gijswijt (Torymidae)
 4291. *Torymus* *bedeguaris* (Linnaeus) (Torymidae)
 4292. *Torymus* *cultratus* Graham & Gijswijt (Torymidae)
 4293. *Torymus* *cultriventris* Ratzeburg (Torymidae)
 4294. *Torymus* *nitidulus* (Walker) (Torymidae)
 4295. *Torymus* *rubi* (Schränk) (Torymidae)
 4296. *Toxophora* *epargyra* Hermann, 1907 (Bombyliidae)
 4297. *Toxophora* *fasciculata* (Villers, 1789) (Bombyliidae)
 4298. *Toya* *ibiturca* Asche, 1980 (Delphacidae)
 4299. *Toya* *obtusangula* (Linnavuori, 1957) (Delphacidae)
 4300. *Toya* *propinqua* (Fieber, 1866) (Delphacidae)
 4301. *Trabutina* *crassispinosa* Borchsenius (Pseudococcidae)
 4302. *Trabutina* *mannipara* (Hemprich & Ehrenberg) (Pseudococcidae)
 4303. *Trachyderma* *lima* (Petagna, 1819) (Tenebrionidae)
 4304. *Trachyscelis* *aphodioides* Latreille, 1809 (Tenebrionidae)
 4305. *Trechnites* *flavipes* (Mercet) (Encyrtidae)

4306. *Trechmites psyllae* (Ruschka) (*Encyrtidae*)
 4307. *Tremulicerus mesopyrrhus* (Kirschbaum, 1868) (*Cicadellidae*)
 4308. *Triaspis caudatus* (Nees, 1813) (*Braconidae*)
 4309. *Triaspis flavipalpis* Wesmael, 1835 (*Braconidae*)
 4310. *Tribolium castaneum* (Herbst, 1797) (*Tenebrionidae*)
 4311. *Tribolium confusum* Jacquelin du Val, 1868 (*Tenebrionidae*)
 4312. *Trichius orientalis* Reitter, 1894 (*Scarabaeidae*)
 4313. *Trichodes affinis* Chevrolat, 1843 (*Cleridae*)
 4314. *Trichodes albei* Escherich, 1893 (*Cleridae*)
 4315. *Trichodes apiarius* (Linnaeus, 1758) (*Cleridae*)
 4316. *Trichodes crabroniformis* Fabricius, 1787 (*Cleridae*)
 4317. *Trichodes ephippiger* Chevrolat, 1874 (*Cleridae*)
 4318. *Trichodes ganglbaueri* Escherich, 1893 (*Cleridae*)
 4319. *Trichodes heydeni* Escherich (*Cleridae*)
 4320. *Trichodes inermis* Reitter, 1893 (*Cleridae*)
 4321. *Trichodes insignis* Fischer, 1829 (*Cleridae*)
 4322. *Trichodes laminatus* Chevrolat, 1843 (*Cleridae*)
 4323. *Trichodes longissimus* Abeille de Perrin, 1881 (*Cleridae*)
 4324. *Trichodes nobilis* Klug, 1842 (*Cleridae*)
 4325. *Trichodes oberthueri* Champenois, 1900 (*Cleridae*)
 4326. *Trichodes olivieri* Chevrolat (*Cleridae*)
 4327. *Trichodes pulcherrimus* Escherich, 1892 (*Cleridae*)
 4328. *Trichodes punctatus* Fischer, 1829 (*Cleridae*)
 4329. *Trichodes quadriguttatus* Adams, 1817 (*Cleridae*)
 4330. *Trichodes reichei* Mulsant & Rey, 1863 (*Cleridae*)
 4331. *Trichodes rubrolimbatus* Chevrolat, 1876 (*Cleridae*)
 4332. *Trichodes sexpustulatus* Chevrolat, 1874 (*Cleridae*)
 4333. *Trichodes sipylus* (Linnaeus, 1758) (*Cleridae*)
 4334. *Trichodes suspectus* Escherich, 1892 (*Cleridae*)
 4335. *Trichodes syriacus* Spinola, 1844 (*Cleridae*)
 4336. *Trichodes tauricus* Zimmermann, 1971 (*Cleridae*)
 4337. *Trichogramma brassicae* Bezdenko (*Trichogrammatidae*)
 4338. *Trichogramma buluti* Bulut & Kilincer (*Trichogrammatidae*)
 4339. *Trichogramma cacaeciae* Marchal (*Trichogrammatidae*)
 4340. *Trichogramma dendrolimi* Matsumura (*Trichogrammatidae*)
 4341. *Trichogramma embryophagum* (Hartig) (*Trichogrammatidae*)
 4342. *Trichogramma evanescens* Westwood (*Trichogrammatidae*)
 4343. *Trichogramma kilinceri* Bulut & Kilincer (*Trichogrammatidae*)
 4344. *Trichogramma pinto* Voegelé (*Trichogrammatidae*)
 4345. *Trichogramma turkeiense* Bulut & Kilincer (*Trichogrammatidae*)
 4346. *Trichogramma turkestanicum* Meyer (*Trichogrammatidae*)
 4347. *Trichomalopsis hemiptera* (Walker) (*Pteromalidae*)
 4348. *Trichomalopsis littoralis* (Graham) (*Pteromalidae*)
 4349. *Trichomalopsis peregrina* (Graham) (*Pteromalidae*)
 4350. *Trichomalus apertus* (Walker) (*Pteromalidae*)
 4351. *Trichomalus campestris* (Walker) (*Pteromalidae*)
 4352. *Trichomalus elongatus* Delucchi & Graham (*Pteromalidae*)
 4353. *Trichomalus fulvipes* (Walker) (*Pteromalidae*)
 4354. *Trichomalus helvipes* (Walker) (*Pteromalidae*)
 4355. *Trichomalus nanus* (Walker) (*Pteromalidae*)
 4356. *Trichomalus posticus* (Walker) (*Pteromalidae*)
 4357. *Trichomalus rufinus* (Walker) (*Pteromalidae*)
 4358. *Trichomasthus albimanus* Thomson (*Encyrtidae*)
 4359. *Trichomeloe conicicollis* (Reitter, 1907) (*Meloidae*)
 4360. *Trichomeloe sericellus* (Reiche, 1857) (*Meloidae*)
 4361. *Tridactylus fasciatus* Guérin, 1829 (*Tridactylidae*)
 4362. *Tridactylus irremipes* Uvarov, 1934 (*Tridactylidae*)
 4363. *Triecphorella geniculata* (Horvath, 1881) (*Cercopidae*)
 4364. *Triglena virescens* Fieber, 1876 (*Cicadidae*)
 4365. *Trigonidium* (s.str.) *cicindeloides* Rambur, 1839 (*Gryllidae*)
 4366. *Trigonotylus pallidicornis* Reuter, 1899 (*Miridae*)
 4367. *Trionymus aberrans* Goux (*Pseudococcidae*)
 4368. *Trionymus cressae* (Hall) (*Pseudococcidae*)
 4369. *Trionymus multivorus* (Kiritshenko) (*Pseudococcidae*)
 4370. *Trionymus perrisii* (Signoret) (*Pseudococcidae*)
 4371. *Trioza urticae* (Linnaeus) (*Triozae*)
 4372. *Trjapitzinia leucomae* Dzhankmen (*Pteromalidae*)
 4373. *Troglophilus* (s.str.) *adamovi* Us, 1974 (*Raphidophoridae*)
 4374. *Troglophilus* (s.str.) *escalerai* Bolivar, 1899 (*Raphidophoridae*)
 4375. *Troglophilus* (s.str.) *gajaci* Us, 1974 (*Raphidophoridae*)
 4376. *Tropidocephala andropogonis* Horvath, 1895 (*Delphacidae*)
 4377. *Tropidocephala tuberipennis* (Mulsant & Rey, 1855) (*Delphacidae*)
 4378. *Tropidomyia aureifacies* Kröber, 1915 (*Conopidae*)
 4379. *Tropidopola graeca* Uvarov, 1926 (*Acrididae*)
 4380. *Tropidopola longicornis* (Fieber, 1853) (*Acrididae*)
 4381. *Tropistethus fasciatus* Ferrari, 1874 (*Lygaeidae*)
 4382. *Tropistethus majusculus* Horvath, 1881 (*Lygaeidae*)
 4383. *Trupanea amoena* (Frauenfeld, 1857) (*Tephritidae*)
 4384. *Trupanea stellata* (Fuesslin, 1775) (*Tephritidae*)
 4385. *Truxalis bicolor* (Thunberg, 1815) (*Acrididae*)
 4386. *Truxalis eximia* Eichwald, 1830 (*Acrididae*)
 4387. *Truxalis nasuta* (Linnaeus, 1758) (*Acrididae*)
 4388. *Truxalis robusta* (Uvarov, 1916) (*Acrididae*)
 4389. *Trypetimorpha occidentalis* Huang & Bourgoin, 1993 (*Tropiduchidae*)
 4390. *Tshurtshurnella acutus* (Linnavuori, 1965) (*Issidae*)
 4391. *Tshurtshurnella adana* Dlabola, 1986 (*Issidae*)
 4392. *Tshurtshurnella alanyana* Dlabola, 1982 (*Issidae*)
 4393. *Tshurtshurnella aschei* Kartal, 1985 (*Issidae*)
 4394. *Tshurtshurnella bicornuta* Dlabola, 1983 (*Issidae*)
 4395. *Tshurtshurnella bozarmutica* Kartal, 1985 (*Issidae*)
 4396. *Tshurtshurnella campestre* (Lindberg, 1948) (*Issidae*)
 4397. *Tshurtshurnella longispinosa* (Linnavuori, 1962) (*Issidae*)
 4398. *Tshurtshurnella peloponica* Dlabola, 1979 (*Issidae*)
 4399. *Tshurtshurnella trifasciata* (Linnavuori, 1965) (*Issidae*)
 4400. *Tshurtshurnella ventricornis* Dlabola, 1986 (*Issidae*)
 4401. *Tuponia eckerleini* Wagner, 1955 (*Miridae*)
 4402. *Tuponia hippophaes* (Fieber, 1861) (*Miridae*)
 4403. *Turanogryllus aelleni* (Chopard, 1954) (*Gryllidae*)
 4404. *Tylopsis lilifolia* (Fabricius, 1793) (*Tettigoniidae*)
 4405. *Ufens similis* (Kryger) (*Trichogrammatidae*)
 4406. *Ufensia foersteri* (Kryger) (*Trichogrammatidae*)
 4407. *Uloma cypreaca* Kraatz, 1873 (*Tenebrionidae*)
 4408. *Unaspis euonymi* (Comstock) (*Diaspididae*)
 4409. *Unkanodes latespinosa* (Dlabola, 1957) (*Delphacidae*)
 4410. *Urophora doganlari* Kütük, 2006 (*Tephritidae*)
 4411. *Urophora jaceana* (M. Hering, 1935) (*Tephritidae*)
 4412. *Urophora mauritanica* Macquart, 1851 (*Tephritidae*)
 4413. *Urophora quadrifasciata* (Meigen, 1826) (*Tephritidae*)
 4414. *Urophora solstitialis* (Linnaeus, 1758) (*Tephritidae*)
 4415. *Urophora tenuior* Hendel, 1910 (*Tephritidae*)
 4416. *Uscana johnstoni* (Waterston) (*Trichogrammatidae*)
 4417. *Usia* (*Micrusia*) *sicula* Egger, 1859 (*Bombyliidae*)
 4418. *Usia* (*Micrusia*) *versicolor* (Fabricius, 1794) (*Bombyliidae*)
 4419. *Usia* (s.str.) *aenea* (Rossi, 1794) (*Bombyliidae*)
 4420. *Usia* (s.str.) *bicolor* Macquart, 1855 (*Bombyliidae*)
 4421. *Usia* (s.str.) *calva* Loew, 1869 (*Bombyliidae*)
 4422. *Usia* (s.str.) *lata* Loew, 1846 (*Bombyliidae*)

4423. *Utecha trivialis* (Germar, 1821) (Cicadellidae)
 4424. *Uvarovistia* (s.str.) *satunini* (Uvarov, 1916) (Tettigoniidae)
 4425. *Uvarovistia* (s.str.) *zebra* (Uvarov, 1916) (Tettigoniidae)
 4426. *Ventocoris trigonus* (Krynicky, 1871) (Pentatomidae)
 4427. *Verdanus hardei* (Dlabola, 1980) (Cicadellidae)
 4428. *Vespa crabro* Linnaeus, 1758 (Vespidae)
 4429. *Vespa orientalis* Linnaeus, 1771 (Vespidae)
 4430. *Vespula germanica* (Fabricius, 1793) (Vespidae)
 4431. *Vespula vulgaris* (Linnaeus, 1758) (Vespidae)
 4432. *Villa bizonata* Becker, 1916 (Bombyliidae)
 4433. *Villa bombiformis* Becker, 1916 (Bombyliidae)
 4434. *Villa brunnea* Becker, 1916 (Bombyliidae)
 4435. *Villa circumdata* (Meigen, 1820) (Bombyliidae)
 4436. *Villa deludens* François, 1966 (Bombyliidae)
 4437. *Villa haesitans* Becker, 1916 (Bombyliidae)
 4438. *Villa melanura* (Loew, 1869) (Bombyliidae)
 4439. *Villa merlei* François, 1969 (Bombyliidae)
 4440. *Villa multibalteata* Austen, 1936 (Bombyliidae)
 4441. *Villa niphobleta* (Loew, 1869) (Bombyliidae)
 4442. *Villa pygarga* (Loew, 1868) (Bombyliidae)
 4443. *Villa quinquefasciata* (Wiedemann, 1820) (Bombyliidae)
 4444. *Villa senecio* (Loew, 1869) (Bombyliidae)
 4445. *Villa stenozona* (Loew, 1869) (Bombyliidae)
 4446. *Villa tomentosa* Becker, 1916 (Bombyliidae)
 4447. *Viridicerus ustulatus* (Mulsant & Rey, 1855) (Cicadellidae)
 4448. *Wachtliella ericina* (Loew, 1885) (Cecidomyiidae)
 4449. *Webbsiana ochreicolor* Dlabola, 1983 (Issidae)
 4450. *Wichmannia decorata* Ruschka (Eulophidae)
 4451. *Xanthochroa auberti* (Abeille de Perrin, 1876) (Oedemeridae)
 4452. *Xerohippus alkani* Karabağ, 1953 (Acrididae)
 4453. *Xerohippus anatolicus* Ramme, 1951 (Acrididae)
 4454. *Xerohippus azami* (Bolivar, 1901) (Acrididae)
 4455. *Xestocephalus guttulatus* (Motschulsky, 1859) (Cicadellidae)
 4456. *Xya pfaendleri* (Harz, 1970) (Tridactylidae)
 4457. *Xya variegata* Latreille, 1809 (Tridactylidae)
 4458. *Xylomya maculata* (Meigen, 1804) (Xylomyidae)
 4459. *Xyphosia miliaria* (Schrank, 1781) (Tephritidae)
 4460. *Zaomma lambinus* (Walker) (Encyrtidae)
 4461. *Zercanus rubrocellatus* Dlabola, 1965 (Cicadellidae)
 4462. *Zodion cinereum* (Fabricius, 1794) (Conopidae)
 4463. *Zodion erythrurum* Rondani, 1865 (Conopidae)
 4464. *Zodion notatum* (Meigen, 1804) (Conopidae)
 4465. *Zonitis flava* Fabricius, 1775 (Meloidae)
 4466. *Zonitis gibbicollis* Abeille de Perrin, 1880 (Meloidae)
 4467. *Zonitis immaculata* (Olivier, 1789) (Meloidae)
 4468. *Zonitis microcephala* Escherich, 1889 (Meloidae)
 4469. *Zonitis nana* Ragusa, 1882 (Meloidae)
 4470. *Zonitis nigriventris* Motschulsky, 1845 (Meloidae)
 4471. *Zonitis ruficollis* Frivaldsky, 1877 (Meloidae)
 4472. *Zophosis (Oculosis) dilatata* Deyrolle, 1867 (Tenebrionidae)
 4473. *Zophosis (Oculosis) punctata* Brullé, 1832 (Tenebrionidae)
 4474. *Zorochros alysidotus* (Kiesenwetter, 1858) (Elateridae)
 4475. *Zorochros anatolicus* Dolin & Mertlik, 2002 (Elateridae)
 4476. *Zorochros araxicola* (Reitter, 1895) (Elateridae)
 4477. *Zorochros caucasicus* Jagemann, 1939 (Elateridae)
 4478. *Zorochros georgicus* Dolin & Tschatlandze, 1980 (Elateridae)
 4479. *Zorochros heyrovskyi* Roubal, 1940 (Elateridae)
 4480. *Zorochros kopecky* Platia & Gudenzi, 1998 (Elateridae)
 4481. *Zorochros kurdicus* Dolin & Mertlik, 2002 (Elateridae)
 4482. *Zorochros meridionalis* (Laporte, 1840) (Elateridae)
 4483. *Zorochros minimus* (Lacordaire, 1835) (Elateridae)
 4484. *Zorochros murinus* (Reitter, 1895) (Elateridae)
 4485. *Zorochros nanus* (Gurjeva, 1963) (Elateridae)
 4486. *Zorochros pallicrus* (Desbrochers, 1875) (Elateridae)
 4487. *Zorochros pilosellus* (Reitter, 1895) (Elateridae)
 4488. *Zorochros quadriguttatus* (Laporte, 1840) (Elateridae)
 4489. *Zorochros recellatus* Dolin, 1995 (Elateridae)
 4490. *Zorochros stibicki* (Leseigneur, 1970) (Elateridae)
 4491. *Zygina* (s.str.) *karatasa* (Dlabola, 1957) (Cicadellidae)
 4492. *Zygina* (s.str.) *ordinaria* (Ribaut, 1936) (Cicadellidae)
 4493. *Zygina* (s.str.) *rhamni* Ferrari, 1882 (Cicadellidae)
 4494. *Zygina* (s.str.) *tithide* Ferrari, 1882 (Cicadellidae)
 4495. *Zyginella pulchra* Loew, 1885 (Cicadellidae)
 4496. *Zyginidia (Anatolidia) obesa* Zachvatkin, 1937 (Cicadellidae)
 4497. *Zyginidia (Anatolidia) rostrata* Zachvatkin, 1937 (Cicadellidae)
 4498. *Zyginidia* (s.str.) *pullula* (Boheman, 1845) (Cicadellidae)
 4499. *Zyginidia* (s.str.) *sohrab* Zachvatkin, 1947 (Cicadellidae)
 4500. *Zygiobia carpini* (Loew, 1874) (Cecidomyiidae)

Notes on the biology of *Zygaena (Mesembrynus) tamara placida* A.Bang-Haas (*Lepidoptera, Zygaenidae*)

Halil Özkol Lokman Kayci S. Mesut Pınar

Abstract: Notes on the biology of *Zygaena (Mesembrynus) tamara placida* A.Bang-Haas (*Lepidoptera, Zygaenidae*). – Cesa News 41: 47-50, 5 figs.

New biological and faunistical information regarding *Zygaena (Mesembrynus) tamara placida* A.Bang-Haas is presented in this article. *Ferula haussknechtii* Wolff ex Rech. Fil., 1952 is reported here as the first larval foodplant of this subspecies.

Key words: *Lepidoptera, Zygaenidae, Zygaena tamara placida*, biology, larva, foodplant, *Ferula, Apiaceae*.

As *Zygaenidae* species active by day and bearing remarkable design and colours they are accepted as a private group among other *Lepidoptera* taxa. Thus this family have been one of the most investigated *Lepidoptera* family so far. The formerly determined larval foodplants of *Zygaena (Mesembrynus) tamara* were *Eryngium billardieri*, *Eryngium giganteum* and *Prangos* sp (The Natural History Museum, 2007). *Ferula haussknechtii* is added this list with this study. This plant is also the first determined larval foodplant of the *Zygaena (Mesembrynus) tamara placida*. Remarkably *Ferula haussknechtii* and other 3 plant species mentioned above are all belonging to *Apiaceae*.

In the course of field studies conducted by authors, 1 km West of Canik village (Van, Turkey) at a mountain steppe in early July of 2008, a caterpillar feeding on the *Ferula haussknechtii* Wolff ex Rech. Fil. fruits was found (**Figs. 1,2**). It was bred in captivity on its natural foodplant. After 3 days the larva pupated. Pupal stage in a cocoon continued ten days (**Figs.3-4**). The male adult emerged on 20th June (**Fig.5**). It was determined by the authors as *Zygaena (Mesembrynus) tamara placida* (*Lepidoptera, Zygaenidae*).

The subspecies *placida* was described by A.Bang Haas from Van Lake Basin in 1913. We do not know the exact locality of the type, as the author did not give the place openly. Below the original reference, distributions of *Zygaena (Mesembrynus) tamara* and its representing subspecies in Van Lake basin are given according to Koçak and Kemal (2007).

***Zygaena (Mesembrynus) tamara* Christoph, 1889**

Zygaena tamara Christoph, 1889, *Horae Soc. ent. ross.* 23: 300. Type: [Azerbaijan]: Ordubad.

Distribution in Turkey: Bitlis, Hakkari and Van.

Distribution in world: Turkey, Iraq, Iran, Caucasus, Armenia, and Azerbaijan.

***Zygaena (Mesembrynus) tamara placida* A.Bang-Haas, 1913**

Zygaena tamara ssp. *placida* A.Bang-Haas, 1913, *Dt. ent. Z., Iris* 27: 108. Type *: [Türkei]: "Wan-See Gebiet".

Distribution in Turkey: Bitlis and Van.

Distribution in world: Turkey, Iraq.

Ferula haussknechtii Wolff ex Rech. Fil. is a perennial plant distributing between 1850-3000m altitude. It was collected from east Turkey, north Iraq and west Iran in the world. Provincially it is known only from Van, and Bitlis in Turkey (Peşmen, 1972).



Fig. 1 - *Ferula haussknechtii* Wolff ex Rech. Fil, photo S. M. Pınar.



Fig. 2 - The habitat of *Zygaena (Mesembrynus) tamara placida*, photo S. M. Pınar.



Figs. 3, 4 - The cocoon and the pupal skin of *Zygaena (Mesembrynus) tamara placida*, photo H.Özkol.



Fig. 5 - *Zygaena (Mesembrynus) tamara placida* ex larva upperside of male Turkey Van Prov., Canik village 1950m, emerged on 20.06.2008, photo H.Özkol.

Material examined: 1♂ (ex larva) Turkey: Van Prov., Canik village 1950m, 20.06.2008, H.Özkol, L.Kayci & S.M.Pınar leg.; 33 ♂♀ Turkey: Van Prov., Ereğ Mountain, 2 km W Gölardı village 2600m, 03.08.2002, A.Koçak & L.Kayci leg.

Literature

Koçak, A.Ö. & M., Kemal, 2007. Revised and Annotated Checklist of the *Lepidoptera* of Turkey. *Cent. Ent. Stud., Priamus Suppl.* 8: 1-150, 2 tables.

Peşmen, H., 1972. Genus *Ferula* In: Davis, P.H. (edi.) *Flora of Turkey and East Aegean Islands Vol 4*: 440-452. Univ. Press, Edinburg.

The Natural History Museum, 2007. Hosts - a Database of the World's Lepidopteran Hostplants. <http://internt.nhm.ac.uk/jdsml/researchcuration/projects/hostplants/index.dsm>. London. accessing date: 18.08.2008.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)², Miscellaneous Papers (ISSN 1015-8235)³, Memoirs (ISSN-8227)⁴, DVD Films⁵, Iconographia Insectorum⁶, Cesa Publications on African Lepidoptera (series)⁷, Cesa News [online]⁸, Cesa Books⁹

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Lütfi Behçet, Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mails: cesa_tr@yahoo.com.tr - a_kocak@lycos.com

All serials are recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NY, United Kingdom
ts-emea-york.dcsadmins@thomson.com

² <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

³ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

⁴ <http://www.cesa-tr.org/Memoirs.htm> - pdf available after corresponding

⁵ <http://www.cesa-tr.org/CDF.htm>

⁶ <http://www.cesa-tr.org/Icon.htm>

⁷ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

⁸ <http://www.cesa-tr.org/Cesanews.htm> pdf available

⁹ <http://www.cesa-tr.org/Cesabooks.htm>